

D06

LED Diving Flashlight



Introduction

XTAR D06 is a professional diving flashlight with super brightness. Light up the ocean with adjusting brightness at your will. Dive free in the sea with one-hand controlled easy operation. Explore the darkness in 100m deep underwater or on land.

Technical Parameter

ANSI	High ← Low	
Luminance	900lm ← 3 lm	
Runtime	3 hrs ← 325 hrs	
Beam Throw	306m	
Max Intensity	23500CD 1.5m Diving depth 100m	
Impact Resistant		
Waterproof		
Size	Ø 45mm(head dia) x Ø 30 (body dia) x148.5mm(length)	
Net weight	210g (Battery excluded)	



Note

- Above-mentioned parameters (tested by using XTAR 18650 3100mAh) are approximate and may differ depending on battery and environment.
- 2. Working Voltage: 2.65-4.2V.

Shenzhen XTAR Electronics Co., Ltd 5th Floor, No.77 Xinhe Rd, Shangmugu, Pinghu Area, Longgang District, Shenzhen, Guangdong, China Tel/Fax: (+86)755-25507076 E-mail: info@xtar.cc Zip Code: 518111 Website: www.xtar.cc

V1

Operation

- Install battery.
 Unscrew flashlight, and install the battery with positive pole (+) towards head.
- Choose brightness. Move switch forward or backward to adjust brightness.

Tip

- Please make sure positive pole (+) towards the head.
- Considering flashlight consumes power when it is off, please unscrew tail and move switch to bottom.
- 3. To avoid top lightness will be influenced or LED flashes, and please move the switch equally.
- 4. Do not wipe the battery with strong corrosive substance.
- 5. Flashlight fails to operate.

	Possible Reasons	Solutions
	Battery is exhausted or not compatible	Change battery
	Battery is installed incorrectly	Make sure positive pole toward the head
	Poor contact	Clean the contact surface of battery with alcohol Tighten the head or tail cap

For more and updated information, please visit www.xtar.cc

Customer service

Please provide warranty number and receipt to dealer to get after-sales service.

- 15 days free replacement.
- 24 months free repair. If problems develop beyond 24 months, we will offer free repair service but charge for parts used. The distributor will inform you material fee or related freight if any before repair.
- Lifetime technical support.

Note

- Damage caused by misuse or intentional force is not covered by the warranty.
- You are recommended to store warranty info online: register and login www.xtar.cc - Member Center - Warranty Information.
- 3. Warranty number can be found on the package or product.

Global After-sales Email: service@xtar.cc
US After-sales Email: serviceus@xtar.cc

6

Anti-fake inquiry

- Scratch the anti-counterfeiting label on the package to get 18-digit number.
- 2. Input the number into the query page on www.xtar.cc (Contact Us Anti-fake).

(!) Warning: Do not radiate the light directly towards the eyes, serious injury or blindness could occur by misuse.

6

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Other Tools category:

Click to view products by Xtar manufacturer:

Other Similar products are found below:

CR-05FL7--150R CR-05FL7--698K 899-2-KT46 899-5-KT46 CR-0AFL4--332K CR-12FP4--260R 5718X-01PD-19RO CRCW04021100FRT7

CRCW04021961FRT7 5800-0090 CRCW04024021FRT7 CRCW040254R9FRT7 CRCW0603102JRT5 59065-5 00-8273-RDPP 00-8729-WHPP

593033 593058 593072 593564100 593575 593591 593593 LTILA506SBLAMNBL CRCW08052740FRT1 LUC-012S070DSM LUC
018S070DSP 599-2021-3-NME 599-JJ-2021-03 00-5080-YWPP 5E4750/01-20R0-T/R LW1A-L1-GD LW1A-L1-GL LW1A-P1-GD LW1L
A1C10V-GL LW1L-M1C70-A 0202-0173 00-9089-RDPP CRCW2010331JR02 01-1003W-8/32-10 601-GP-08-KT39 601-JJ-06 601-SPB

601YSY 602-JJ-03 602SPB 602Z 603-JJ-07-FP 603-JJY-04 604J