
88 02 250 T

KNIPEX Alligator® with tether attachment point









- Good access to the workpiece due to slim size of head and joint area
- Self-locking on pipes and nuts: no slipping on the workpiece and low handforce required
- Gripping surfaces with special hardened teeth, teeth hardness approx. 61 HRC: high wear resistance and stable gripping
- Box-joint design for high stability due to double guide
- Robust construction, insensitive to dirt; particularly suitable for outdoor work
- Guard prevents operators' fingers being pinched
- Chrome vanadium electric steel, forged, multi stage oil-hardened
- Pliers with tether attachment point for mounting a fall protection
- With slim multi-component grips without collar for better handling and easier transport

Article No.	88 02 250 T
EAN	4003773080176
Pliers	black atramentized
Head	polished
Handles	with slim multi- component grips, with integrated tether attachment point for a tool tether
Adjustment positions	9
Capacity for pipes, inches (diameter) Ø Inch	2
Capacities for nuts mm	46
Capacities for pipes (diameter) Ø mm	50
Length mm	250
Net weight g	370



Self-locking on pipes and nuts: no slipping on the workpiece; the complete actuating force can be used to turn the workpieces; not having to squeeze the pliers handles reduces the required effort











technical change and errors excepted







X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Knipex manufacturer:

Other Similar products are found below:

11 06 160 T 00 21 41 LE 76 12 125 78 23 125 86 03 400 88 06 250 92 22 13 9503 160 SB 95 12 500 95 31 250 95 62 190 97 49 14 97 49 15 97 51 10 13 02 160 14 26 160 26 16 200 26 26 200 94 15 215 95 26 165 97 52 04 97 53 08 97 90 10 98 03 06 98 03 11 98 53 13 16 29 165 35 62 145 34521330ESD 48 11 J0 49 11 A0 0301160 11 17 160 71 22 200 87 03 250 00 20 18 ESD 98 33 50 97 91 01 97 49 24 49 11 A4 49 21 A41 95 32 320 95 32 315 A 79 52 125 ESD 79 52 125 1660100SB 98 65 41 97 49 50 97 49 06 95 36 315 A