

Patch Panels

Use patch panels to keep cabling organized.



Patch panels. An efficient and convenient solution to terminating all the cable runs coming in from various rooms to one main location commonly referred to as the server room or wiring closet.

Patch panels are key to connecting and routing circuits in your network and beneficial to:


- Keeping your cables tidy
- Making it easier to identify your cables
- Keep your cables secure
- Easier to re-configure and troubleshoot your network

Cat5e, Cat6 and Cat6A

Application/Technical Data

- 110/Krone punchdown tool compatible (*see punchdown blades on back of flyer*)
- Meets ANSI/EIA/TIA 568C.2 standard
- Color coded label for easy wiring T568A and T568B
- Wire gauge range: 22 thru 26 AWG
- Solid or stranded wire
- High strength frame for rigidity and durability, eliminates flexing and warping
- ABS Plastic housing (*12 port non-shielded*)
- Gold plated RJ45 port contacts
- SPCC Metal frame

See
Inside



Phone: 800.749.5783

Fax: 800.749.5784

California, USA

www.platinumtools.com

We Make Connections EZ!


Patch Panels

Cat5e, Cat6 and Cat6A

12 Port Cat5e Non-Shielded Patch Panel

Wall mount, vertical design

P/N 650-12C5



Front

Back

Technical / Features

12 Port Cat5e and Cat6 Non-Shielded

- Wall Mount / Vertical Design
- 110/Krone punchdown compatible
- Meets ANSI/EIA/TIA 568C.2 Standard
- Color coded label for easy wiring T568A & B
- Solid or stranded 22 thru 26 AWG wire
- ABS Plastic Housing
- Gold plated RJ45 port contacts
- Ideal for voice, data, video and audio applications

12 Port Cat6 Non-Shielded Patch Panel

Wall mount, vertical design

P/N 660-12C6



Front

Back

12 Port Cat6 Shielded Patch Panel

Wall Mount – P/N 667-12C6S



Technical / Features

12 Port Cat6 Shielded Patch Panel

- High strength frame for rigidity and durability. Eliminates flexing and warping
- Cable management bracket, helps support/eliminate cable disconnects (integrated)
- Removable shielded dust cover
- Locking screw terminals for cable support and security, eliminates disconnects
- Wall Mount
- Meets ANSI/EIA/TIA 568C.2 Standard
- Color coded label for easy wiring T568A & B
- 110/Krone punchdown compatible
- Solid or stranded 22 thru 26 AWG wire
- Ideal for voice, data, video and audio applications
- Gold plated RJ45 port contacts

Patch Panels – Cat5e, Cat6 and Cat6A


| P/N | Description |
|-----------|----------------------------|
| 650-12C5 | 12 Port Cat5e Non-Shielded |
| 660-12C6 | 12 Port Cat6 Non-Shielded |
| 667-12C6S | 12 Port Cat6 Shielded |
| 651-24C5 | 24 Port Cat5e Non-Shielded |

| P/N | Description |
|------------|---------------------------|
| 661-24C6 | 24 Port Cat6 Non-Shielded |
| 668-24C6S | 24 Port Cat6 Shielded |
| 675-24C6AS | 24 Port Cat6A Shielded |




24 Port Cat6 Shielded Patch Panel

1U Spacing – P/N 668-24C6S



24 Port Cat6A Shielded Patch Panel

1U Spacing – P/N 675-24C6AS



Technical / Features

24 Port Cat6 and Cat6A Shielded Patch Panels

- 1U Spacing, traditional 19-inch rack design
- High strength frame for rigidity and durability. Eliminates flexing and warping
- Cable management bracket, helps support/eliminate cable disconnects (integrated)
- Removable shielded dust cover
- Locking screw terminals for cable support and security, eliminates disconnects
- Meets ANSI/EIA/TIA 568C.2 Standard
- Color coded label for easy wiring T568A & B
- 110/Krone punchdown compatible
- Solid or stranded 22 thru 26 AWG wire
- Ideal for voice, data, video and audio applications
- Gold plated RJ45 port contacts

24 Port Cat5e Non-Shielded Patch Panel

1U Spacing – P/N 651-24C5



Back



Front

Technical / Features

24 Port Cat5e and Cat6 Non-Shielded Patch Panels

- 1U Spacing, traditional 19-inch rack design
- Cable management bracket, helps support/eliminate cable disconnects (removable)
- High strength frame for rigidity and durability. Eliminates flexing and warping
- Color coded label for easy wiring T568A & B
- Meets ANSI/EIA/TIA 568C.2 Standard
- 110/Krone punchdown compatible
- Solid or stranded 22 thru 26 AWG wire
- Ideal for voice, data, video and audio applications
- Gold plated RJ45 port contacts

24 Port Cat6 Non-Shielded Patch Panel

1U Spacing – P/N 661-24C6



Front



Back

PRO-Strike™ Punchdown Tool

Combines rugged design, an ergonomic comfort grip handle and enhanced functions. The primary tool for all telecom and datacom installers working with 110, 66, Krone and BIX™ style cross connects. This professional tool will provide precise, repeatable and reliable terminations that helps ensure installations pass certification and your peace-of-mind.

13150C



PRO-Strike™

Punchdown Blades

- Bayonet style (twist & lock) blades are compatible with all industry standard punchdown tools
- Manufactured from high carbon tool steel
- Heat treated for durability
- NEVERDull™ blades stay sharp longer



| P/N | Description |
|--------|---|
| 13001C | Punchdown Blade, 66 Style |
| 13002C | Punchdown Blade, 110 Style |
| 13003C | Punchdown Blade, 630 Style |
| 13021C | Punchdown Blade, 110/66 Style |
| 13022C | Punchdown Extension Tool |
| 13023C | Punchdown Blade, BIX™ Style |
| 13024C | Punchdown Blade, Krone Style |
| 13031C | Punchdown Blade, NEVERDull™, 110/66 Style |
| 13032C | Punchdown Blade, NEVERDull™, 110 Style |
| 13033C | Punchdown Blade, NEVERDull™, 66 Style |
| 13150C | PRO-Strike™ Punchdown Tool, no blade |

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [PLATINUM TOOLS](#) manufacturer:

Other Similar products are found below :

[15020C](#) [12515](#) [16801C](#) [90170](#) [10531C](#) [106188J](#) [105 004](#) [706BL-1](#) [28038J](#) [17059C](#) [T130K3](#) [12100C](#) [11008](#) [90173](#) [600WH-25](#) [18002](#)
[18039](#) [18042](#) [90160NW](#) [TCC200](#) [T138](#) [10711C](#) [660-12C6](#) [18012](#) [28001J](#) [TAR104](#) [TCC220](#) [10503](#) [106148J](#) [100028C](#) [202044J](#) [13109C](#)
[15010C](#) [725BL-50](#) [T139](#) [706BL-40](#) [15005C](#) [28006J](#) [TP500C](#) [100 011C](#) [13157C](#) [100035C](#) [100054SBL-10C](#) [19002C](#) [19101](#) [10200C](#)
[10500C](#) [JH64AC-25](#) [18312](#) [TG210C](#)