Product Ident

CT-Fuseholder-1

Control-Transformer Accessory Datasheet



Identification


Type Designation	CT-Fuseholder-1	Series	СТ	
Description	Fuseholder Kit			


Technical Data


Max Rated Voltage	[V]	600	
Max Rated Current	[A]	30	
Wire Gauge	[AWG]	14	


Connection Diagram


Group 1 & 2 (Primary 400V)











Installation Information

Install fuseholder on top by using 2x M4 and 2x 4mm serrated washers (included). Please take care not to cover the terminal identification. Connect F1 & F2 with primary and F3 with secondary side of the transformer.

This kit is to be used with 50 – 1500VA CT-Transformers. Fuses are not included.

Variations may apply due to material's and production's tolerances. Objected to modifications without notice.

Original Date:	09/21/2017
Name:	Wesner
Date:	
Checked:	

	Index	0
Observe protection clause to ISO 16016	Doc. type	Datasheet
observe protection clause to 150 10010		
	Pages	1 of 1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Block manufacturer:

Other Similar products are found below:

PVSB 400/24-20 RKD 40/2X18 RKD 120/2X24 AVB1.0/2/12 FL52/24 FL6/24 AVB0.5/2/6 AVB2.3/2/6 STEU63/23 VB 0.35/1/15 LR3
48-3/80 LR3 48-5/70 LR3 60-3/70 PC-0148-100-0 PC-0324-100-0 PM-0748-400-0 EB-2724-060-0 PVUA 24/24-20 RKD 100/2X24
VB1.5/2/24 FL4/18 TIM500 VB2.3/2/9 AVB3.2/2/6 STEU320/23 STEU100/24 VB 1.5/2/8 SAT600 LR3 48-5/80 LR3 48-5/90 PM-0124020-0 PM-0148-020-0 PM-0724-120-0 EB-1824-010-0 STEU160/48 FL10/24 FL14/18 SAT200 DCT24-1.5 FL18/6 FL24/6 VB2.3/2/24
VB2.8/2/15 LR3 48-5/16 PM-0112-040-0 PM-0112-070-0 STEU63/24 FL18/12 FL24/24 STEU250/24