



Datenblatt - Fiche technique - Data sheet

11.04.5653




ROLINE Monitor-Kabel mit Ferritkern+DDC, HD15 ST-ST, 3,0m

ROLINE Câble écran HD15 M/M avec noyaux de ferrite + DDC, 3,0m

ROLINE High Quality VGA Cable + Ferrite + DDC, HD15, M/M, 3 m

ROHS-COMPLIANT


LTR	REV.	DESCRIPTION	DATE



NOTE:

- CABLE: UL-2919 28AWG(7/0.127 T.C)*3COAX(75 OHMS) +24AWG(7/0.20 T.C)*9C+AL/MY+D.W+BRAID(85%) PVC JACKET, COLOR: BLACK(NK-K01) OD: $\varnothing 8.5 \pm 0.15$ mm, (C2919355-1) (SPACE SHUTTLE)
- CONNECTOR:
P1&P2:HDB15P MALE, GOLD FLASH CONTACT, NICKEL PLATED SHELL
- SHIELD: COPPER-FOIL 360° SOLDERED TO CONNECTOR SHELL & CABLE BRAID
- HOOD: MOLDED TYPE, PVC 45P, COLOR: BLACK(NK-K01)
- ELECTRICAL TEST: <1>.100% OPEN SHORT & MIS WIRE TEST
<2>. CONTACT RESISTANCE 3 Ohms MAX
<3>. INSULATION RESISTANCE 10M Ohms MIN
- PACKING: <1>EACH PC / POLYBAG + BIG HEADER CARD + BAR CODE LABEL.
<2>EACH PC / POLYBAG + BAR CODE LABEL.

PIN OUT



DWG	P/N	L±T(mm)	BAR CODE NO.	PACKING	CTN BAR CODE
120-3272-3	11.04.5670	20000±200	7611990192267	<2>	7611990992263
120-3272-2	11.04.5660	10000±100	7611990192250	<2>	7611990992256
120-3272-1	11.04.5653	3000±30	7611990192243	<1>	7611990992249

Tolerance	Inch	M/M
.X	.015	.30
.XX	.010	.10
.XXX	.005	.05

Rotronic co., LTD.

Drawn	FANNIE 09/24/10'	Customer P/N	HDB15/M-HDB15/M W/FERRITE CORES CABLE
Check		App'd	Customer T-RAG
Engr		Scale	NONE Units m/m Third Angle Projection
		Dwg No.	120-3272
		REV.	A
		Sheet	1/1

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Roline manufacturer](#):

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)