



Datenblatt - Fiche technique - Data sheet



**11.04.5514**



ROLINE GOLD Monitorkabel DVI, ST-ST, (24+1) dual link, 5,0m

ROLINE GOLD Câble pour écran DVI, M-M, (24+1) dual link, 5,0m

ROLINE GOLD Monitor Cable, DVI (24+1), Dual Link, M/M, 5 m



BACK SIDE

NOTE:

1.CABLE: [28AWG(7/0.127 T.C)×1P+DRAIN WIRE+AL/MY  
28AWG(7/0.127 T.C)×3C+AL/MYLAR+DRAIN W  
JACKET:PVC OD: 8.6±0.15mm, COLOR:BLACK(NK

2.CONNECTOR:

P1&P2:DVI 24+1 MALE, GOLD FLASH CONTACT,

3.SHIELD: GOLD PLATED SHELL.

P1&P2:COPPER FOIL 360° SOLDER TO CONNE

4.HOOD: P1&P2: ASS'Y TYPE, ALUMINUM HOOD GOLD P  
SR: MOLDED TYPE, PVC 30P, COLOR:BLACK(NK











5.TEST REQUEST:

(1) 100% SHORT OPEN & MIS WIRE TEST.

(2) CONTACT RESISITANCE 3 OHMS MAX.

(3) INSULATION RESISITANCE 10M OHMS MIN.

6.PACKING: EACH PC / POLYBAG+BIG HEADER CARD+B

6		
7		
9		
10		
11		
11		
12		
13		
14		
15		
16		
17		
18		
19		
19		
20		
21		
22		
23		
24		
SHELL	BRAID SHIELDS	SI

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Roline manufacturer](#):*

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)  
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)  
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)  
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)  
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)