



Datenblatt - Fiche technique - Data sheet

**11.04.5595**



ROLINE Monitorkabel DVI, ST-ST, (24+1) dual link, 10m

ROLINE Câble DVI pour écran, M-M, (24+1) dual link, 10,0m

ROLINE Monitor Cable, DVI (24+1), Dual Link, M/M, 10 m

# ROHS-COMPLIANT

LTR	REV.	DESCRIPTION	DATE
A*2	B	ECR # 071205-4 ADD LENGTH	12/05/07'
A*2	C	ECR # 080509-7 EDIT PACKING,ADD BAR CODE	05/09/08'



L+T

DVI\_D M

PLASTIC:BLACK

PIN24  
PIN16  
PIN8

P1




DVI\_D M

PLASTIC:BLACK

PIN1  
PIN9  
PIN17  
PIN8  
PIN16

P2



WIRE CONNECTION

P1	WIRE COLOR	P2
1		1
2		2
3		3
3		3
4		4
5		5
6		6
7		7
9		9
10		10
11		11
11		11
12		12
13		13
14		14
15		15
16		16
17		17
18		18
19		19
19		19
20		20
21		21
22		22
23		23
24		24
SHELL	BRAID SHIELDS	SHELL

REMARK:

- CABLE:UL -20276 [28AWG(7/0.127)\*1P+DRAIN WIRE+AL/MY+MYLAR]\*7C+28AWG(7/0.127)\*1P+28AWG(7/0.127)\*3C+AL/MYLAR+BRAID SHIELDS(85%)+T.C PVC JACKET, OD: 8.6±0.15mm, COLOR:BLACK(INK-K01).
- CONNECTOR:  
P1&P2:DVI\_D 25P: 24P+KEY MALE, GOLD FLASH CONTACT, NICKEL PLATED SHELL.
- SHIELD: P1&P2 COPPER FOIL 360° SOLDERED TO CONNECTOR SHELL & CABLE SHIELDING
- HOOD:  
P1&P2:MOLDED TYPE, PVC 45P, COLOR:BLACK(INK-K01)
- FERRITE CORE: (28.5\*17.5\*9.5) x 2
- TEST REQUEST:  
(1) 100% SHORT OPEN & MIS WIRE TEST.  
(2) CONTACT RESISTANCE 3 OHMS MAX.  
(3) INSULATION RESISTANCE 10M OHMS MIN.  
(4) HI-POT VOLTAGE: 300V DC.
- PACKING: EACH PC / POLY BAG + P/N LABEL



DWG NO.	P / N	L (m/m)	T (m/m)	PCS/CTN	BAR CODE NO.
200-0839-2	11.99.5598	15000	150	4	7611990175253
200-0839-1	11.04.5595	10000	100	10	7611990160938

Tolerance	Inch	M/M
X	.015	.30
XX	.010	.10
XXX	.005	.05

DRAW PANNIE 05/09/08'		Customer P/N:	
<b>Rotronic Co., Ltd.</b>			
Title DVI_D - DVI_D DUAL LINK CABLE			
App'd	CUSTOMER	T-RAG	
Scale	NONE	Units	m/m
Dwg No.	200-0839	REV:	C

Check	Engr	Dwg No.	200-0839	REV:	C	Sheet	1/1
-------	------	---------	----------	------	---	-------	-----

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Roline manufacturer](#):*

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)  
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)  
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)  
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)  
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)