



Datenblatt - Fiche technique - Data sheet

11.09.4385



ROLINE Fiber-Kabel Toslink ST / ST, 5m

ROLINE Câble Toslink M/M, 5m

ROLINE Fiber Cable Toslink M - M, 5 m

NOTE:

1.100 % TESTING.

2.TRANSMISSION LOSS 4.0 dB (L

3.MATING FORCE :39.2N(4.0Kgf) C

4.UMMATING FORCE :5.9N(0.6Kg

5.ALL DIMENSION ARE IN MILLIM

6.ALL MATERIAL ARE RoHS COM

PART LISTS

<i>NO</i>	DESCRIPTION	MAT
<i>1</i>	OPTICAL FIBER CABLE	PVC
<i>2</i>	OPT PLUG CAP	PVC
<i>3</i>	TOSLINK OPT PLUG	PBT-
<i>4</i>	CENTER PIN	BRAS
<i>5</i>	PROTECTIVE CAP	PVC

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Roline manufacturer](#):

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)