



Datenblatt - Fiche technique - Data sheet


11.04.5813



ROLINE DisplayPort Kabel, 4K, DP ST - ST, 5,0 m

ROLINE Câble DisplayPort DP M - DP M, 5,0 m

ROLINE DisplayPort Cable, DP-DP, M/M, 5.0 m




Electrical Test:

1. 100% Test(Open, Short, Miss Wire)
2. Contact Resistance: 2 ohm Max
3. Insulation Resistance : 10M ohm Min
4. Hi-Pot: 100V DC/10ms

DESCRIPTION :

1. DisplayPort UL20276 [(26AWG*1 PR+D+AL/MY)*5+26AW*4C+AL/MY+BD, OD: 8.3 MM, Jacket Color: Black
2. DisplayPort, Male, Pin: Gold Plated, Insulator: Black, Shell: Gold Plated
3. DisplayPort, Shell: ABS, Color: Black
4. DisplayPort, Shell: ABS, Color: Black
5. Outer Molding: PVC 45P, Color: Black
6. Inner Molding: PE



REV.	DATE	CONTENTS OF CHANGE	DESIGNER	TOL ±								APPROVAL	CHECK	DRAWING	DESIGN	DF	
				RANGE	Pla	Met	Ins	Por	V	Cab	Pac						Gas
①				0~6	0.1	0.1	0.1	0.2	0.5	1	0.5	0.2	PHILIP	PHILIP		henry	
②				6~30	0.1	0.1	.15	.25	1	1	0.5	.25					
③				30~80	0.1	.15	0.2	0.3	2	1.5	1	0.3					
④				80~180	.15	.15	.25	0.3	2	2	1	.45					
⑤				180~315	.15	0.2	0.3	0.4	2.5	2	1	0.6					
				315~800	0.2	0.3	0.4	0.5	3	3	2	1.1	⊕	SCALE	1:1	UNIT	MM

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Roline manufacturer](#):

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)