



Datenblatt - Fiche technique - Data sheet


11.09.4269



ROLINE GOLD S-Video Kabel, Stecker / Stecker, 10,0m

ROLINE GOLD Câble S-Vidéo, M / M, 10,0m

ROLINE GOLD S-Video Cable, Male / Male, 10.0m



Electrical Test:

1. 100% Test (Open, short, miss wire)
2. Contact Resistance: 5 ohm Max
3. Insulation Resistance: 10M ohm Min
4. Hi-Pot: 100V DC/10ms

PIN OUT

P1		P2
1	BLACK	1
3	SPRIAL	3
2	RED	2
4	SPRIAL	4

REV.	DESCRIPTION	DATE
1	ROTRONIC Co., Ltd.	
	ROLINE Gold S-Video Cable M-M, 10m	
	CUSTOMER :	
	CUSTOMER P/N :	11.09.4269
	SCALE	NONE
	UNIT	MM
	DATE	2012.10.08
	DRAWN BY	JOE
	CHECK BY	
	APPD BY	
	DRAWING NO:	
	REV	A
		1/2

QTY	UNIT	DESCRIPTION
2	SET	MINI DIN 4P M copper shell ,PIN TIN PLATED,SHELL GOLD PLATED,INSULATION:white(PLATED 24K GOLD)
L	M	UL2919 1354(S)(28AWG 7/0.12TA+S(30/0.10TC)+ MY)*2C 75oh OD:5.0MM BLACK + black/gold nylon
Q'TY	UNIT	DESCRIPTION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Roline manufacturer](#):

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)