




Datenblatt - Fiche technique - Data sheet

21.15.2182





ROLINE GOLD S/FTP-(PiMF-) Patchkabel Kat.6A, 2,0 m

Cordon ROLINE GOLD Cat.6A S/FTP (PiMF), 2,0 m


ROLINE GOLD S/FTP Patch Cord Cat.6A, 2.0 m

SECOM P

ITEM NO.	LENGTH (L)	TOLERANCE (T)
21.15.2180	0.5m	±15mm
21.15.2181	1m	±30mm
21.15.2182	2m	±60mm
21.15.2183	3m	±90mm
21.15.2185	5m	±150mm
21.15.2186	7m	±210mm
21.15.2187	10m	±300mm
21.15.2188	15m	±450mm
21.15.2189	20m	±600mm



Cotton quilt colour: BLACK & GOLD



REV.	DATE	MODIFICATION
A	2015-10-21	

REV.	DATE	MODIFICATION
2		Plated 3u" Shell Gold Plating
1		(L)*4PAIRS+BRAID(5*16/0.12mmAL-MG) Cotton Braiding OD: 6.5±0.2mm

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Roline manufacturer](#):

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)