



Datenblatt - Fiche technique - Data sheet

21.15.2751



ROLINE Patchkabel Kat.6A UTP, Comp. Level, LSOH, schwarz, 1,0 m

Cordon ROLINE UTP Cat.6A / 10 Gigabit, Component Level, LSOH, noir, 1,0 m


ROLINE UTP Patch Cord Cat.6A, Component Level, LSOH, black, 1.0 m

SECOM P

NEW	2016-09-13	A
RECORD MODIFICATIONS	DATE	REV.


ION STANDARD	QTY	REMARK
P+AL-FOIL)*4P+BRAID CABLE	1PCS	
N GOLD PLATED 3u", Transparent Blue	2PCS	
	2PCS	
	1PCS	
	2PCS	
	1PCS	

ENT PATCH CORD LSZH 500MHZ ISO/IEC



ITEM NO.	LENGTH(L)	TOLERANCE(T)
21. 15. 2986	300mm	±10mm
21. 15. 2750	500mm	±15mm
21. 15. 2751	1000mm	±30mm
21. 15. 2754	1500mm	±45mm
21. 15. 2752	2000mm	±60mm
21. 15. 2753	3000mm	±90mm
21. 15. 2755	5000mm	±150mm
21. 15. 2756	7500mm	±210mm
21. 15. 2757	10000mm	±300mm
21. 15. 2758	15000mm	±450mm
21. 15. 2759	20000mm	±600mm

DESC.	ROLINE U/UTP PatchCord CAT. 6A, LSZH, Comp. Level, black
ITEM NO.	21. 15. 2986 21. 15. 2750 21. 15. 2751 21. 15. 2752 21. 15. 2753
21. 15. 2754 21. 15. 2755 21. 15. 2756 21. 15. 2757 21. 15. 2758 21. 15. 2759	



L±Tmm

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Roline manufacturer](#):

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)