



Datenblatt - Fiche technique - Data sheet

26.11.0358



ROLINE Kat.6 Keystone, geschirmt, werkzeuglos, silberfarben

ROLINE Keystone Cat.6, blindé, sans outil, argent

ROLINE Cat.6/Class E Keystone Jack, RJ-45, shielded, toolless, silver

B

Specification :

Material :

- 1. RJ45 Jack :**
1-1. Housing : Zinc Die-Casting with Nickel plated
1-2. Contact Bracket : PC, UL 94-V2, Transparent
- 2. RJ45 Jack Contact :**
2-1. Material : Phosphor Bronze with Nickel plated
2-2. Finish : 50 micro-inch Gold plated on Plug
- 3. Cap A&B : Zinc Die-Casting with Nickel plated.**
- 4. IDC :**
4-1. Housing : PC+Glass Fiber, Grey color(RAL7035)
4-2. Terminal : Phosphor Bronze with Tin plated.
- 5. IDC Cap : PC+Glass Fiber, White color, UL 94-V2.**
- 6. Clip : Stainless Steel.**
- 7. Grounding Contact : Zinc Die-Casting with Nickel p**
- 8. PCB : FR4, UL 94-V0.**

C

Performance :

- a. T568A & T568B wiring.**
- b. Insertion Force : 30N max. (IEC 60603-7-5).**
- c. Retention Strength : 7.7 kg between Jack and Plug**
- d. Operating Temperature : -10°C to 60°C. (ISO/IEC**
- e. Life(mating cycles) :**
e-1. Jack : 750 cycles min. (ISO/IEC 11801, IEC
e-2. IDC : Suitable for 23-26 AWG stranded and
110 & Krone punch down tool.
e-3. Tool-less : When using the IDC Cap for wiring
- f. The Cat.6 transmission performance is in compliance
the ANSI/TIA/EIA 568 B.2-1 standard.**

D

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Roline manufacturer](#):

Other Similar products are found below :

[11.04.5710](#) [11.04.5547](#) [11.04.5779](#) [11.04.5789](#) [11.02.8877](#) [11.04.5690](#) [11.04.5792](#) [11.04.5793](#) [11.04.5202](#) [12.03.3114](#) [11.04.5552](#)
[11.04.5601](#) [11.02.8311](#) [11.02.8753](#) [12.04.1088](#) [11.02.8902](#) [11.02.9025](#) [21.15.0831](#) [21.15.0833](#) [21.15.2713](#) [21.15.2720](#) [21.15.2762](#)
[11.09.4446](#) [11.04.5609](#) [12.02.1041](#) [21.15.0591](#) [11.04.5736](#) [11.04.5691](#) [26.11.0378](#) [12.03.3119](#) [11.01.6230](#) [11.04.5595](#) [11.09.4345](#)
[11.09.4510](#) [21.15.0830](#) [21.15.2606](#) [16.01.3031](#) [11.02.8722](#) [11.02.8780](#) [11.04.5619](#) [11.04.5649](#) [11.04.5818](#) [12.03.3130](#) [11.02.8322](#)
[11.02.8825](#) [11.01.5860](#) [11.09.4338](#) [11.09.4359](#) [12.03.3129](#) [21.15.2630](#)