


Guide rail with keying/coding, groove width 2.5 mm

Catalog Number: 24561-331



Other Views



- Optional keying/coding pegs to prevent boards being inserted into the wrong slot position
- The optional ESD clip for IEEE alignment pins can be fitted into guide rails with keying/coding and into the keying/coding block. It ensures conductive contact between the alignment pin of the insertion/extraction handle (IEL or IET handle) and the horizontal rail
- Guide rail, plastic, one-piece, red, for 2 mm groove width
- Assembly Can be clipped into horizontal rails in Al extrusionCan be clipped into 1.5 mm thick plate
- The optional ESD clip ensures conductive contact between PCB and horizontal rail, on both the solder side and the component side.
- With keying/coding block
- Storage temperature: from -40 °C ... 130 °C

Product family:

- EuropacPRO
- RatiopacPRO

Type:

Individual Components

Individual Component Type:

Guide Rails & Accessories

Description:

For CompactPCI, VME64x with coding

		ata

Qty PU 10 pieces
Color red/silver
Board length [mm] 280.0
Groove width 2.5

Material End foot: (1) PBT, UL 94 V-0, middle section: (2) aluminium profile, anodised

Description For CompactPCI, VME64x with coding

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for schroff manufacturer:

Other Similar products are found below:

24566-125 14575171 14575271 14576145 14575265 20117-156 20817772 20827088 20846211 20860229 21100777 23022602 23130082 24571331 24571586 24572066 24822075 26230-374 30817-001 30825080 20849021 20860240 23001021 24560080 24571303 24572054 24572056 30219-113 20848-410 20838-125 20860-601 20860-633 10225-602 10225-623 10828058 13100103 28230-439-C 24563-457 24563-444 20848-601 21101-853 20818-020 21101-847 24563-134 24564-431 24827-107 24563-142 24563-157 24563-442 A265HC-5.80EH