




Features:



- UL Approved
- High Quality Open Style Toroidal Transformer
- Dual Primary/Secondary windings
- Thermal fuses fitted to each Primary winding
- Very low level radiated magnetic field
- Supplied with mounting Kit
- 100% electrical and flash tested.
- Compliant Standards, EN61558, EN60950, UL, C-UL and CE



Lead Length: 150mm stripped and tinned ends

| VA Rating | Part No | Input Voltage (Vac) | Output Voltage (Vac) | Output Current (A) | Regulation (Typ. %) | Temp Rise (°C) | Height x Dia. (mm) | Weight (Kg) |
|-----------|-----------------|---------------------|----------------------|--------------------|---------------------|----------------|--------------------|-------------|
| 15 | VTX-146-015-206 | 115 / 230 | 2 x 6 | 1.25 | 16 | 26 | 33 x 65 | 0.33 |
| 15 | VTX-146-015-209 | 115 / 230 | 2 x 9 | 0.83 | 16 | 26 | 33 x 65 | 0.33 |
| 15 | VTX-146-015-212 | 115 / 230 | 2 x 12 | 0.63 | 16 | 26 | 33 x 65 | 0.33 |
| 15 | VTX-146-015-215 | 115 / 230 | 2 x 15 | 0.5 | 16 | 26 | 33 x 65 | 0.33 |
| 15 | VTX-146-015-218 | 115 / 230 | 2 x 18 | 0.42 | 16 | 26 | 33 x 65 | 0.33 |
| 15 | VTX-146-015-224 | 115 / 230 | 2 x 24 | 0.3125 | 16 | 26 | 33 x 65 | 0.33 |
| 15 | VTX-146-015-225 | 115 / 230 | 2 x 25 | 0.3 | 16 | 26 | 33 x 65 | 0.33 |
| 30 | VTX-146-030-206 | 115 / 230 | 2 x 6 | 2.5 | 14 | 40 | 33 x 74 | 0.45 |
| 30 | VTX-146-030-209 | 115 / 230 | 2 x 9 | 1.67 | 14 | 40 | 33 x 74 | 0.45 |
| 30 | VTX-146-030-212 | 115 / 230 | 2 x 12 | 1.25 | 14 | 40 | 33 x 74 | 0.45 |
| 30 | VTX-146-030-215 | 115 / 230 | 2 x 15 | 1 | 14 | 40 | 33 x 74 | 0.45 |
| 30 | VTX-146-030-218 | 115 / 230 | 2 x 18 | 0.83 | 14 | 40 | 33 x 74 | 0.45 |
| 30 | VTX-146-030-224 | 115 / 230 | 2 x 24 | 0.625 | 14 | 40 | 33 x 74 | 0.45 |
| 30 | VTX-146-030-225 | 115 / 230 | 2 x 25 | 0.6 | 14 | 40 | 33 x 74 | 0.45 |
| 50 | VTX-146-050-206 | 115 / 230 | 2 x 6 | 4.17 | 14 | 42 | 33 x 82 | 0.6 |
| 50 | VTX-146-050-209 | 115 / 230 | 2 x 9 | 2.78 | 14 | 42 | 33 x 82 | 0.6 |
| 50 | VTX-146-050-212 | 115 / 230 | 2 x 12 | 2.08 | 14 | 42 | 33 x 82 | 0.6 |
| 50 | VTX-146-050-215 | 115 / 230 | 2 x 15 | 1.67 | 14 | 42 | 33 x 82 | 0.6 |
| 50 | VTX-146-050-218 | 115 / 230 | 2 x 18 | 1.39 | 14 | 42 | 33 x 82 | 0.6 |
| 50 | VTX-146-050-224 | 115 / 230 | 2 x 24 | 1.05 | 14 | 42 | 33 x 82 | 0.6 |
| 50 | VTX-146-050-225 | 115 / 230 | 2 x 25 | 1 | 14 | 42 | 33 x 82 | 0.6 |
| 50 | VTX-146-050-255 | 115 / 230 | 2 x 55 | 0.45 | 14 | 42 | 33 x 82 | 0.6 |

Please contact Vigortronix for any enquiries. Products can be altered to suit custom requirements
The information contained in this document is subject to change without notice.

| VA Rating | Part No | Input Voltage (Vac) | Output Voltage (Vac) | Output Current (A) | Regulation (Typ. %) | Temp Rise (°C) | Height x Dia. (mm) | Weight (Kg) |
|-----------|-----------------|---------------------|----------------------|--------------------|---------------------|----------------|--------------------|-------------|
| 60 | VTX-146-060-206 | 115 / 230 | 2 x 6 | 5 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-209 | 115 / 230 | 2 x 9 | 3.33 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-212 | 115 / 230 | 2 x 12 | 2.5 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-215 | 115 / 230 | 2 x 15 | 2 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-218 | 115 / 230 | 2 x 18 | 1.66 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-224 | 115 / 230 | 2 x 24 | 1.25 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-225 | 115 / 230 | 2 x 25 | 1.2 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-230 | 115 / 230 | 2 x 30 | 1 | 15 | 50 | 34 x 85 | 0.8 |
| 60 | VTX-146-060-250 | 115 / 230 | 2 x 55 | 0.55 | 15 | 50 | 34 x 85 | 0.8 |
| 80 | VTX-146-080-209 | 115 / 230 | 2 x 9 | 4.44 | 11 | 50 | 40 x 90 | 1 |
| 80 | VTX-146-080-212 | 115 / 230 | 2 x 12 | 3.33 | 11 | 50 | 40 x 90 | 1 |
| 80 | VTX-146-080-215 | 115 / 230 | 2 x 15 | 2.67 | 11 | 50 | 40 x 90 | 1 |
| 80 | VTX-146-080-218 | 115 / 230 | 2 x 18 | 2.22 | 11 | 50 | 40 x 90 | 1 |
| 80 | VTX-146-080-224 | 115 / 230 | 2 X 24 | 1.66 | 11 | 50 | 40 x 90 | 1 |
| 80 | VTX-146-080-225 | 115 / 230 | 2 X 25 | 1.6 | 11 | 50 | 40 x 90 | 1 |
| 80 | VTX-146-080-230 | 115 / 230 | 2 X 30 | 1.33 | 11 | 50 | 40 x 90 | 1 |
| 80 | VTX-146-080-255 | 115 / 230 | 2 X 55 | 0.73 | 11 | 50 | 40 x 90 | 1 |
| 100 | VTX-146-100-209 | 115 / 230 | 2 x 9 | 5.55 | 11 | 53 | 45 x 91 | 1.2 |
| 100 | VTX-146-100-212 | 115 / 230 | 2 x 12 | 4.15 | 11 | 53 | 45 x 91 | 1.2 |
| 100 | VTX-146-100-215 | 115 / 230 | 2 x 15 | 3.33 | 11 | 53 | 45 x 91 | 1.2 |
| 100 | VTX-146-100-218 | 115 / 230 | 2 x 18 | 2.77 | 11 | 53 | 45 x 91 | 1.2 |
| 100 | VTX-146-100-224 | 115 / 230 | 2 x 24 | 2.08 | 11 | 53 | 45 x 91 | 1.2 |
| 100 | VTX-146-100-225 | 115 / 230 | 2 x 25 | 2 | 11 | 53 | 45 x 91 | 1.2 |
| 100 | VTX-146-100-230 | 115 / 230 | 2 x 30 | 1.66 | 11 | 53 | 45 x 91 | 1.2 |
| 100 | VTX-146-100-255 | 115 / 230 | 2 x 55 | 0.9 | 11 | 53 | 45 x 91 | 1.2 |
| 120 | VTX-146-120-209 | 115 / 230 | 2 x 9 | 6.66 | 10 | 55 | 45 X 98 | 1.32 |
| 120 | VTX-146-120-212 | 115 / 230 | 2 x 12 | 5 | 10 | 55 | 45 X 98 | 1.32 |
| 120 | VTX-146-120-215 | 115 / 230 | 2 x 15 | 4 | 10 | 55 | 45 X 98 | 1.32 |
| 120 | VTX-146-120-218 | 115 / 230 | 2 x 18 | 3.33 | 10 | 55 | 45 X 98 | 1.32 |
| 120 | VTX-146-120-224 | 115 / 230 | 2 x 24 | 2.5 | 10 | 55 | 45 X 98 | 1.32 |
| 120 | VTX-146-120-225 | 115 / 230 | 2 x 25 | 2.4 | 10 | 55 | 45 X 98 | 1.32 |
| 120 | VTX-146-120-230 | 115 / 230 | 2 x 30 | 2 | 10 | 55 | 45 X 98 | 1.32 |
| 120 | VTX-146-120-255 | 115 / 230 | 2 x 55 | 1.09 | 10 | 55 | 45 X 98 | 1.32 |
| 160 | VTX-146-160-209 | 115 / 230 | 2 x 9 | 8.88 | 8 | 55 | 47 X 105 | 1.6 |
| 160 | VTX-146-160-212 | 115 / 230 | 2 x 12 | 6.67 | 8 | 55 | 47 X 105 | 1.6 |
| 160 | VTX-146-160-215 | 115 / 230 | 2 x 15 | 5.33 | 8 | 55 | 47 X 105 | 1.6 |
| 160 | VTX-146-160-218 | 115 / 230 | 2 x 18 | 4.44 | 8 | 55 | 47 X 105 | 1.6 |
| 160 | VTX-146-160-224 | 115 / 230 | 2 x 24 | 3.33 | 8 | 55 | 47 X 105 | 1.6 |
| 160 | VTX-146-160-225 | 115 / 230 | 2 x 25 | 3.2 | 8 | 55 | 47 X 105 | 1.6 |
| 160 | VTX-146-160-230 | 115 / 230 | 2 x 30 | 2.67 | 8 | 55 | 47 X 105 | 1.6 |
| 160 | VTX-146-160-255 | 115 / 230 | 2 x 55 | 1.45 | 8 | 55 | 47 X 105 | 1.6 |

The information contained in this document is subject to change without notice.

| VA Rating | Part No | Input Voltage (Vac) | Output Voltage (Vac) | Output Current (A) | Regulation (Typ. %) | Temp Rise (°C) | Height x Dia. (mm) | Weight (Kg) |
|-----------|------------------|---------------------|----------------------|--------------------|---------------------|----------------|--------------------|-------------|
| 225 | VTX-146-225-212 | 115 / 230 | 2 x 12 | 9.38 | 7 | 60 | 51 X 110 | 2.2 |
| 225 | VTX-146-225-215 | 115 / 230 | 2 x 15 | 7.5 | 7 | 60 | 51 X 110 | 2.2 |
| 225 | VTX-146-225-218 | 115 / 230 | 2 x 18 | 6.3 | 7 | 60 | 51 X 110 | 2.2 |
| 225 | VTX-146-225-224 | 115 / 230 | 2 x 24 | 4.68 | 7 | 60 | 51 X 110 | 2.2 |
| 225 | VTX-146-225-225 | 115 / 230 | 2 x 25 | 4.5 | 7 | 60 | 51 X 110 | 2.2 |
| 225 | VTX-146-225-230 | 115 / 230 | 2 x 30 | 3.75 | 7 | 60 | 51 X 110 | 2.2 |
| 225 | VTX-146-225-250 | 115 / 230 | 2 x 50 | 2.25 | 7 | 60 | 51 X 110 | 2.2 |
| 225 | VTX-146-225-255 | 115 / 230 | 2 x 55 | 2.05 | 7 | 60 | 51 X 110 | 2.2 |
| 250 | VTX-146-250-212 | 115 / 230 | 2 x 12 | 10.42 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-215 | 115 / 230 | 2 x 15 | 8.33 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-218 | 115 / 230 | 2 x 18 | 6.95 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-225 | 115 / 230 | 2 x 25 | 5 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-230 | 115 / 230 | 2 x 30 | 4.16 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-235 | 115 / 230 | 2 x 35 | 3.57 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-240 | 115 / 230 | 2 x 40 | 3.125 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-245 | 115 / 230 | 2 x 45 | 2.77 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-250 | 115 / 230 | 2 x 50 | 2.5 | 7 | 60 | 50 X 119 | 2.5 |
| 250 | VTX-146-250-255 | 115 / 230 | 2 x 55 | 2.27 | 7 | 60 | 50 X 119 | 2.5 |
| 300 | VTX-146-300-212 | 115 / 230 | 2 x 12 | 12.5 | 6 | 60 | 55 X 125 | 3.0 |
| 300 | VTX-146-300-215 | 115 / 230 | 2 x 15 | 10 | 6 | 60 | 55 X 125 | 3.0 |
| 300 | VTX-146-300-218 | 115 / 230 | 2 x 18 | 8.33 | 6 | 60 | 55 X 125 | 3.0 |
| 300 | VTX-146-300-224 | 115 / 230 | 2 x 24 | 6.25 | 6 | 60 | 55 X 125 | 3.0 |
| 300 | VTX-146-300-225 | 115 / 230 | 2 x 25 | 6 | 6 | 60 | 55 X 125 | 3.0 |
| 300 | VTX-146-300-230 | 115 / 230 | 2 x 30 | 5 | 6 | 60 | 55 X 125 | 3.0 |
| 300 | VTX-146-300-235 | 115 / 230 | 2 x 35 | 4.28 | 6 | 60 | 55 X 125 | 3.0 |
| 300 | VTX-146-300-255 | 115 / 230 | 2 X 55 | 2.73 | 6 | 60 | 55 X 125 | 3.0 |
| 500 | VTX-146-500-224 | 115 / 230 | 2 x 24 | 10.4 | 6 | 68 | 61 X 138 | 4.3 |
| 500 | VTX-146-500-225 | 115 / 230 | 2 x 25 | 10 | 6 | 68 | 61 X 138 | 4.3 |
| 500 | VTX-146-500-230 | 115 / 230 | 2 x 30 | 8.33 | 6 | 68 | 61 X 138 | 4.3 |
| 500 | VTX-146-500-235 | 115 / 230 | 2 x 35 | 7.14 | 6 | 68 | 61 X 138 | 4.3 |
| 500 | VTX-146-500-240 | 115 / 230 | 2 x 40 | 6.25 | 6 | 68 | 61 X 138 | 4.3 |
| 500 | VTX-146-500-245 | 115 / 230 | 2 x 45 | 5.56 | 6 | 68 | 61 X 138 | 4.3 |
| 500 | VTX-146-500-250 | 115 / 230 | 2 x 50 | 5 | 6 | 68 | 61 X 138 | 4.3 |
| 500 | VTX-146-500-255 | 115 / 230 | 2 x 55 | 4.55 | 6 | 68 | 61 X 138 | 4.3 |
| 625 | VTX-146-625-225 | 115 / 230 | 2 x 25 | 12.5 | 5 | 70 | 72 X 144 | 5.2 |
| 625 | VTX-146-625-240 | 115 / 230 | 2 x 40 | 7.8 | 5 | 70 | 72 X 144 | 5.2 |
| 625 | VTX-146-625-245 | 115 / 230 | 2 X 45 | 6.95 | 5 | 70 | 72 X 144 | 5.2 |
| 625 | VTX-146-625-250 | 115 / 230 | 2 x 50 | 6.25 | 5 | 70 | 72 X 144 | 5.2 |
| 625 | VTX-146-625-255 | 115 / 230 | 2 x 55 | 5.68 | 5 | 70 | 72 X 144 | 5.2 |
| 800 | VTX-146-800-240 | 115 / 230 | 2 x 40 | 10 | 5 | 72 | 65 X 163 | 6.3 |
| 800 | VTX-146-800-245 | 115 / 230 | 2 x 45 | 8.88 | 5 | 72 | 65 X 163 | 6.3 |
| 800 | VTX-146-800-250 | 115 / 230 | 2 x 50 | 8 | 5 | 72 | 65 X 163 | 6.3 |
| 800 | VTX-146-800-255 | 115 / 230 | 2 x 55 | 7.27 | 5 | 72 | 65 X 163 | 6.3 |
| 1000 | VTX-146-1000-240 | 115 / 230 | 2 x 40 | 12.5 | 4 | 75 | 71 X 167 | 7.48 |
| 1000 | VTX-146-1000-245 | 115 / 230 | 2 x 45 | 11.11 | 4 | 75 | 71 X 167 | 7.48 |
| 1000 | VTX-146-1000-250 | 115 / 230 | 2 x 50 | 10 | 4 | 75 | 71 X 167 | 7.48 |
| 1000 | VTX-146-1000-255 | 115 / 230 | 2 x 55 | 9.09 | 4 | 75 | 71X 167 | 7.48 |

The information contained in this document is subject to change without notice.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [vigortronix](#) manufacturer:

Other Similar products are found below :

[VTX-214-001-106](#) [VTX-214-010-209](#) [VTX-214-010-212](#) [VTX-214-005-0524](#) [VTX-214-001-305](#) [VTX-146-015-225](#) [VTX-146-100-212](#)
[VTX-146-120-218](#) [VTX-214-006-106](#) [VTX-214-001-124](#) [VTX-214-003-306](#) [VTX-214-0005-107](#) [VTX-121-3023-218](#) [VTX-146-060-215](#)
[VTX-146-100-224](#) [VTX-146-625-225](#) [VTX-214-020-124](#) [VTX-146-100-218](#) [VTX-146-300-230](#) [VTX-101-003](#) [VTX-214-005-0312](#) [VTX-](#)
[214-001-306](#) [VTX-214-001-318](#) [VTX-214-001-324](#) [VTX-214-003-315](#) [VTX-102-000](#) [VTX-214-001-312](#) [VTX-121-3015-412](#) [VTX-120-](#)
[5412-406](#) [VTX-214-005-015](#) [VTX-214-003-109](#) [VTX-131-001](#) [VTX-214-002-305](#) [VTX-146-500-240](#) [VTX-146-160-230](#) [VTX-146-500-230](#)
[VTX-214-005-424](#) [VTX-121-3023-418](#) [VTX-214-002-118](#) [VTX-214-001-309](#) [VTX-146-050-218](#) [VTX-214-003-106](#) [VTX-120-006-509](#)
[VTX-214-005-0324](#) [VTX-214-002-312](#) [VTX-214-001-312X](#) [VTX-214-010-206](#) [VTX-214-002-107](#) [VTX-214-002-106](#) [VTX-214-001-303](#)