

PRODUCT INFORMATION

EPIC® MH Clip

High flexibility by the use of any combination of inserts in one connector

Info

Stamped gold plated contacts with 0.8mm diameter for D-Sub inserts Adapter clip for modules of competition





Assembly time



Wind Energy



Solar Energy





Mechanical and plant engineering

Benefits

EPIC® MH Clip for mounting of competition modules in EPIC® MH frame EPIC® MH system is mateable with the market standard The mix of different functions in one plug guarantees high flexibility **Railway** applications - Fire protection on railway vehicles: Test according EN 45545-2. Requirement sets R22 and R23. Hazard level HL1, HL2 and HL4

Application range

Mechanical engineering Robotics industry Plant engineering Renewable energy Railway applications / vehicle construction

Last Update (21.10.2017) ©2017 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16



PRODUCT INFORMATION

EPIC® MH Clip

Technical Data

Classification:

Temperature range:

ETIM 5.0 Class-ID: EC002641 ETIM 5.0 Class-Description: Modular connector -40°C

+125°C

Note

Photographs are not to scale and do not represent detailed images of the respective products. Prices are net prices without VAT and surcharges. Sale to business customers only.

= 44423264 EPIC [®] MH Clip	

Last Update (21.10.2017) ©2017 Lapp Group - Technical changes reserved Product Management www.lappkabel.de You can find the current technical data in the corresponding data sheet. PN 0456 / 02_03.16

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for epic manufacturer:

Other Similar products are found below :

<u>44420040 + 73002716</u> <u>19426500</u> <u>72004000 + 73018000</u> <u>13.1623</u> <u>11161000</u> <u>11.1610</u> <u>9198+00022030</u> <u>72004000 + 73002756</u> <u>7200010</u> <u>10.5310</u> <u>10.4264+10.4310</u> <u>72040010</u> <u>HA4-FK-TE-SM-M-M20</u> <u>10.4310</u> <u>10.1270+10.1970+12.9545</u> <u>10.4220+10.4320</u> <u>10.4265+10.4235+10.4200+10.4210</u> <u>10121000+10196000+12954500</u> <u>10.0720</u> <u>44420037 + 73002752</u> <u>10102000</u> <u>10.4264</u> <u>8990+00022030</u> <u>72004000 + 73002716</u> <u>10.4861</u> <u>44420037 + 73018000</u> <u>10.1210+10.1960+12.9545</u> <u>10.4881</u> <u>10.0220+10.0030+10.1900+10.1910+12.9544</u> <u>10431000</u> 10.1920 <u>44420037 + 73028500</u> <u>13.1622</u> <u>44420037 + 73002716</u> 10.1900