



2111121-1

SL Series RJ45 Coupler, Category 5e, unshielded, in-line, black

## Product Classification

Portfolio	NETCONNECT®
Product Series	SL Series
Product Type	Modular jack coupler
Regional Availability	Asia   Latin America   North America

## Body Features

Body Style	Inline
------------	--------

## Configuration Features

Keyed	No
Number of Positions	8
Wiring Pattern	One-to-one

## Contact Features

Contact Base Material	Phosphor bronze
Contact Mating Area Plating Material	Gold

## Dimensions

PCB Thickness (Recommended)	1.575 mm   0.062 in
-----------------------------	---------------------

## Electrical Characteristics

Contact Resistance	20 m Ohms
Insulation Resistance	500 MO
Voltage Rating	150 Vac

## Housing Features

Housing Color	Black
---------------	-------

## Industry Standards

Approved Standards	ANSI/TIA-568-C.2   IEC 60603-7
UL Flammability Rating	UL 94V-0

2111121-1

## Mechanical Attachment

Coupler Style	Jack
Mount Cutout Dimensions	.582 x .790 in   14.78 x 20.07 mm

## Operation/Application

Plug Insertion Cycles (Min)	750 cycles
-----------------------------	------------

## Packaging Features

Packaging Method	Bag/Box
Packaging Quantity	25

## Product Type Features

Performance Category	Category 5e
Shielded	No
Coupler Type	MJ/MJ

## Termination Features

Termination Style	SL Termination Tool
-------------------	---------------------

## Usage Conditions

Operating Temperature	-10 – 60 °C   14 – 140 °F
Relative Humidity (Operating)	10 – 90 %

## Regulatory Compliance/Certifications

<b>Agency</b> RoHS 2011/65/EU	<b>Classification</b> Compliant
----------------------------------	------------------------------------

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [commscope](#) manufacturer:*

Other Similar products are found below :

[1147587](#) [1155379](#) [1250727](#) [804370-000](#) [5267358502](#) [1-1116734-0](#) [1-6374658-1](#) [1-6693951-0](#) [1479154-2](#) [1754847-2](#) [1777040-1](#) [1933308-1](#)  
[2064603-1](#) [406330-1](#) [406331-1](#) [5-556212-5](#) [502259-1](#) [554805-1](#) [559596-6](#) [6278890-3](#) [6278897-5](#) [6828275-5](#) [3-1933882-0](#) [1-1906055-5](#)  
[6278028-3](#) [1-6588930-0](#) [1228435](#) [1235477](#) [1237845](#) [1238918](#) [1242458-ZZ](#) [6050315011](#) [179083-000](#) [CW7879-001](#) [1342754](#) [1479582-1](#)  
[1479586-2](#) [1671205-4](#) [1754766-1](#) [1754768-1](#) [1918809-1](#) [1933327-1](#) [2-1206138-4](#) [3-5504958-0](#) [406332-1](#) [492697-2](#) [556888-1](#) [557827-1](#)  
[559596-1](#) [1711544-2](#)