


	C+400	25.0		180.0
1.75" Titainium Dome Horn Tweeter	Tweeter	mio	CPTO	Deg
Frequency Response: 500Hz ~ 20KHz	Hz ~ 20KHz	20.0		108.0
24oz Magnet Structure				
1.75" High Temperature Voice Coil	oice Coil	15.0		36.0
SPL:103dB@1W/1M				
300 Watts Rated Power		10.0		-36.0
		5.0		-108:0
		000	20	J-180.0
		CHA Ohm Resolution 1/6 Octave Unsmoo	Í	
		Isologia	2010-11-11 14:50.05	δ
		160.0	CFIO	180.0
		Tasap		Ded
		130.0		108:0
		100.0	>	36.0
		0.07		-36.0
		40.0		-108.0
				180.0
		10 20 50 100 200 500 1k 2k Hz 5k CH A dBSPL Resolution 1/6 Octave Unsmoothed Delay [ms] 0,000 Dist Rise [dB] 30,000	<u>4</u>	20k
		Fie. THOS-SPL SIN		



ALL DIMENSIONS ARE IN MILLIMETERS

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for mcm manufacturer:

Other Similar products are found below:

NWTBATCAPMB13 27-505 27-4200 27-840 28-5958 50-10820 28-1510 27-5918 27-5977 24-12352 287-14020 28-6023 35SPS-3 28-6008 21-4605 21-4575 21-19084 21-12825 27-570 28-1525 83-17604 27-5833 27-6020 24-12345 28-6017 28-6032 21-18966 30-1530 28-970 27-560 26-120 CA68B 24-12344 28-6005 24-13075 PCM-2100-50 21-18956 28-6080 24-5360 24-1040 27-5917 28-6031 HD15MM35N-100F 28-975 27-4270 85-11102 27-5940 27-5949 27-6112 HD15MM35N-6F