Product Specifications





6-569530-3 | MP-88S-R-1

Modular Plug Kit, 8P/8C, shielded, round, 5.1 mm max cable jack OD, 8-position, category 5, 100/bag

Product Classification	
Portfolio	NETCONNECT®
Product Type	Modular plug
Regional Availability	Asia Australia/New Zealand EMEA Latin America North America

Body Features

Conductor Type	Solid Stranded
Shield Material	Copper alloy
Shield Plating Material	Nickel

Configuration Features

Number of Positions	8
Keyed	No

Contact Features

Contact Mating Area Plating Material Gold Contact Mating Area Plating Thickness 50.00 µin 1.27 µm Number of Contacts Loaded 8	Contact Base Material	Phosphor bronze	
	Contact Mating Area Plating Material	Gold	
Number of Contacts Loaded 8	Contact Mating Area Plating Thickness	50.00 µin 1.27 µm	
	Number of Contacts Loaded	8	

Dimensions

Cable Jacket Outside Diameter Range	0.20 in 5.1 mm
Conductor Wire Size	26-24 AWG
Insulated Conductor Outside Diameter	0.034-0.039 in 0.86-0.99 mm

Housing Features	
Housing Material	Glass filled polycarbonate
Industry Standards	
UL Flammability Rating	UL 1863
Packaging Features	
Packaging Quantity	100
Product Type Features	
Cable Type	Round, shielded

©2017 CommScope, Inc. All rights reserved. All trademarks identified by ® or ™ are registered trademarks, respectively, of CommScope. All specifications are subject to change without notice. See www.commscope.com for the most current information. Revised: November 14, 2017

Product Specifications



6-569530-3 | MP-88S-R-1

Performance Category	Category 5
Connector Style	Plug
Jack Type	RJ45
Latch Style	Standard
Shielded	Yes

Termination Features

Termination Method to Wire/Cable Insulation Displacement Crimp (IDC)

Regulatory Compliance/Certifications

Agency RoHS 2011/65/EU **Classification** Compliant

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for commscope manufacturer:

Other Similar products are found below :

 $\frac{1147587}{2064603-1} \frac{1250727}{406330-1} \frac{804370-000}{406331-1} \frac{5-556212-5}{502259-1} \frac{554805-1}{554805-1} \frac{1-6374658-1}{559596-6} \frac{1-6693951-0}{6278897-5} \frac{1479154-2}{6828275-5} \frac{1777040-1}{3-1933882-0} \frac{1933308-1}{1-1906055-5} \frac{1000}{1228435} \frac{1235477}{1237845} \frac{1237845}{1238918} \frac{1242458-ZZ}{1242458-ZZ} \frac{6050315011}{6050315011} \frac{179083-000}{179083-000} \frac{CW7879-001}{1342754} \frac{1342754}{1479582-1} \frac{1479586-2}{159596-1} \frac{1671205-4}{1754766-1} \frac{1754768-1}{1754768-1} \frac{1918809-1}{1933327-1} \frac{1933327-1}{2-1206138-4} \frac{3-5504958-0}{3-5504958-0} \frac{406332-1}{492697-2} \frac{492697-2}{556888-1} \frac{557827-1}{559596-1} \frac{1711544-2}{1754764-1} \frac{1754768-1}{1754764-1} \frac{1918809-1}{1933327-1} \frac{1933327-1}{2-1206138-4} \frac{3-5504958-0}{106332-1} \frac{492697-2}{192697-2} \frac{556888-1}{557827-1} \frac{559596-1}{1711544-2} \frac{1711544-2}{1754764-1} \frac{1754768-1}{1754764-1} \frac{1918809-1}{1918809-1} \frac{1933327-1}{1933327-1} \frac{2-1206138-4}{1754764-1} \frac{3-5504958-0}{1711544-2} \frac{492697-2}{1754764-1} \frac{557827-1}{1711544-2} \frac{1754766-1}{1754764-1} \frac{1754768-1}{1754764-1} \frac{1918809-1}{1933327-1} \frac{1933327-1}{2-1206138-4} \frac{3-5504958-0}{106332-1} \frac{492697-2}{192697-2} \frac{556888-1}{1711544-2} \frac{557827-1}{1711544-2} \frac{1754766-1}{1754764-1} \frac{1754766-1}{1754764-1} \frac{1754766-1}{1754764-1} \frac{1918809-1}{1933327-1} \frac{1933327-1}{2-1206138-4} \frac{3-5504958-0}{106332-1} \frac{492697-2}{192697-2} \frac{556888-1}{1711544-2} \frac{557827-1}{1711544-2} \frac{1754766-1}{1754764-1} \frac{1754766-1}{175476$