OC10G01KNBN00NB1

General Information

Extended Product Type: OC10G01KNBN00NB1

Product ID: 1SCA136699R1001

EAN: 6417019652245

Catalog Description: OC10G01KNBN00NB1 Cam switch

Long Description: OC10 Cam switch, Ith=10A, ON-OFF, 1-contact, Snap-on door mounting,

> Black Key operated. Black handle and frontplate with standard text are included. Special engraved frontplates to be ordered as separate items.

Categories

Products » Low Voltage Products and Systems » Switches » Cam Switches

Ordering

Minimum Order Quantity: 1 piece

Customs Tariff Number: 85365080

Popular Downloads

Data Sheet, Technical 1SCC302009C0201

Information:

Wiring Diagram: 1SCC302014M0201

Dimensions

Product Net Width: 32 mm 32 mm

Product Net Height: Product Net Depth: 54 mm **Product Net Weight:** $0.05 \, \text{kg}$

Technical

Rated Operational Current AC-(500 V) 10 A

22A (I_e):

Rated Operational Current AC-(230 V) Three Phase 7.6 A

(400 V) Three Phase 6.5 A 23A (l_e):

Rated Operational Power AC-23A (230 V) Three Phase 1.8 kW

(P_e): (400 V) Three Phase 3 kW

Conventional Free-air Thermal $q = 40 \, ^{\circ}C \, 10 \, A$

Current (Ith):

Conventional Thermal Current Fully Enclosed 10 A

 (I_{the}) :

Rated Continuous Thermal 10 A

Current:

Rated Impulse Withstand Voltage 2.5 kV

 (U_{imp}) :

Rated Insulation Voltage (Ui): 500 V

Rated Operational Voltage: 500 V

Rated Short-time Withstand for 1 s 0.12 kiloampere rms

Current (Icw):

Power Loss:	0.6 W
Pollution Degree:	3
Handle Type:	Key operated
Special Functions:	ON - OFF switch: 0-position: 9 o'clock, step angle 90°, front plate 0 OFF-1 ON
Color:	Black
Mounting Type:	Snap-on door mounting
Number of Contacts:	1
Number of Poles:	1
Terminal Type:	Screw Terminals

Technical UL/CSA

Ampere Rating UL/CSA: 600 V AC 10 A

Certificates and Declarations (Document Number)

Declaration of Conformity - CE: 1SCC302005D0201 Instructions and Manuals: 1SCC302013F0006

Container Information

Package Level 1 Units: 1 piece
Package Level 1 Width: 50 mm

Package Level 1 Length: 108 mm

Package Level 1 Height: 50 mm

Package Level 1 Gross Weight: 0.05 kg

Package Level 1 EAN: 6417019652245

Classifications

Object Classification Code: Q

ETIM 5: EC002611 - Control switch ETIM 6: EC002611 - Control switch



© Copyright 2017 ABB

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for abb manufacturer:

Other Similar products are found below:

TV10-516R 017667013 RF727 2CMA100178R1000 2CMA100163R1000 5SDD 92Z0401 ESV14-BS EZS-21-250 F204AC-40/0.03 F36225/0.03 GJL1211201R8000 GJL1211501R8000 GJL1213001R0017 GJL1213001R0101 GJL1311001R0011 GJL1311001R0101
GJL1311001R8010 GJL1311201R0001 GJL1313001R0011 GJL1313001R0101 GJL1317201R0001 A40-30-10-84 AF09-30-01-11
AF460-30-11-68 1455 B14-250 EF45-30 ERG297 HSC2-20 ISAM201904R1001 ISAM350000R1003 ISAZ721201R1009
ISAZ721201R1014 ISAZ721201R1025 ISBL157001R1310 ISBL277001R1300 ISBL277001R4100 ISBL367001R1300
ISBL387001R4100 ISBN010110R1001 ISBN010110R1010 ISBN010140R1022 ISBN010140R1122 ISDA057197R1 ISFA611101R1002
ISFA611130R1103 ISFA611131R1101 ISFA611143R1101 ISFA611202R1108 ISFA611203R1108