



Product information SPIDER Giga 2TX PoE EEC

Industrial Ethernet:Unmanaged Industrial Ethernet Switches:SPIDER PoE-Switches:SPIDER Giga 2TX PoE EEC

<https://www.e-catalog.beldensolutions.com:443/link/57078-24455-49855-211393-400965/en/conf/ui/istate>

Name	SPIDER Giga 2TX PoE EEC
	
	Industrial ETHERNET Power over Ethernet Injector, 10/100/1000 Mbit/s Ethernet
Delivery informations	
Availability	available
Product description	
Description	Industrial ETHERNET Power over Ethernet Injector, 10/100/1000 Mbit/s Ethernet
Port type and quantity	2 x 10/100/1000BASE-T(X), 1 x PoE+ according to IEEE802.3at, TP-cable, RJ45 sockets
Type	SPIDER Giga 2TX PoE EEC
Order No.	942 059-001
More Interfaces	
Power supply/signaling contact	1 plug-in terminal block, 6-pin, no signaling contact
Network size - length of cable	
Twisted pair (TP)	0-100 m
Multimode fiber (MM) 50/125 µm	n/a
Multimode fiber (MM) 62.5/125 µm	n/a
Single mode fiber (SM) 9/125 µm	n/a
Single mode fiber (LH) 9/125 µm (long haul transceiver)	n/a
Power requirements	
Operating voltage	24/48 V DC redundant
Current consumption at 24 V DC	max. 1,39 A (with PoE)
Power consumption	max. 33,8 Watt (with PoE), 115,4 Btu(IT)/h
Service	
Diagnostics	LEDs (Power, PoE)
Ambient conditions	
Operating temperature	-40°C to +70°C
Storage/transport temperature	-45°C to +85°C
Relative humidity (non-condensing)	5% to 95%
MTBF	1.419.817 h
Mechanical construction	
Dimensions (W x H x D)	30 mm x 140 mm x 95 mm
Mounting	DIN Rail 35 mm, wall mounting
Weight	420 g
Protection class	IP30
Mechanical stability	
IEC 60068-2-27 shock	15 g, 11 ms duration
IEC 60068-2-6 vibration	3,5 mm, 3 Hz - 9 Hz, 10 cycles, 1 octave/min.; 1g, 9 Hz - 150 Hz, 10 cycles 1 octave/min.
EMC interference immunity	
EN 61000-4-2 electrostatic discharge (ESD)	4 kV contact discharge, 8 kV air discharge
EN 61000-4-3 electromagnetic field	10 V/m (80 - 1000 MHz)
EN 61000-4-4 fast transients (burst)	2 kV power line, 1 kV data line
EN 61000-4-5 surge voltage	power line: 0,5 kV (line/earth), 0,5 kV (line/line)
EN 61000-4-6 conducted immunity	10 V (150 kHz - 80 MHz)
EMC emitted immunity	
FCC CFR47 Part 15	FCC CFR47 Part 15 Class A
EN 61000-6-4	EN 61000-6-4

Industrial Ethernet:Unmanaged Industrial Ethernet Switches:SPIDER PoE-Switches:SPIDER Giga 2TX PoE EEC

<https://www.e-catalog.beldensolutions.com:443/link/57078-24455-49855-211393-400965/en/conf/ui/state>

Approvals

Safety of industrial control equipment | cUL 508

Scope of delivery and accessories

Scope of delivery | Device, terminal block, operating manual, wall-mounting Kit

Accessories to order separately | Rail Power Supply RPS60/48V EEC oder Rail Power Supply RPS 80 EEC

For more information please contact:

Hirschmann Automation and Control GmbH

Stuttgarter Strasse 45-51

72654 Neckartenzlingen

Germany

Phone: +49 7127/14-1809

E-Mail: inet-sales@belden.com

The information published in the websites has been compiled as carefully as possible. It is subject to alteration without notice in technical as well as in price-related/commercial respect. The complete information and data were available on user documentation. Mandatory information can only be obtained by a concrete query.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [hirschmann](#) manufacturer:

Other Similar products are found below :

[931298001 GSP 211 PG11](#) [934828001 BRSCIS 4D/9](#) [930011200 MAB 6](#) [932326100 CA 6 GS](#) [G 30 KW 3 M](#) [831530400 CA 00 SD 1](#)
[934077105](#) [934066788](#) [934061103](#) [934059104](#) [930046100](#) [975090703](#) [943301-001](#) [934061704](#) [STAK2](#) [PRUEF1SW](#) [SPIDER-PL-20-](#)
[05T1999999TZ9HHHH](#) [BAT867-RUSW99AU999AT199L999ZHX](#) [930136106](#) [930317804](#) [934066105](#) [934076103](#) [934086104](#) [934086188](#)
[973929000](#) [934157101](#) [934077106](#) [934064104](#) [932794001](#) [973601101](#) [GECKO 4TX](#) [972309101](#) [934100707](#) [975455709](#) [975455701](#)
[973528101](#) [931297006](#) [MESAP 43650](#) [932140100](#) [STAK 3 N SCHWARZ](#) [932507005](#) [XZC 0704](#) [975694707](#) [MLSWG100/2.5RT](#) [BAT867-](#)
[RUSW99CU999AT199L999ZHX](#) [934081100](#) [934089101](#) [934090100](#) [973929001](#) [975017701](#) [975106101](#) [934157100](#)