



# WRAPTOR Series Nylon Cloth Labels

**Part Number:** WRAP-9-499

**Label/Tape Size:** 2 in H x 2 in W

**Material:** Nylon

**Material Number:** B-499

**Color:** White



## OVERVIEW

Nylon Cloth (B-499) wrap-around labels are highly pliable to conform to tightly curved surfaces such as wire and cable.

- Matte white polyamide coated nylon cloth material has a permanent acrylic adhesive and is thermal transfer printable
- Recommended for indoor use
- RoHS compliant to 2005/618/EC MCV amendment to RoHS Directive 2002/95/EC; UL approved; CSA accepted
- Service temperature of -40 to 193° F (-40 to 90° C)
- **SPECIFICATIONS**

Anti-Skid Surface?	N/A
Material Number	<b>B-499</b>
Dimensions	2 in H x 2 in W
UOM	Roll of 2100 Labels
Finish	Matte
Indoor or Outdoor Use	N/A
Label/Tape Size	2 in H x 2 in W
Maximum Service Temperature °F	194 °F
Maximum Wire Diameter	0.64 in
Maximum Wire Gauge	3/0 gauge
Minimum Service Temperature °F	-40 °F
Minimum Wire Diameter	0.25 in
Minimum Wire Gauge	8 gauge
Pre-Printed Areas on Label	Colored Write-On Area
Printable Area Dimensions	2 in H x 2 in W
Printable Area Height	2 in
Printable Area Width	2 in
Product Number	60628
UPC	662820606284
Quantity per Roll	2100
Quantity per Row	1
Tamper Indication Type	N/A
Thickness	0.0065 in
Trade Name	Wraptor™
Adhesive Type	Acrylic
Applications	Cable & Wire Marking, Panel Labeling
Color	White
For Use with Printer	WRAPTOR™ Wire Marking System

Header	No Header
Label/Media Format	Roll
Material	Nylon
Material Properties	Autoclavable, Cryogenic storage
Print Technology	Thermal Transfer
Resistance Properties	Abrasion-Resistant, Chemical-Resistant, Humidity-Resistant, UV-Resistant, Weather-Resistant
Shape	Square
Suggested Ribbon Series	R4300

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [brady](#) manufacturer:*

Other Similar products are found below :

[BMP21-PLUS-KIT1](#) [M71C-2000-595-YL](#) [66271](#) [67063](#) [DAT-38-292-1](#) [DAT-38-292-2.5](#) [DAT-43-502-1](#) [134304](#) [ECL-107-619](#) [18453](#)  
[18617](#) [18669](#) [LAT-31-747-1](#) [LAT-5-747-10](#) [SCN03-1](#) [SCN03-8](#) [SCN10-7](#) [SCN10-8](#) [18472](#) [18489](#) [18581](#) [AF-1-9-PK](#) [PSPT-187-175-YL](#)  
[29690](#) [PTL-17-422](#) [PTL-42-439](#) [PWC-PK-1](#) [33108](#) [3450-A](#) [3450-D](#) [3450-G](#) [34511](#) [34513](#) [34515](#) [34517](#) [34518](#) [35400](#) [M71-22-423](#) [THT-](#)  
[12-727-10](#) [THT-17-7546-3](#) [THT-38-724-10](#) [THT-5-449-10](#) [THT-55-424-1](#) [THT-6-428-10](#) [THT-7-424-3](#) [33054](#) [33104](#) [33107](#) [3450-C](#) [3450-](#)  
[E](#)