



WRAPTOR Series Self-Laminating Vinyl Wire and Cable Labels

Part Number:

WRAP-2-427

Label/Tape Size:

1 in H x 1 in W

Material:

Vinyl

Material Number:

B-427

Color:

Clear/White

For Use with Printer:

WRAPTOR™ Wire Marking System



OVERVIEW

Self-Laminating Vinyl (B-427) is an excellent material for wire and cable identification. This material has good clarity, conformability and is self-extinguishing.

- Provided in a self-laminated format with a white printable zone and translucent overlaminating area to protect text
- Durable, permanent acrylic adhesive has outstanding water and oil resistance
- RoHS compliant to 2005/618/EC MCV amendment to RoHS Directive 2002/95/EC; UL approved
- Service temperature of -40°F to 158°F (-40°C to 70°C)

Anti-Skid Surface?	N/A
Material Number	B-427
Dimensions	1 in H x 1 in W
UOM	Roll of 5300 Labels
Finish	Matte
Indoor or Outdoor Use	Outdoor Use
Label/Tape Size	1 in H x 1 in W
Maximum Wire Diameter	0.20 in
Maximum Wire Gauge	12 gauge
Minimum Wire Diameter	0.1 in
Minimum Wire Gauge	18 gauge
Overlaminated Included	Overlaminated Included
Pre-Printed Areas on Label	Colored Write-On Area
Printable Area Dimensions	0.375 in H x 1 in W
Printable Area Height	0.375 in
Printable Area Width	1 in
Product Number	61384
UPC	662820613848
Quantity per Roll	5300
Quantity per Row	1
Tamper Indication Type	N/A
Thickness	0.004 in
Trade Name	Wraptor™
Adhesive Type	Acrylic
Applications	Cable & Wire Marking, Panel Labeling
Color	Clear/White
For Use with Printer	WRAPTOR™ Wire Marking System
Header	No Header
Label/Media Format	Roll
Material	Vinyl

Material Properties	Flame-retardant, Self-Laminating
Print Technology	Thermal Transfer
Resistance Properties	Chemical-Resistant, Humidity-Resistant, Oil-Resistant, Water-Resistant, Weather-Resistant
Shape	Square
Suggested Ribbon Series	R4300

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [brady](#) manufacturer:

Other Similar products are found below :

[BMP21-PLUS-KIT1](#) [M71C-2000-595-YL](#) [66271](#) [67063](#) [DAT-38-292-1](#) [DAT-38-292-2.5](#) [DAT-43-502-1](#) [134304](#) [ECL-107-619](#) [18453](#)
[18617](#) [18669](#) [LAT-31-747-1](#) [LAT-5-747-10](#) [SCN03-1](#) [SCN03-8](#) [SCN10-7](#) [SCN10-8](#) [18472](#) [18489](#) [18581](#) [AF-1-9-PK](#) [PSPT-187-175-YL](#)
[29690](#) [PTL-17-422](#) [PTL-42-439](#) [PWC-PK-1](#) [33108](#) [3450-A](#) [3450-D](#) [3450-G](#) [34511](#) [34513](#) [34515](#) [34517](#) [34518](#) [35400](#) [M71-22-423](#) [THT-](#)
[12-727-10](#) [THT-17-7546-3](#) [THT-38-724-10](#) [THT-5-449-10](#) [THT-55-424-1](#) [THT-6-428-10](#) [THT-7-424-3](#) [33054](#) [33104](#) [33107](#) [3450-C](#) [3450-](#)
[E](#)