
# **Speciality Cable Ties**






#### **Specifications**

Material : Nylon 6/6 Polyamide


Colour : Natural
Flammability Rating : UL94V-2
Min. Loop Tensile : 50lbs (222n)

#### Diagram



	Bundle Diameter		Α	В	С	D	E	F	
Part Number	Min. Inches (mm)	Max. Inches (mm)	Inches (mm) ±0.098 (2.5)	Inches (mm) ±0.059 (1.5)	Inches (mm) ±0.012 (0.3)	Inches (mm) ±0.017 (0.43)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.01 (0.25)	
MC001963	0.47 (10)	1.01.(46)	7.012 (201)	6 614 (160)	0.10 (4.50)	0.540.(40)	1 000 (27 0)	0.056 (1.14)	
MC001968	0.47 (12)	1.81 (46)	7.913 (201)	6.614 (168)	0.18 (4.58)	0.512 (13)	1.098 (27.9)	0.056 (1.14)	

#### Diagram




	Bundle Diameter		Α	В	С	D	E	F
Part Number	Min. Inches (mm)	Max. Inches (mm)	Inches (mm) ±0.039 (1)	Inches (mm) ±0.039 (1)	Inches (mm) ±0.01 (0.25)	Inches (mm) ±0.014 (0.36)	Inches (mm) ±0.02 (0.52)	Inches (mm) ±0.01 (0.25)
MC001967	0.23 (6)	0.82 (21)	4.055 (103)	2.874 (73)	0.094 (2.4)	0.307 (7.8)	0.968 (24.6)	0.045 (1.14)



# **Speciality Cable Ties**

## pro-**Power**



	Bundle Diameter	Α	В	С	D	E	F Inches (mm) ±0.01 (0.25)	
Part Number	Max. Inches (mm))	Inches (mm) ±1 (0.039)	Inches (mm) ±0.039 (1)	Inches (mm) ±0.01 (0.25)	Inches (mm) ±0.02 (0.52)	Inches (mm) ±0.014 (0.307)		
MC001972	0.004 (25)	4 20 (111 5)	2 074 (72)	0.000 (2.5)	0.076 (24.9)	0.207.(7.0)	0.047 (4.3)	
MC001973	0.984 (25)	4.39 (111.5)	2.874 (73)	0.098 (2.5)	0.976 (24.8)	0.307 (7.8)	0.047 (1.2)	




#### **Specifications**

Material : Nylon 6/6 Polyamide

Colour : Natural
Flammability Rating : UL94V-2
Min. Loop Tensile : 50lbs (222n)

#### Diagram



	Bundle D	iameter	Α	В	С	D	E
Part Number	Min. Inches (mm)	Max. Inches (mm)	Inches (mm) ±0.125 (3.175)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.005 (0.127)
MC001964	0.062 (1.57)	4 (101.6)	14.25 (361.951)	14.312 (363.524)	0.18 (4.572)	0.215 (5.461)	0.052 (1.32)





### **Speciality Cable Ties**

### pro-**Power**




#### **Specifications**

Material : Nylon 6/6 Polyamide

Colour : Natural Flammability Rating : UL94V-2

Part number	Min. Loop Tensile
MC001980	40lbs (180n)
MC001998	120lbs (534n)

#### **Diagram**



	Bundle	Bundle Diameter		В	С	D	E	F	G	Н	I
Part Number	Min. Inches (mm)	Max. Inches (mm)	Inches (mm) ±0.03 (0.762)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.005 (0.127)	Inches (mm) ±0.02 (0.508)	Inches (mm) ±0.03 (0.762)	Inches (mm) ±0.02 (0.508)
MC001980	0.1	1.25	5.875	0.045	0.138	0.31	0.175	0.175	0.312	0.325	0.046
	(2.55)	(31.75)	(149.225)	(1.143)	(3.505)	(7.874)	(4.445)	(4.445)	(7.924)	(8.255)	(1.168)
MC001998	0.187	4.062	15.75	0.075	0.298	0.513	0.298	0.256	0.51	0.345	0.074
	(4.762)	(103.174)	(400.05)	(1.905)	(7.569)	(13.03)	(7.569)	(6.502)	(12.954)	(8.763)	(1.879)

#### **Part Number Table**

Description	Colour	Quantity	Part Number
Speciality Cable Tie - Identification & Flag Cable Ties		Pack of 1,000	MC001963
Speciality Cable Tie - Identification & Flag Cable Ties		Pack of 100	MC001967
Speciality Cable Tie - Identification & Flag Cable Ties	Natural	Pack of 100	MC001968
Speciality Cable Tie - Identification & Flag Cable Ties		Pack of 100	MC001972
Speciality Cable Tie - Identification & Flag Cable Ties		Pack of 1000	MC001973
Speciality Cable Tie - Releasable		Pack of 100	MC001964
Speciality Cable Tie - Mounting Head		Pack of 100	MC001980
Speciality Cable Tie - Mounting Head		Pack of 50	MC001998

Important Notice: This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.

www.element14.com www.farnell.com www.newark.com www.cpc.co.uk



### **X-ON Electronics**

**Authorized Distributor** 

Click to view similar products for Pro Power manufacturer.

Other Similar products are found below:

PPCY4C075100M PPCY3C10050M PPC217 PP001328 PP001316 PP001109 PP001088
PP000940 PP030 PP000909 PP001326 PP001308 PP000877 PP000868 PP000704
PP001163 PP001156 PP001085 PP000510 PP001076 PP000944 PP000914 PP000407
PP000386 PP000870