

PG Type Nylon Cable Glands **pro-POWER**

**RoHS
Compliant**


Specifications




Material	: PA (Nylon), UL94V-2
Hermetic Seal	: NBR
O-Ring	: EPDM
Working Temperature	: -40°C to 100°C in static state Instantaneous heat resistance up to 120°C -20°C to 80°C in dynamic state Instantaneous heat resistance up to 100°C
Colour	: Grey and Black
IP Rating	: IP68 / IP69K



Dimensions



Part Number	Thread ØD1	∅k mm	H mm	GL mm	 mm
PP001652	PG7	3-6.5	21	8	15
PP001653	PG9	4-8	22	8	19
PP001654	PG11	5-10	25	8	22
PP001655	PG13.5	6-12	27	9	24
PP001656	PG16	10-14	28	10	27
PP001657	PG21	13-18	31	11	33
PP001658	PG29	18-25	37	11	42
PP001659	PG7	3-6.5	21	8	15
PP001660	PG9	4-8	22	8	19
PP001661	PG11	5-10	25	8	22
PP001662	PG13.5	6-12	27	9	24
PP001663	PG16	10-14	28	10	27
PP001664	PG21	13-18	31	11	33
PP001665	PG29	18-25	37	11	42

PG Type Nylon Cable Glands **pro-POWER**

Part Number Table

Description	Colour	Part Number
Nylon Cable Glands, PG7, 3-6.5mm	Black	PP001652
Nylon Cable Glands, PG9, 4-8mm		PP001653
Nylon Cable Glands, PG11, 5-10mm		PP001654
Nylon Cable Glands, PG13.5, 6-12mm		PP001655
Nylon Cable Glands, PG16, 10-14mm		PP001656
Nylon Cable Glands, PG21, 13-18mm		PP001657
Nylon Cable Glands, PG29, 18-25mm		PP001658
Nylon Cable Glands, PG7, 3-6.5mm	Grey	PP001659
Nylon Cable Glands, PG9, 4-8mm		PP001660
Nylon Cable Glands, PG11, 5-10mm		PP001661
Nylon Cable Glands, PG13.5, 6-12mm		PP001662
Nylon Cable Glands, PG16, 10-14mm		PP001663
Nylon Cable Glands, PG21, 13-18mm		PP001664
Nylon Cable Glands, PG29, 18-25mm		PP001665

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.

X-ON Electronics

Authorized Distributor

Click to view similar products for [Pro Power manufacturer](#).

Other Similar products are found below :

[PPCY4C075100M](#) [PPCY3C10050M](#) [PPC217](#) [PP001328](#) [PP001316](#) [PP001109](#) [PP001088](#)

[PP000940](#) [PP030](#) [PP000909](#) [PP001326](#) [PP001308](#) [PP000877](#) [PP000868](#) [PP000704](#)

[PP001163](#) [PP001156](#) [PP001085](#) [PP000510](#) [PP001076](#) [PP000944](#) [PP000914](#) [PP000407](#)

[PP000386](#) [PP000870](#)