



# CorePro LEDlinear MV

## CorePro LED linear R7S 118mm 14-100W 830 D

CorePro R7S is a retrofit replacement for traditional double-ended linear R7S lamps. Its 'light all around' design delivers light just like a halogen lamp. The deep dimming function enables a cozy ambience when using a dimmable fixture.

### Product data

General Information	
Cap-Base	R7S [ R7s]
Bulb Shape	Linear
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	14-100W

Light Technical	
Color Code	830 [ CCT of 3000K]
Luminous Flux (Nom)	1600 lm
Luminous Flux (Rated) (Nom)	1600 lm
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K
Luminous Efficacy (rated) (Nom)	114.29 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Rated) (Nom)	14 W
Lamp Current (Nom)	74 mA
Wattage Equivalent	100 W

Starting Time (Nom)	0.5 s
Warm Up Time To 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.8
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	90 °C

Controls and Dimming	
Dimmable	Yes


Approval and Application	
Energy Saving Product	Yes
Suitable For Accent Lighting	No
Energy Efficiency Label (EEL)	A+
Energy Consumption kWh/1000 h	14 kWh

Product Data	
Full product code	871869657879700
Order product name	CorePro LED linear R7S 118mm 14-100W 830 D
EAN/UPC - Product	8718696578797
Order code	929001243702
Numerator - Quantity Per Pack	1

## CorePro LEDlinear MV

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001243702
Net Weight (Piece)	0.095 kg

### Dimensional drawing




Linear 220V 15W-100W1500lm 3000K R7S Dim

Product	D	C
CorePro LED linear R7S 118mm 14-100W 830 D	29 mm	118 mm

Photometric data

General Uniform Lighting



2016-07-13



## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [philips manufacturer](#):*

Other Similar products are found below :

[996510062046](#) [P80CL31HFP](#) [P87C528EBBB](#) [P87C528EBPN](#) [SCC68070CDA84](#) [PL22V1015N](#) [440206F](#) [451877AB](#) [569054R](#)  
[OM4151MAN](#) [P80C654FBP](#) [P87C528EBAA](#) [TDA2051H](#) [8718696522530](#) [8718696577790](#) [8718696598375](#) [DM4S6B00F/17](#) [45368100](#)  
[PLC18V8Z35FA](#) [P80C528FBA](#) [P80C550EBAA](#) [PLC42VA12FA](#) [PLC42VA12N](#) [PLS179N](#) [NE5081N](#) [P80C528FBP](#) [P80C575EBPN](#)  
[8718291787051](#) [45350600](#) [45362900](#) [996510053347](#) [22399](#) [2EMA00059B](#) [PCF80C65212WP](#) [PLS155N](#) [PLS173N](#) [BYV79200](#) [SAA5243](#)  
[PLS167N](#) [PLUS173DN](#) [PLUS20L87N](#) [PLUS20R87N](#) [053684A](#) [SCC2691AC1N24](#) [P80C575EBAA](#) [TDA4850](#) [UBA2051C](#) [8718696454831](#)  
[8718291787037](#) [929000863803](#)