



CorePro LEDlinear MV

CorePro LED linear R7S 118mm 14-100W 840 D

CorePro R7S is a retrofit replacement for traditional double-ended linear R7S lamps. Its 'light all around' design delivers light just like a halogen lamp. The deep dimming function enables a cozy ambience when using a dimmable fixture.


Product data

General Information		Starting Time (Nom)	
Cap-Base	R7S [R7s]		0.5 s
Bulb Shape	Linear	Warm Up Time To 60% Light (Nom)	0.5 s
Nominal Lifetime (Nom)	15000 h	Power Factor (Nom)	0.8
Switching Cycle	50000X	Voltage (Nom)	220-240 V
Technical Type	14-100W		
Light Technical		Temperature	
Color Code	840 [CCT of 4000K (841)]	T-Case Maximum (Nom)	90 °C
Luminous Flux (Nom)	1800 lm		
Luminous Flux (Rated) (Nom)	1800 lm	Controls and Dimming	
Color Designation	Cool White (CW)	Dimmable	Yes
Correlated Color Temperature (Nom)	4000 K		
Luminous Efficacy (rated) (Nom)	128.57 lm/W	Approval and Application	
Color Consistency	<6	Energy Saving Product	Yes
Color Rendering Index (Nom)	80	Suitable For Accent Lighting	No
LLMF At End Of Nominal Lifetime (Nom)	70 %	Energy Efficiency Label (EEL)	A++
		Energy Consumption kWh/1000 h	14 kWh
Operating and Electrical		Product Data	
Input Frequency	50 to 60 Hz	Full product code	871869657881000
Power (Rated) (Nom)	14 W	Order product name	CorePro LED linear R7S 118mm 14-100W 840 D
Lamp Current (Nom)	74 mA	EAN/UPC - Product	8718696578810
Wattage Equivalent	100 W	Order code	929001243802
		Numerator - Quantity Per Pack	1

CorePro LEDlinear MV

Numerator - Packs per outer box	10
Material Nr. (12NC)	929001243802
Net Weight (Piece)	0.095 kg


Dimensional drawing



Linear 220V 15W-100W1500lm 4000K R7S Dim

Product	D	C
CorePro LED linear R7S 118mm 14-100W 840 D	29 mm	118 mm

General Uniform Lighting





X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [philips manufacturer](#):

Other Similar products are found below :

[996510062046](#) [P80CL31HFP](#) [P87C528EBBB](#) [P87C528EBPN](#) [SCC68070CDA84](#) [PL22V1015N](#) [440206F](#) [451877AB](#) [569054R](#)
[OM4151MAN](#) [P80C654FBP](#) [P87C528EBAA](#) [TDA2051H](#) [8718696522530](#) [8718696577790](#) [8718696598375](#) [DM4S6B00F/17](#) [45368100](#)
[PLC18V8Z35FA](#) [P80C528FBA](#) [P80C550EBAA](#) [PLC42VA12FA](#) [PLC42VA12N](#) [PLS179N](#) [NE5081N](#) [P80C528FBP](#) [P80C575EBPN](#)
[8718291787051](#) [45350600](#) [45362900](#) [996510053347](#) [22399](#) [2EMA00059B](#) [PCF80C65212WP](#) [PLS155N](#) [PLS173N](#) [BYV79200](#) [SAA5243](#)
[PLS167N](#) [PLUS173DN](#) [PLUS20L87N](#) [PLUS20R87N](#) [053684A](#) [SCC2691AC1N24](#) [P80C575EBAA](#) [TDA4850](#) [UBA2051C](#) [8718696454831](#)
[8718291787037](#) [929000863803](#)