PROKIT'S INDUSTRIES CO., LTD



5F, No.7, Lane 130, Ming-Chung Rd., Hsin-Tien Dist, New Taipei City, Taiwan, R.O.C TEL: 886 2 2218 3233 FAX: +886 2 2218 2722 E-mail: pk@mail.prokits.com.tw http://www.prokits.com.tw

PRODUCT SPECIFICATION

EN#: 4710810383823

SD-205

62Pcs Security Bits Set







Safety and environmental protection:

• RoHS & Pb free: Pb free

Physical and function:

• Toqure (kgf-cm): 500±

Handle:

• Material of handle: PP, TPR

• Handle O.D. (mm): 38.4

Blade:

• Material of blade: CRV 50BV30

• Color of blade: Primary colors

• Blade hardening: Quench hardening process

• Shape of blade: Round head

• Magnetic tips: Non

Bits:

• 延長桿_規格內容

公頭規格(單位:	母頭外徑 D1	鐵桿外徑 D2	全長L	材質打	PK LOGO	球型雙用	快拆裝	滾珠裝	Joints binding
英吋)	(mm)	(mm)	(mm)	印	打印	設計	置	置	mode
1/4"	10	6.3	60	Non	Non	Non	Non	Non	Non

• 棘輪手柄_規格內容

The first type	type Surface Length		Surface Length Spe		h Specifications Mat		Material PK A		Angle and Ratchet direction		Joints binding	
symbol	Finish	(mm)	Print	Print	LOGO	teeth	switch	device	mode			
O _{Nut}	Satin finish	190	Non	Non	Non	Non	Yes	Non	Magnet			

• Torx

The first type symbol	Head Specifications	六角對邊尺寸	Surface Finish	Bit Length (mm)	Color	規格打印	材質打印
Torx tamper proof	T5H	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т6Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т7Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т8Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т9Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т10Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т15Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т20Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т25Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т27Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т30Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Torx tamper proof	Т40Н	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non

• specification contents

The first type symbol	Head Specifications	六角對邊尺寸	Surface Finish	Bit Length (mm)	本體色環	規格打印	材質打印
Slotted	SL 1/8"	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Slotted	SL 3/16"	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Phillips	PH0	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Phillips	PH1	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non
Phillips	PH2	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non

Pozidriv	PZ0	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non	
Pozidriv	PZ1	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non	
Pozidriv	PZ2	6.35mm (1/4")	Sand blasting	25	Non	Yes	Non	

Product Weight (w/o package):

Weight(g)	Measurement					
670	L(mm)	W(mm)	H(mm)			
670	275	79.7	43.6			

Individual Packing

• Packing: Plastic Box & Shink Parking

Master Packing:

	N.W.		G.W.		CUFT		
	Pieces 1 6	(Kg)	(Kg)	L(cm)	W(cm)	H(cm)	CUFI
Individual Packing	1	-	0.67	27.7	7.9	4.3	-
Inner Box	6	4.02	4.13	28	16.5	13.5	0.22
CTN	12	8.04	8.75	34	30	16	0.58

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for proskit manufacturer:

Other Similar products are found below:

1PK-940KN-F 22-21720 1PK-639 5SS-331-H PM-736 PD-395A 1PK-3616 1PK-202B 1PK-932-WDM 1PK-940KN MS-525 8PK-CT150 5SI-216N-2.4D 6PK-330K 1FB-SC 1PK-940-WDM 22-11620 608-391E PM-755 5SI-216N-3.2D 22-21745 72-8740 903-133S 908-501B 9SN-310G 1PK-301-WDM 22-21715 22-14670 8PK-022 SD-2309 DK-2039 SD-9326M 22-3745 22-8618 HW-609A 1PK-SD006 DP-033C DP-033B 1PK-5101 1PK-102T MT-3102 5SI-216N-3C DP-033E SN-390 1PK-106 SD-081F 608-391B MS-526 PK-652 1PK-212