


RoHS
Compliant



Description

Self closing braided wrap is a non-expandable sleeving woven from monofilament (weft) and multifilament (warp) polyester yarns. It provided a lightweight, cost-effective and tough solution for the protection of a wide range of components. Its inherent flexibility allows it to bend, coil and conform to irregular shapes, while its open design allows it to be installed on completed assemblies.

Application

Most commonly used on wire harnesses, cable assemblies, flat ribbon cables, tubes and hoses to provide a tough, durable protection in automotive, automatic equipment, railways and panel boards

Specifications

Material	: Polyester monofilament and multifilament
Operating Range	: -50°C to +150°C
Melt point	: 240°C ±10°C
Flammability	: DIN5510, BS6853
Colour	: Black
Cutting Tool	: Hot knife, Scissors

Product Dimensions

Part Number	I.D. (mm)	Overlap (%)	Max. Bundle Dia.(mm)
PP002015	10	25%	11
PP002017			
PP002016	25		27
PP002018			

Part Number Table

Description	Part Number
Self Closing Wrap, 10mm, Black, 1m	PP002015
Self Closing Wrap, 25mm, Black, 1m	PP002016
Self Closing Wrap, 10mm, Black, 2m	PP002017
Self Closing Wrap, 25mm, Black, 2m	PP002018

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-POWER is the registered trademark of the Group. © Premier Farnell Limited 2016.

X-ON Electronics

Authorized Distributor

Click to view similar products for [Pro Power manufacturer](#).

Other Similar products are found below :

[PPCY4C075100M](#) [PPCY3C10050M](#) [PPC217](#) [PP001328](#) [PP001316](#) [PP001109](#) [PP001088](#)

[PP000940](#) [PP030](#) [PP000909](#) [PP001326](#) [PP001308](#) [PP000877](#) [PP000868](#) [PP000704](#)

[PP001163](#) [PP001156](#) [PP001085](#) [PP000510](#) [PP001076](#) [PP000944](#) [PP000914](#) [PP000407](#)

[PP000386](#) [PP000870](#)