


8007 B VDE Zyklop ratchet, insulated, with switch lever, with 3/8" drive, 222.0 mm with switch lever and 3/8" drive



EAN	4013288190963	Dimension:	290x60x35 mm
Code:	05004966001	Weight:	352 g
Article-No.		Country of origin:	CZ
		Customs tariff no.:	82041200

- Insulated and 100% individually tested Zyklop VDE ratchet for safe working up to 1,000 volts
- Fine toothing with 80 teeth for a short return angle of only 4.5°
- Extremely slim design with a soft, ergonomic grip zone for easy work even in very confined spaces
- Safe socket lock via push button
- Convenient direction change thanks to the reversing lever

Zyklop ratchet VDE with switch lever with the unmistakable Wera design. Slim design for working even in very confined spaces. Due to the finely spaced 80 teeth, a low return angle of only 4.5° is possible. With a reversing lever for a comfortable change of direction. With secure socket locking function by push button. Individually tested tool as per IEC 60900 at 10,000V for safe working at the approved voltage of 1,000V.

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [wera](#) manufacturer:*

Other Similar products are found below :

[05006120001](#) [05006154001](#) [05073670001](#) [05051021001](#) [05056702001](#) [05060053001](#) [05059291001](#) [05074750001](#) [3160 I/7](#) [8000 A](#) [7460](#)  
[7451 ESD 30,0 NCM](#) [7461](#) [816 RA](#) [KRAFTFORM KOMPAKT ZYKLOP 1/4"](#) [190I 3K SW 5,5 X 125 MM](#) [932/6](#) [367 TORX 7](#) [028122](#)  
[05004350001](#) [05004352001](#) [167I 3K TX 45 X 150 MM](#) [05004650001](#) [05004660001](#) [05004670001](#) [05118062001](#) [05013334001](#)  
[05074705001](#) [8100 SA4](#) [05004970001](#) [05024466001](#) [05024467001](#) [05003881001](#) [05003970001](#) [05003972001](#) [05003973001](#) [05075610001](#)  
[05018282001](#) [05133285001](#) [05006451001](#) [05006461001](#) [05004203001](#) [05004202001](#) [05004201001](#) [05020091001](#) [05051016001](#) [8767](#) [8790](#)  
[4.5](#) [8790 8.0](#) [8790 14.0](#)