



# 22.5 mm Compact Pushbutton

C22-DL-W-K10-24

#### **Dimensions:**

Height: 2.15 INLength: 1.17 INWidth: 1.17 IN

Weight:.1 LB

#### Warranties:

 Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

#### **Specifications:**

Type: PushbuttonAction: MomentaryActuator: Flush button

• Bezel: Silver

• Button Color: White

Contact Configuration: 1NOIllumination: Illuminated

Indicator: LEDSize: 22.5 mmSeries: C22

• Voltage Rating: 24 Vac/vd

#### **Supporting documents:**

- C22 Pilot Devices
- Eatons Volume 7-Logic Control, Operator Interface and Connectivity Solutions
- C22-PVT45P 2D Drawing Xchange
- Eaton Specification Sheet C22-DL-W-K10-24
- C22-PVT45P 2D PDF
- C22-PVT45P 3D Inventor
- C22-PVT45P 3D Model Xchange
- C22-PVT45P AutoCAD 2D Footprint
- C22-PVT45P AutoCAD 2D Footprint (mm)



### **Certifications:**

- IEC 60947
- CSA Certified
- UL Listed
- EN 60947

## **Product compliance:**

• DIN VDE 0600

\_\_\_\_\_

© 2016 Eaton. All rights reserved.

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for eaton manufacturer:

Other Similar products are found below:

BK1-S506-500-R BK-MDL-3-R BK1-S506-6-3-R BK1-S506-2-R MPI4040R4-1R5-R TDC600-10A 89096-015 8946K153 8961K155 M22-D-R-GB0/K11 M22-L-R/R M22S-ST-GB12 630NHG3B 63ET 6422 6580 CTX20-16-52LP-R CWL530FI CXM/CO/GP/R/BB 6HD36 714125 MBO-2 ESR5-NO-41-24VAC-DC 7314K36 7321K2 F02A-1-1/2A F02A-1-1/2AS F02A-1AS F02A-2AS F02A-3/4A F03A250V12A F03B125V4A MCR-4 MDA-2-8/10-R MDA-30A MDA-V-1/16 F60C500V10AS F60C500V15AS 7563K84 7634K36 MDQ-3/16 MDQ-7/10 MDQ-V-1/10 MDQ-V-1/14 MDQ-V-1/16 MDQ-V-1/2 MDQ-V-3/16 MDQ-V-3/16 MDQ-V-3/8 MDQ-V-6/10