

AH4CN-R MULTI-RANGE DIGITAL TIMER



CHARACTERISTIC:

- 7-segment-display for clear display and effective monitoring
- Protection against power surge and high frequency interference
- 9.99 second ~ 9990 hour time range
- 2 modes selectable via a slide switch: Mode A (2C) for DPDT time-limiting output contacts and Mode B (1A1C) for SPDT instantaneous and time-limiting output contacts
- External pause contact available on G type
- UL, C-UL recognized and CE certified

SPECIFICATION:


Operating voltage	AC/DC(V): 12~48 or 100~240
Allowable operating voltage range	85~110% of rated operating voltage
Rated frequency	50 / 60 Hz
Contact rating	250VAC 5A (resistive load)
Reset time	MAX 0.1S
Power consumption	Approx. 2.5VA
Life	Mechanical: 5,000,000 times Electrical: 100,000 times
Ambient temperature	-10 ~ +50°C
Ambient humidity	MAX 85%RH
Weight	Approx. 130g

TYPE SELECTION:


Туре	AH4CN-R	AH4CN-RG
Time range	8 Ranges: 9.99S / 99.9S / 999S / 99.9M / 999M / 99.9H / 999H / 9990H	
Output contact	Mode A / B	G Туре

CONNECTION:


2C, Mode A



1A1C, Mode B




G Type




TIMING CHART:


2C, Mode A



1A1C, Mode B





G Type




DIMENSIONS: (mm)


N type(Surface Mounting): Using P2CF-08 or PF085A Socket






Y type(Flush Mounting): Using Y50 Frame & US-08 Socket or P3G-08 Socket







ANLY ELECTRONICS CO., LTD.

http://www.anly.com.tw

TAIWAN MAIN OFFICE: ANLY ELECTRONICS CO., LTD.

No.19, Lane 202, Fushou St., Shinjuang City, Taipei, Taiwan 242

TEL: +886-2-2996-3202 FAX: +886-2-2996-2017

MALAYSIA BRANCH: JUSTY ELECTRONICS (M) SDN, BHD.

No.1, Jalan 6/89B, Kawasan Perindustrian Trisegi, Batu 3 1/2 Off Jalan Sungei Besi, 57100 Kuala Lumpur, Malaysia

TEL: +60-3-7983-5758 FAX: +60-3-7981-5052

HONG KONG BRANCH: ANLY ELECTRONICS (HK) LTD.

Flat K, 13/F, Edward Mansion, 141 Prince Edward Road W., Kowloon, Hong Kong

TEL: +852-2397-2505 FAX: +852-2397-6080

CHINA SALES OFFICE: ANLY TECHNOLOGY (WUXI) CO., LTD.

Room 3D, Zhaofeng Building, No.9, Álley 396, Changning Rd., Changning District, Shanghai, China 200042

TEL: +86-21-6213-9371 FAX: +86-21-6212-3483

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Timers category:

Click to view products by Anly manufacturer:

Other Similar products are found below:

79237785 H3DS-GL AC24-230/DC24-48 H5AN-4DM DC12-24 H5CN-XDNM AC100-240 H5CN-YAN AC100-240 H5CX-L8S-N AC100-240 H3AMNSCAC100240 H3AM-NSR-B AC100-240 H3CA-8 DC12 H3CR-A8-302 DC24 H3CR-F AC24-48/DC12-48 H3CR-G8EL AC200-240 H5AN-4D DC12-24 81506944 88225029 H5S-YB4-X H3CR-A-301 AC100-240/DC100-125 H3CR-AS AC24-48/DC12-48 H3DK-GE AC240-440 H3RN-2 AC24 H3RN-21 AC24 H3CR-H8RL AC/DC24 M H3CR-H8RL AC100-120 S H3CR-G8EL-31 AC100-120 H3CR-H8RL AC100-120 M H3CR-A8-301 AC24-48/DC12-48 H3CR-H8RL AC/DC24 S H7AN-2D DC12-24 H5CN-XANS DC12-48 H3CA-8 DC110 H7AN-W4DM DC12-24 H7AN-4DM DC12-24 H7AN-4D DC12-24 H7AN-RT6M AC100-240 H3CA-8H AC200/220/240 MTR17-BA-U240-116 PM4HSDM-S-AC240VS PM4HSDM-S-AC240VSW PO-405 600DT-CU H3Y-2-B DC24 30S PM4HF8-M-DC24V PM4HS-H-DC12VSW H3Y-2-B AC100-120 10S H3Y-2-B AC100-120 30S H3C-R H3CR-A8-301 24-48AC/12-48DC H3CR-A8E 24-48AC/DC H3CR-F8 100-240AC/100-125DC