

Cable


SCSI-I 68D To 68D, 2M

pro-SIGNAL



Specifications:

| | |
|---------------------|----------------------------|
| Cable Assembly Type | : Computer Cables |
| Connector Type A | : 68 Way D Plug Half Pitch |
| Connector Type B | : 68 Way D Plug Half Pitch |
| Cable Length | : 2m |
| Colour | : Black |
| Cable Type | : SCSI |
| No. of Ways | : 68 |



Dimensions : Millimetres

| P1 | P2 | P1 | P2 |
|----|--------|----|--------|
| 1 | 1 | 18 | 18 |
| 35 | 35 | 52 | 52 |
| 2 | 2 | 19 | 19 |
| 36 | 36 | 53 | 53 |
| 3 | 3 | 20 | 20 |
| 37 | 37 | 54 | 54 |
| 4 | 4 | 21 | 21 |
| 38 | 38 | 55 | 55 |
| 5 | 5 | 22 | 22 |
| 39 | 39 | 56 | 56 |
| 6 | 6 | 23 | 23 |
| 40 | 40 | 57 | 57 |
| 7 | 7 | 24 | 24 |
| 41 | 41 | 58 | 58 |
| 8 | 8 | 25 | 25 |
| 42 | 42 | 59 | 59 |
| 9 | 9 | 26 | 26 |
| 43 | 43 | 60 | 60 |
| 10 | 10 | 27 | 27 |
| 44 | 44 | 61 | 61 |
| 11 | 11 | 28 | 28 |
| 45 | 45 | 62 | 62 |
| 12 | 12 | 29 | 29 |
| 46 | 46 | 63 | 63 |
| 13 | 13 | 30 | 30 |
| 47 | 47 | 64 | 64 |
| 14 | 14 | 31 | 31 |
| 48 | 48 | 65 | 65 |
| 15 | 15 | 32 | 32 |
| 49 | 49 | 66 | 66 |
| 16 | 16 | 33 | 33 |
| 50 | 50 | 67 | 67 |
| 17 | 17 | 34 | 34 |
| 51 | 51 | 68 | 68 |
| | Shield | | Shield |

Cable

SCSI-I 68D To 68D, 2M

pro-SIGNAL

Specification Table

| Item | Specifications |
|------|--|
| 1 | HPDB68 Male, Gold Flash on Contacts, Black Insulator (0.75) |
| 2 | Moulded Thumbscrew #2 to 56, Length 41mm, Light Black |
| 3 | 34 Twisted Pairs, 30AWG, LVD, Alum-mylar Foil and Copper Braid Shielding with Drain Wire, Outer Diameter 10.0mm, Jacket Black |
| 4 | Moulded PVC Black Ferrite Core 17.5 × 10.5 × 28.5mm |
| 5 | Moulded PVC Black Moulded PE Colour Transparent Copper Foil 33 × 150mm Copper Foil 7.5 × 35mm PE Hood Colour Transparent |

Part Number Table

| Description | Part Number |
|-------------------------------|-------------|
| Cable - SCSI-I 68D To 68D, 2M | SS-272 |

Important Notice : This data sheet and its contents (the "Information") belong to the members of the Premier Farnell group of companies (the "Group") or are licensed to it. No licence is granted for the use of it other than for information purposes in connection with the products to which it relates. No licence of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. pro-SIGNAL is the registered trademark of the Group. © Premier Farnell plc 2012.

www.element14.com
www.farnell.com
www.newark.com
www.cpc.co.uk

pro-SIGNAL

X-ON Electronics

Authorized Distributor

Click to view similar products for [Pro Signal](#) manufacturer.

Other Similar products are found below :

[JR803025M](#) [SPC23168](#) [PSG01325](#) [PSG90957](#) [PSG90815](#) [PSG01569](#) [PS11208](#) [PS11185](#)

[PS11360](#) [PS11060](#) [PSG90809](#) [PSG90813](#) [PSG04068](#) [PSG00282](#) [FV023HLBNY303](#)

[PSG01336](#) [PSG90961](#) [PSG90812](#) [PSG01501](#) [PS11386](#) [PS11160](#) [PS11161](#) [PS11165](#)

[PS11306](#) [PS11095](#)