	Sa	fety Data S	heet			
Printing date: 14.						
Revision date: 22	.08.2001 acc	cording to 93	3/112/EC			
Company:	EN	IAG AG				Page 1 of 2
Product:	EN	1-100 Ento	xitation TICK	OPUR J 80U		No.: 8280e-3
1.1. Identification of the	ne substance/product ne product/trade name t manufacturer/supplie	TICKOPUR				
1.2.1 Supplier:	EM	AG AG Gerau	uerstr. 34, D-64	526 Mörfelden-Wa	alldorf	
1.2.2 Information dep 1.2.3 Emergency:		oratory, tel.: + 9-(0)30-768 80-		50 Dr. H. Stamm	GmbH	
2. Composition/data		,				
2.1. Chemical charac CAS-No Chemical r	terization (composition)	Weight%	Symbol	Risk phrase	
	hiourea		<5,0	Xn, N	22-40-51/53-63	
	Sitric acid		<1.0	Xi	36	
	hosphoric acid		<5,0	С	34	
	12-C14 fatty alcohol, e		<1,0	Xn, N	22-41-50	
	hosphoric acid-2-ethyl	hexylester	<0,2	С	34	
	Vater		Rest			
 Hazard identificat Hazard description 		seible rick of im	aversible offecte	Harmful to aquatio	organisms, may cause	
				latic environment.	organisms, may cause	
4. First aid measure						
4.1. General advice:		nediately remo	ve contaminated	clothing.		
After inhalation:				0		
After skin contact:			enty of soap and v			
After eye contact:					ed eyelid for at least 15	
A.C. 11 .				ut delay from an oc		
After swallowing:			ter. Do not induce	e vomiting. Obtain r	medical attention without	
5. Fire fighting meas	dela	ay.				
5.1. Suitable extinguis		All curre	ent extinguishing a	igents suitable.		
	0.01			J		
6. Accidental release						
6.1. Person related sa	afety precautions:			lear protective clot	hing. Keep away unprote	ected
0.0 Малания бал ан	·	personr			6	
6.2. Measures for env 6.3. Measures for clea	rironmental protection:			erage. Keep away d dispose as consid	from surface and ground	water.
6.4. Additional inform				aminated clothing		
		mmean				
7. Handling and stor 7.1. Handling	age					
7.1.1 Information for s	afe handling:	Wear p	orotective gloves a	nd eye/face protec	tion.	
7.1.2 Information abo		-				
against explosions an	a tires:			n compustion. Figh	t surrounding fire with th	e suitable
7.2. Storage		extingui	shing agents.			
7.2.1 Information abo	ut storing conditions	Keep re	ceptacles closed.			
7.2.2 Storage class		LGK 12	(according VCI-c	oncept, German re	gulation)	
	s and personal proted limit values that requive equipment		at the workplace: -	-		
	ve and hygienic meas	ures: The usu	al precautions wit	h the handling of c	hemicals are to be obser	rved.
8.2.3 Hand protection		Protecti	ve rubber gloves.			
8.2.4 Eye protection:			e protection.			
8.2.5 Body protection						
9. Physical and cher	nical properties					
9.1. Appearance						
9.1.1 Form:		liquid				
9.1.2 Colour:			colourless to yel			
9.1.3 Odour:		weak c	haracteristic od	our		

Drinting	data: 11 01 20		ety Data Sheet		
	date: 14.01.20 date: 22.08.20		ording to 93/112/EC		
-					Daga 2 of 2
Compan					Page 2 of 2
Product:		EM-	100 Entoxitation TIC	KOPUR J 800	No.: 8280e
	y relevant data Va	alue/Range Unit	Method		
	nge in condition		10		
	Iting point/melting		-10	°C	
	iling point/boiling r	ange:	арр. 100	°C	
9.2.2 Flash				°C	
9.2.3 Dens	bility/miscibility in v	wator:	1,028 miscible	g/cm3	
9.2.4 30iui 9.2.5 pH-ra		waler.	1,6	conc.	
pH-range:				1 % in water	
9.2.6 Visco				mPas∙s	
	ent content:				
	er information:				
	ity and reactivity				
	ditions to be avoid				
	erials to be avoided		Alkalis, alkal		
	gerous products of	r decomposition:*		e of proper use.	
	ner information:	ion	Do not mix v	vith other products.	
	ological informati C50-values releva				
				yes, skin and mucous memb	brano
11.3. Sens	ary irritant effects:			sensitization caused by con	
	gical information			Scholization caused by con	nponent iniourea.
	mation on eliminat				
12.1.1 Pro					
	thod of analysis:				
	gree of elimination	:	> 90 % acc	ording WRMG.	
12.1.4 Ass	sessment: biodegra	adable.		J.	
12.2. Gene	eral notes:		Water hazar	d class (German regulation):	2 (according VwVwS
13.1.	sal consideration		from 17.05.9	19, app. 4, par. 3)	
13.1. Recomment a dilution of	ndation: Disposal of 1 : 15 with water	with approval of t r. Greater amoun	he responsible local authori	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained) ml can be let into the sewerage a tensides are biodegradable.
13.1. Recommendation of a dilution of 13.2. Wast The of 14. Transp	ndation: Disposal of 1 : 15 with water te key number acc	with approval of t r. Greater amoun cording to EWC (E	he responsible local authori ts have to be disposed as s	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the contained the contained state)) ml can be let into the sewerage a tensides are biodegradable.
13.1. Recommenda a dilution of 13.2. Wast The of 14. Transp	ndation: Disposal of 1 : 15 with water te key number acc classification has port information Class:	with approval of t r. Greater amoun cording to EWC (E	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the contained the contained state)) ml can be let into the sewerage a tensides are biodegradable.
13.1. Recommend a dilution of 13.2. Wast The of 14. Transp ADR:	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name:	with approval of t r. Greater amoun cording to EWC (E to be made acco Item.	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch.) ml can be let into the sewerage a tensides are biodegradable. ne original composition).
13.1. Recommendation of a dilution of 13.2. Wast The of 14. Transp	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class:	with approval of t r. Greater amoun cording to EWC (E to be made acco Item. Page	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch.) ml can be let into the sewerage a tensides are biodegradable.
13.1. Recommendation of 13.2. Wasing The of 14. Transp ADR: IMDG:	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class: Proper shipping	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. ltem. Page name:	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS:) ml can be let into the sewerage a tensides are biodegradable. ne original composition).
13.1. Recommendadiution of 13.2. Wasing The of 14. Transp ADR: IMDG: Addition	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class:	with approval of t r. Greater amoun cording to EWC (f to be made acco ltem. Item. Page name: No da	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS:) ml can be let into the sewerage a tensides are biodegradable. ne original composition).
13.1. Recommendation of the commendation of th	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class: Proper shipping onal information: atory information	with approval of t r. Greater amoun cording to EWC (F to be made acco Item. Item. Page name: No da	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS:) ml can be let into the sewerage a tensides are biodegradable. ne original composition).
13.1. Recommendation of the commendation of th	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class: Proper shipping onal information:	with approval of t r. Greater amoun cording to EWC (F to be made acco ltem. Page name: No da C guidelines	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS:) ml can be let into the sewerage a tensides are biodegradable. ne original composition).
13.1. Recommendation of the commendation of th	ndation: Disposal of 1 : 15 with water te key number acc classification has port information Class: Proper name: Class: Proper name: Class: Proper shipping onal information: atory information ting according to E de letter and hazar	with approval of t r. Greater amoun cording to EWC (F to be made acco ltem. Page name: No da C guidelines	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN e: UN Pack. gr angerous good according to	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations.) ml can be let into the sewerage a tensides are biodegradable. ne original composition).
13.1. Recomme a dilution of 13.2. Wast The of 14. Transp ADR: IMDG: Addition 15. Regula 15.1. Mark 15.1.1 Cool	ndation: Disposal of 1 : 15 with water te key number acc classification has port information Class: Proper name: Class: Proper name: Class: Proper shipping onal information: atory information ting according to E de letter and hazar	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmfu	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects.) ml can be let into the sewerage a tensides are biodegradable. ne original composition).
13.1. Recommend a dilution of 13.2. Wast The of 14. Transp ADR: IMDG: Addition 15.1. Mark 15.1.1 Coo 15.1.2 Rist	ndation: Disposal of 1 : 15 with water te key number acc classification has port information Class: Proper name: Class: Proper name: Class: Proper shipping onal information: atory information ting according to E de letter and hazar	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmfu S 2 Keep out of	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children.	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects.) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recommend a dilution of 13.2. Wast The of 14. Transp ADR: IMDG: Addition 15.1. Mark 15.1.1 Coo 15.1.2 Rist	ndation: Disposal of 1 : 15 with water te key number acc classification has to port information Class: Proper name: Class: Proper shipping onal information: atory information ting according to E de letter and hazar k phrases	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmft S 2 Keep out of S 24 Avoid con	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever I to aquatic organisms, ma f reach of children. tact with skin.	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recommend a dilution of 13.2. Wast The of 14. Transp ADR: IMDG: Addition 15. Regula 15.1. Mark 15.1.1 Cool 15.1.2 Rise 15.1.3 Safe	ndation: Disposal of 1 : 15 with water te key number acc classification has to class: Proper name: Class: Proper shipping onal information: atory information atory information de letter and hazar k phrases	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmft S 2 Keep out of S 24 Avoid con	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children.	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recommendation of the second se	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class: Proper shipping onal information: atory information atory information de letter and hazar k phrases rety phrases	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da EC guidelines rd identification: R 40 R 52/53 Harmft S 2 Keep out of S 24 Avoid con S 37/39 Wear s	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection.) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recommendation of the second se	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class: Proper shipping onal information: atory information atory information de letter and hazar k phrases ety phrases	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da EC guidelines rd identification: R 40 R 52/53 Harmfu S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recommend a dilution of 13.2. Wasing The of 14. Transport ADR: IMDG: Addition 15.1. Marken 15.1.3 Safe 15.2. Nation 15.2.1 War 15.2.2 Classion 15.2.2 Classion 15.2 Classion 15.	ndation: Disposal of 1 : 15 with water te key number acc classification has t port information Class: Proper name: Class: Proper shipping onal information: atory information atory information de letter and hazar k phrases ety phrases phal regulations ter hazard class (0 ssification accordi	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da EC guidelines rd identification: R 40 R 52/53 Harmfu S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection.) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
 13.1. Recommera dilution of 13.2. Wast The of 13.2. Wast The of 14. Transp ADR: IMDG: Additional Additional Additional Additional 15.1.1 Coordinates and the content of 15.1.2 Rise 15.1.3 Safe 15.2.1 Wast 15.2.2 Class 15.2.3 Oth 	ndation: Disposal of 1 : 15 with water te key number acc classification has port information Class: Proper name: Class: Proper shipping onal information: atory information ting according to E de letter and hazar k phrases fety phrases	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da EC guidelines rd identification: R 40 R 52/53 Harmfu S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection.) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
 13.1. Recommendaria dilution of the of t	ndation: Disposal of 1 : 15 with water te key number acc classification has to port information Class: Proper name: Class: Proper shipping onal information: atory information atory information de letter and hazar k phrases fety phrases onal regulations ter hazard class (C ssification accordii er information: information	with approval of t r. Greater amoun cording to EWC (f to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmft S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation ng to VbF:	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face	 app. 4, par. 3) Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection.) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
 13.1. Recommendaria dilution of the of t	ndation: Disposal of 1 : 15 with water te key number acc classification has to port information Class: Proper name: Class: Proper shipping onal information: atory information: atory information de letter and hazar k phrases ety phrases ponal regulations ter hazard class (0 ssification accordii er information: information sion of safety data	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmfu S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation ng to VbF:	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN : UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face n): 2 (according VwVwS fi 	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection. rom 17.05.99, app. 4, par. 3)) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recomment a dilution of 13.2. Wast The of 14. Transp ADR: IMDG: Addition 15.1. Mark 15.1.1 Coo 15.1.2 Rist 15.2. Nation 15.2.1 War 15.2.2 Class 15.2.2 Class 15.2.3 Oth 16. Other 16.1. Revis 16.1.1 Revis	ndation: Disposal of 1 : 15 with water te key number acc classification has to port information Class: Proper name: Class: Proper shipping onal information: atory information atory information ting according to E de letter and hazar k phrases ety phrases onal regulations ter hazard class (0 ssification accordii er information sion of safety data <i>i</i> sed sections: 1.2	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmfu S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation ng to VbF:	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN :: UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection. rom 17.05.99, app. 4, par. 3)) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recomment a dilution of 13.2. Wast The of 14. Transp ADR: IMDG: Addition 15.1. Mark 15.1.1 Coo 15.1.2 Rist 15.2. Nation 15.2.1 War 15.2.2 Class 15.2.2 Class 15.2.3 Oth 16. Other 16.1. Revis 16.1.1 Revis	ndation: Disposal of 1 : 15 with water te key number acc classification has to port information Class: Proper name: Class: Proper shipping onal information: atory information: atory information de letter and hazar k phrases ety phrases ponal regulations ter hazard class (0 ssification accordii er information: information sion of safety data	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmfu S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation ng to VbF:	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN : UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face n): 2 (according VwVwS fi 	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection. rom 17.05.99, app. 4, par. 3)) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
13.1. Recomment a dilution of 13.2. Wasting The of 14. Transp ADR: IMDG: Addition 15.1. Mark 15.1.1 Coor 15.1.2 Risting 15.2. Nation 15.2.1 Wart 15.2.2 Classing 15.2.3 Other 16.1.1 Revising 16.1.1 Revising 16.1.2 Dation	ndation: Disposal of 1 : 15 with water te key number acc classification has to port information Class: Proper name: Class: Proper shipping onal information: atory information atory information de letter and hazar k phrases ety phrases onal regulations ter hazard class (C ssification accordin ter information sion of safety data vised sections: 1.2 te of revision: 22.0	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmft S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation ng to VbF: a sheet 2.3., 2.1., 7.2.2., 8 8.2001	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN : UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever ul to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face n): 2 (according VwVwS fi 	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection. rom 17.05.99, app. 4, par. 3)) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
 13.1. Recommendaria dilution of the other state of t	ndation: Disposal of 1 : 15 with water te key number acc classification has to port information Class: Proper name: Class: Proper shipping onal information: atory information atory information atory information atory information ter and hazar k phrases boal regulations ter hazard class (0 ssification according ter hazard class (0 ssification according ter information information sion of safety data vised sections: 1.2 e of revision: 22.0 ections are marked	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmft S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation ng to VbF: a sheet .3., 2.1., 7.2.2., 8 8.2001 d with .*	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN : UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever I to aquatic organisms, mat f reach of children. tact with skin. suitable gloves and eye/face n): 2 (according VwVwS fi 	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection. rom 17.05.99, app. 4, par. 3) 0.3., 11.3., 13.1.) ml can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant
 13.1. Recommeral dilution of a dilution of the formation of the formation	ndation: Disposal of 1 : 15 with water te key number acc classification has f port information Class: Proper name: Class: Proper name: Class: Proper name: de letter and hazar ting according to E de letter and hazar k phrases tety phrases onal regulations ter hazard class (0 ssification according ter information sion of safety data vised sections: 1.2 e of revision: 22.0 ections are marked nation is based on	with approval of t r. Greater amoun cording to EWC (E to be made acco ltem. Page name: No da C guidelines rd identification: R 40 R 52/53 Harmft S 2 Keep out of S 24 Avoid con S 37/39 Wear s German regulation ng to VbF: a sheet 2.3., 2.1., 7.2.2., 8 8.2001 d with .*	he responsible local authori ts have to be disposed as s European waste catalogue): rding to the specific process : UN : UN Pack. gr angerous good according to Xn, harmful Possible risk of irrever Il to aquatic organisms, ma f reach of children. tact with skin. suitable gloves and eye/face n): 2 (according VwVwS fr .2.3., 9.1.3., 9.2.3., 9.2.5., 1 of knowledge and declaratio	 app. 4, par. 3) ty. Small amounts up to 500 pecial waste. The contained 070608 (valid only for the and industrial branch. EMS: transport regulations. sible effects. y cause long-term adverse e protection. rom 17.05.99, app. 4, par. 3)) mI can be let into the sewerage a tensides are biodegradable. ne original composition). MFAG: marine pollutant

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for emag manufacturer:

Other Similar products are found below :

EMAG