Nicholson®



Nicholson saw products are manufactured to the highest standards of quality.

Each tool is engineered for easy use and for long life.

The Nicholson saw range includes handsaws, backsaws, hacksaws, Diamond Blades, Holesaws and a comprehensive range of premium quality and general purpose tungsten carbide tipped circular sawblades.



Nicholson[®]

FEATURES & BENEFITS

Nicholson saw products are manufactured to the highest standards of quality.


Each tool is engineered for easy use and for long life. The Nicholson saw range includes handsaws, backsaws, hacksaws, Diamond Blades, Holesaws and a comprehensive range of premium quality tungsten carbide tipped circular sawblades.

Features

- 1. High carbon steel body
- 2. Hardened and tempered body
- 3. Ground, polished and tensioned
- 4. Deep gullets
- 5. Tooth Shape Design
- 6. Large Tungsten carbide tips
- 7. Diamond lapped tips
- 8. Brazed tips
- 9. Alternate flat top and bevel ground tips
- 10. Precise arbor hole
- 11. Variable arbor
- 12. Reputable Brand

Benefit

- 1. Durability and long life
- 2. Does not distort (lateral run-out)
- 3. Blades run true
- 4. Cleaner cut, less power required
- 5. Proven quality
- 6. Prolonged, long life use
- 7. For maximum stock removal
- 8. For faster ripping and cross cutting
- 9. For longer life
- 10. For sharper, longer lasting edge
- 11. Teeth can be sharpened or replaced
- 12. For efficient ripping and cross cutting, slices through the work
- 13. Cuts in a perfect circle
- 14. To fit most saw models
- 15. Quality, back up support





ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

Premium Quality Wood Cutting Blades



- · Premium quality tungsten carbide tipped saw blades
- Tooth designed and shaped for faster cutting
- Diamond lapped tooth sharpening for longer lasting edge
- Made from high carbon steel, blades are hardened, tempered and polished
- Blades tensioned to run true

Material Number	Description	Bore/Arbor	Size mm/in	APN/UPC	Shelf Pack
980927AU	24 teeth	20mm/16mm	160/6 1/4"	■ 809270	1
980929AU	30 teeth	10mm/16mm	160/6 1/4"	■ 809294	1
980932AU	24 teeth	20mm/16mm	185/7 1/4"	■ 809324	1
980933AU	30 teeth	20mm/16mm	185/7 1/4"	■ 809331	2
980936AU	24 teeth	25mm/16mm	210/8 1/4"	■ 809362	2
980937AU	30 teeth	25mm/16mm	210/8 1/4"	■ 809379	2
980941AU	24 teeth	25mm/16mm	235/9 1/4"	■ 809416	2
980943AU	36 teeth	25mm/16mm	235/9 1/4"	■ 809430	2
980945AU	40 teeth	25mm/16mm	254/10"	■ 809454	2
980947AU	60 teeth	25mm/16mm	254/10"	■ 809478	1
980948AU	1 x 24 teeth 1 x 36 teeth	20mm/16mm 20mm/16mm	185/7 1/4" 185/7 1/4"	■ 809485	1

Steel Cutting Blades



Metal Cutting for Grinders

NMS925

_					
NMG4	20 teeth	5/8"/16mm	4" 102mm	705046	1
NMG45	20 teeth	7/8"/22mm	4.5" 115mm	■ 705039	1
NMG5	20 teeth	7/8"/22mm	5" 125mm	■ 705053	1
Metal Cutting for Power Saws					
NMS716	36 teeth	16mm	7" 180mm	■ 705121	1
NMS720	36 teeth	20mm	7" 180mm	= 705138	1

FEATURES AND BENEFITS

- High grade carbon steel body for durability & long life
 Hardened & tempered body, ground, polished and tensioned to prevent
 distortion to ensure the blade runs true
 Thin kerf for cleaner cuts requiring less power
 Deep gullets for maximum stock removal
 Tungsten carbide tips for faster cutting, sharper, longer lasting edge

- Alternate bevelled ground tips that can be sharpened or replaced Precise arbour hole to fit most saw models
- Reputable brand with quality backup support and fully guaranteed

48 teeth

ade Care Extend blade life by securing both ends of the material to be cut, so vibration can be kept to a

705145

minimum Avoid plunge cutting

25mm

9" 230mm

- Never use a spacer when using an angle grinder, use a guide to help reduce movement Tighten collars to avoid any slipping of the blade. Failure to do so will result in damage to the
- When cutting aluminium a lubricant must be used
- Always keep the blade moving through the material, allowing the blade to do the cutting. Forcing the blade will result in overheating

Holesaw Kits







Material Number	Description	APN/UPC	Shelf Pack
NHSK9	9 Piece Professional Kit	■ 811020	1

Sizes: 16mm, 20mm, 25mm, 32mm, 40mm, 51mm 1 x 11mm Arbor and 1 x 10mm Arbor and adaptor, both with pilot drill

NHSK13	13 Piece Professional Kit	002602	10

- · High speed, Bi-metaloy steel for increased durability
- · Permits fast, clean cuts in steel, cast iron, aluminium, brass, bronze, plastics and wood
- The set comprises: Holesaws: 19mm, 22mm, 29mm, 35mm, 38mm, 44mm, 51mm, 54mm, 57mm. Arbor 99002 (1/4" round shank with 1/2-20 UNF thread), Arbor 99010 (7/16 hex shank with 5/8-18 UNF thread) and Hex key 99017, packed in durable blow moulded carry case
- · Holesaw sizes are stamped into each holesaw for easy identification

TIPS FOR HOLESAW USE

IMPORTANT: When using the Hex Pin Arbor, be sure the retractable pins are engaged in the holes in the top of the holesaw, only threading the holesaw onto the arbor is not sufficient. LUBRICANT



Holesaws cut most ferrous metals faster and more efficiently with the use of a lubricant. Cast iron is cut dry, paraffin or beeswax is often used when cutting

FFFDS

A level, even pressure produces the most efficient cutting action; excessive pressure will dull and possibly break the teeth.


ALWAYS WEAR EYE PROTECTION It is essential that the operator and others in the area wear protective eye equipment when using power tools.

CLEARING THE CHIPS When cutting thick material, the saw should be removed at intervals to allow for chip clearance.

ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

Saws





- · Super sharp cross-ground blade for fast and easy cutting action
- · Extra thick tempered steel blade for long life
- Ideal for cutting gyprock, plywood, rope, shrubs & other general purpose



- NJS2 ■ 921170 **MULTI-USE SAW**
- Multi-Use for cutting metal, plastic, wood, plasterboard and gardening work
 Comfort design for confined work areas
 Works with several blade sizes
- Additional blade included

Handsaws



NHS450	HANDSAW - 450mm length	■ 002107	1
NHS550	HANDSAW - 550mm length	■ 002091	1

• 809759

001889

12

- Laser hardened, triple ground teeth for long life and fast cutting action
 Aggressive 7 Teeth/8 Points Blade tooth design for superior, universal cutting
 Premium quality SK5 Japanese Steel

- Ergonomic handle for improved comfort and grip

4-in 1 Hacksaw





80975 4-in 1 Hacksaw

- Standard 90° for general use
- 45° angle for flush cuts
 Low profile position for tight spaces
- Jab saw configuration for a variety of inside cuts
 High tension for tightening the blade up to 30,000psi
 Cushion grip handle for better control and comfort
 Magnetic blade storage inside frame

High Tension Hacksaw





NPSHZ Pro Series High Tension Hacksaw

- · High tension hacksaw with comfortable cushion grip
- Industrial strength
- General Purpose blade2-Way blade change

Hacksaws



NHFPR01 Hacksaw Pro Aluminium ■ 980955	6
--	---

- · Industrial strength
- Two way blade change
 Nicholson® general purpose blade

Hacksaw Blades



- Nicholson Bi-Metaloy® hacksaw blades feature hardened alloy teeth that cut 30% faster and stay sharp 10 times longer than those on standard blades
- Hardened tooth edges are continuous-welded to flexible steel backs for superior durability

Bulk Packs			
300MX18T-2CD	300mm/12" Bi-Metal Steel 18 teeth per inch - Carded pack of 2	• 628268	10
300MMX24T-2-CD	300mm/12" Bi-Metal Steel 24 teeth per inch - Carded pack of 2	• 628329	10
300MMX32T-2-CD	300mm/12" Bi-Metal Steel 32 teeth per inch - Carded pack of 2	• 628398	10
300MMX18T-10CD	300mm/12" Bi-Metal Steel 18 teeth per inch - Carded pack of 10	• 188076	4
300MMX24T-10CD	300mm/12" Bi-Metal Steel 24 teeth per inch - Carded pack of 10	• 188069	4
300MMX18T-100PC	300mm/12" Bi-Metal Steel 18 teeth per inch - Boxed pack of 100	• 627230	1
62749	300mm/12" Bi-Metal Steel 24 teeth per inch - Boxed pack of 100	• 627490	1
300MMX32T-100PC	300mm/12" Bi-Metal Steel 32 teeth per inch - Boxed pack of 100	• 627766	1



ALL APN ■ AND UPC ● CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & ● 037103.

Chainsaw Sharpening Kit



Material Number	Description mm/in	APN/UPC	Shelf Pack
NW14		•	



Replacement Grinding Stones

NWG417	5 per pack 4.0/ 5.32	■ 220549	10
NWG418	5 per pack 4.8/ 3/16	■ 220563	10
NWG419	5 per pack 5.5/ 7/32	■ 220587	10

Snips



N047	STRAIGHT CUT AVIATION SNIP -Yellow Grip	• 062031	6
N048	LEFT CUT AVIATION SNIP -Red Grip	• 062048	6
N049	RIGHT CUT AVIATION SNIP -Green Grip	• 062055	6

Glue Gun Kit



NGG60D	Glue Gun Kit 230V 60W	■ 921200	6
NGGS10	Glue Sticks Qty 10 (11mm x 100mm) Carded	■ 921217	50

Electric Irons Soldering and Wood Burning





N25D	25WATT/240 VOLT ELECTIRC SOLDERING IRON	■ 907006	6
N40D	40WATT/ 240 VOLT ELECTIRC SOLDERING IRON	■ 907013	6
N80D	80watt/ 240 volt electirc Soldering iron	■ 907020	6
NW30D	30WATT/ 240 VOLT ELECTIRC SOLDERING IRON	■ 921057	1

Tips



•			
NT25	2 TIPS Suits N25D - Conical 0.5mm	■ 907037	1
NT10	1 TIP Suits N40D - Conical	■ 907044	1

Nicholson[®]

ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

Measuring Tapes



Material Number	Description mm/in	APN/UPC	Shelf Pack
N23ME	3m/10' x 13mm	■ 923433	6
NL526ME	8m/26' x 25mm	■ 490171	6
NL526SI	8m x 25mm	■ 901707	6
NT48SSI	8m x 25mm METRIC HI-VIZ MEASURING TAPE	■ 923600	6
NT48SME	8m/26' x 25mm/1" METRIC/IMPERIAL HI-VIZ TAPE	■ 923617	6
NT48SI	8m x 25mm WITH MAGNETIC END HOOK	■ 923440	6
NT48ME	8m/26' x 25mm WITH MAGNETIC END HOOK	■ 923457	6
NT410SI	10m x 25mm METRIC MEASURING TAPE WITH RUBBER OVERMOULDED GRIP	■ 002411	* 5
N157AU	30m/100' x 13mm FIBREGLASS OPEN FRAME	■ 901578	1
N158	50m/164' x 13mm FIBREGLASS OPEN FRAME	■ 901585	1
N159	100m/330' x 13mm FIBREGLASS OPEN FRAME	■ 901592	1
NS30ME	30m/100' x 10mm TAPE STEEL TAPELINE	■ 901684	6





★ SHELF PACKS CANNOT BE BROKEN

Measuring Wheel

NS30ME

NT48SI




NMW1	Measuring Wheel in Carry Bag - 318.5mm Dia.

492120

- Compact measuring wheel, convenient for quick estimates
- Ideal for real estate, home owners, sporting events etc
- Starting-point indicator for easy measurements
- Adjustable length handle for convenient use and storage
 Large rubber wheel provides greater stability and longer life
- Convenient folding stand
- Carry bag included
- Units of measure = 100mm/m
 Counter Limit = 9999.99mm

- Minimum Unit = 100mm Tolerance of +/- 5mm per metre




Files

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

File Terminology

Length is measured exclusive of tang, from point to heel. Desired stroke length, type of material and its size will determine length required.



Kinds of Teeth



Single set of parallel, diagonal rows of teeth. singlecut files are often used with light pressure to produce a smooth surface finish or to put a keen edge on knives, shears or saws.



Two sets of diagonal rows of teeth. The second set of teeth is cut in the opposite diagonal direction and on top of the first set. The first set of teeth is known as the overcut while the second is called the upcut. The upcut is finer than the overcut. The double-cut file is used with heavier pressure than the single-cut and removes material faster from the workplace.



Teeth arranged in curved contours across the file face. The curved-cut file is normally used in automotive body shops for smoothing body panels.

Description





Second cut



Work to be accomplished, roughing or finishing, will determine type of teeth and coarseness for each application. Most files are available with three grades of cut: bastard-cut, second-cut and smooth cut. The degree of coarseness is greater in longer files, but differences between bastard, second-cut and smooth are proportionate.

THE RIGHT FILE FOR THE JOB

HAND FILE: For finishing flat surfaces.

ROUND FILE: For circular openings and concave surfaces.

HALF ROUND FILE: For flat, concave and convex surfaces.

HANDY FILE: For tool sharpening and general filing.

MAGICUT FILE: For use on aluminium, brass, bronze, copper, hard plastics, stainless steel.

SQUARE FILE: For filing slots, key seats and general surface filing.

HALF ROUND

WOOD RASP: For use on wood and soft metals.

CHAINSAW FILE: For sharpening round, hooded chainsaw teeth.

WOODCRAFT RASP: For use on wood, leather and soft metals.

DOUBLE ENDER FILE: For sharpening saws with 60° angle.

FLAT FILE: For general work on iron, steel etc.

WARDING FILE: Locksmith's file for ward notches in keys and narrow places.

CANTSAW FILE: For sharpening circular saw blades. BODIFILE FILE: For automotive panel filing.

MILL FILE: For draw filing in machine shops, fine finishing and tool sharpening.

Also used to file large circular saw blades.

TAPER FILES: For sharpening hand saws.

SWISS PATTERN FILES: For exact filing of extremely fine cuts.

Suitable for toolmakers, watchmakers and jewellers.



Care of the file

The teeth of the file should be protected when the file is not in use by hanging it in a rack or keeping it in a drawer with divisions.

Files should always be kept clear of water or grease since this impairs the filing action. It is advisable to wrap the file in a cloth for protection when it is carried in a tool box.

The file teeth should be kept clean at all times by using a file card to clear the grooves between the teeth or a wire file brush.



ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

Size mm/"	Material Number	Barcode	Shelf Pack		Size mm/"	Material Number	Barcode	Shelf Pack	
Cantsaw (R	egular)		-		Flat Second	d Cut cont.			
200/8	T01387	037103013873	12*		250/10	T03698	037103036988	6★	
Chainsaw F	ile —		-		300/12	T03797	037103037978	6★	
150 x 3.2	02144N	037103221735	6 *		300/14	T03896	037103038968	6★	
200 x 4.0	02228N	037103221704	6 *		150/6	903501AU	9337103035013	6	
200 x 4.8	02229N	037103221711	6*		200/8	903600AU	9337103036003	6	
200 x 5.6	02230N	037103221728	6 *		250/10	903699AU	9337103036997	6	
200 x 6.4	02147N	037103221698	6 *		Flat Smooth	n	-	_	##
150 x 3.2	901716AU	9337103901714	6		150/6	T03533	037103035332	12*	
200 x 4.0	901765AU	9337103017651	6		200/8	T03632	037103036322	12*	
200 x 4.8	901888AU	9337103901882	6		250/10	T03731	037103037312	6★	
200 x 5.6	901971AU	9337103019716	6		300/12	T03830	037103038302	6*	
200 x 6.4	901590AU	9337103015909	6		350/14	T03929	037103039293	12*	
Flat Alumin	ium 💻	-			250/10	903732AU	9337103037321	6	
300/12	T00070	037103000705	6 *		Farmers Ov No handle i		100	D	4
Flat Bastard	d 1		-	*************************************	250/10	T06668	037103066688	12*	
100/4	T03367	037103033673	12*		250/10	906669AU	93371030366697	6	
150/6	T03467	037103034670	12*		350/14	18155N	037103219558	5	
200/8	T03566	037103035660	12*		Half Round	7.0	007100213000		معد
250/10	T03665	037103036650	6 *		100/4	04695N	037103218513	12★	
300/12	T03764	037103037640	6 *		150/4	04795N	037103218520	12*	
350/14	T03863	037103038630	6 *		200/8	04795N 04896N	037103218551	12*	
150/6	903468AU	9337103034689	6		250/10	04090N 04995N	037103218303	6*	
200/8	903567AU	9337103035679	6		300/12	05094N	037103218650	6 ★	
250/10	903666AU	9337103036669	6		350/12	05094N 05194N	037103218926	6 ★	
300/12	903765AU	9337103037659	6		150/6	904796AU			
Flat Second	Cut =			1			9337103047962	6	
100/4	T03401	037103034014	12*		200/8	904897AU	9337103048976	6	
150/6	T03500	037103035004	12*		250/10	904996AU	9337103049966	6	
200/8	T03599	037103035998	12*		300/12	905095AU	9337103050955	6	

★ UNCARDED – ★ SHELF PACKS CANNOT BE BROKEN, HANDLES NOT INCLUDED

ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

Size mm/" Material Barcode Shelf Size mm/" Material Bar Number Pack Number		Shelf Pack
Half Round Second Cut Handy File 1SE No handle included		<u> </u>
100/4 04729N 037103218407 12★ 200/8 T06601 037	371030366015	6
150/6 04828N 037103218438 12★ Long Angle Lathe	_	
200/8 04927N 037103218568 12★ Fine Cut 2SE		птини.
250/10 05026N 037103218612 6* 300/12 T07851 037	7103078513	6★
300/12 05125N 037103218841 6★ 350/14 T07863 037	7103078636	6★
350/14 05225N 037103218933 6★ Magicut Flat All Purpose Suitable for Stainless Steel	0	
150/6 904829AU 9337103048297 6 250/10 T07917 037	7103079176	6*
200/8 904928AU 9337103049287 6 300/12 T07941 037	7103079411	6*
250/10 905027AU 9337103050276 6 250/10 907918AU 933	37103079185	6
Half Round Smooth 300/12 907942AU 933	37103079420	6
100/4 04762N 037103218414 12★ Millsaw File (Regular) 2SE Bas	estard	
150/6 04861N 037103218445 12★ 150/6 T08354 037	7103083548	12★
200/8 04960N 037103218728 12* 200/8 T08497 037	7103084972	12★
250/10 05059N 037103218827 6 * 250/10 T08642 037	7103086426	12★
300/12 05158N 037103218889 6★ 300/12 T08737 037	7103087379	6★
Hand Bastard 1SE 350/14 T08832 037	7103088321	6★
150/6 T05738 037103057389 12★ 150/6 908355AU 933	37103083557	6
200/8 T05853 037103058539 12* 200/8 908498AU 933	337103084981	6
250/10 T05968 037103059680 6* 250/10 908643AU 933	337103086435	6
300/12 T06084 037103060846 6★ 300/12 908738AU 933	337103087388	6
Hand Second Cut 1SE Millsaw File 2SE Second Cut		-
150/6 T05771 037103057716 12* 150/6 T08385 037	7103083852	12★
200/8 T05886 037103058867 12* 250/10 T08673 037	7103086730	12★
250/10 06001N 037103060013 6* 300/12 T08768 037	7103087683	6★
300/12 T06117 037103061171 6★ 250/10 908674AU 933	37103086749	6
Hand Smooth 1SE Millsaw File (Regular) 2SE Sm	mooth	
150/6 T05804 037103058041 12★ 250/10 T08704 037	7103087041	12★
200/8 T05919 037103059192 12* 300/12 T08799 037	7103087997	6★
250/10 T06034 037103060341 12* 250/10 908705AU 933	37103087050	6
300/12 T06150 037103061508 6★ ★ UNCARDED - 1	* SHELF PACKS CANI HANDLE	NOT BE BROKEN, S NOT INCLUDED



ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

Size mm/"	Material Number	Barcode	Shelf Pack
Millsaw File	s (Regular) 1R	E Bastard	
200/8	T09099	037103090997	12*
250/10	T09179	037103091796	12*
300/12	T09227	037103092274	12*
200/8	909100AU	9337103091002	6
250/10	909180AU	9337103091804	6
300/12	909228AU	9337103092283	6
Round Bast	ard		_
100/4	11526	037103115263	12*
125/5	11637	037103116376	12★
150/6	11716	037103117168	12*
200/8	11904	037103119049	12*
250/10	12019	037103120199	12*
300/12	12134	037103121349	6*
100/4	911526AU	9337103115265	6
150/6	911717AU	9337103117177	6
200/8	911905AU	9337103119058	6
250/10	912020AU	9337103120207	6
300/12	912135AU	9337103121358	6
Round Seco	ond Cut		
100/4	11559N	037103100009	12★
150/6	11748	037103117489	12★
200/8	11936	037103119360	12*
250/10	12051	037103120519	12*
300/12	12166	037103121660	6 *
150/6	911749AU	9337103117498	6
200/8	911937AU	9337103119379	6
250/10	912052AU	9337103120528	6

cont'd page 60

★ UNCARDED - ★ SHELF PACKS CANNOT BE BROKEN, HANDLES NOT INCLUDED

ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

FILES LISTED IN **BOLD** FONT ARE CARDED AND INCLUDE CUSHION GRIP HANDLE (EXCLUDING CONTACT POINT FILES)

Taper - Slim cont. 100/4 914107AU 9337103141073 6 112/4 1/2 914140AU 9337103141400 6 125/5 914163AU 9337103141639 6 150/6 914225AU 9337103142584 6 175/7 914225AU 9337103142588 6 120/8 914291AU 9337103142580 12 100/4 14547M 037103142580 12 150/6 91466AU 9337103142580 12 150/6 91466AU 933710314584 6 150/6 91466AU 933710316586 6 150/6 91466AU 933710316586 12 200/8 16883 037103168877 12 100/4 155/7 037103168677 12 100/4 155/7 037103166630 12 100/4 915508AU 9337103165866 6 150/6 91666AU 933710316586 6 150/6 91666AU 933710316588 6 150/6 91666AU 933710316586 6 150/6 91666AU 933710316588 6 150/6 91666AU 933710316580 6 150/6 91666AU 933710316580 6 150/6 91666AU 933710316580 6 150/6 9166AU 933710	Size mm/"	Material Number	Barcode	Shelf Pack		Size mm/"	Material Number	Barcode	Shelf Pack	
100/4 914107AU 9337103141073 6 112/4 1/2 914140AU 9337103141400 6 125/5 914163AU 9337103141639 6 150/6 91425AU 933710314254 6 175/7 914256AU 9337103142568 6 200/8 914291AU 933710314259 6 150/6 14665M 03710314259 12* 150/6 14665M 03710314259 12* 150/6 14665M 03710314259 12* 150/6 914666AU 933710314258 6 150/6 914666AU 933710314258 6 150/6 15958 933710315958 12* 200/8 160/9 933710315958 12* 200/8 160/9 9337103166649 12* 200/8 916762AU 9337103166649 6 200/8 916762AU 9337103166697 12* 200/8 916762AU 9337103166698 12* 200/8 916762AU 9337103166698 12* 200/8 916762AU 9337103166697 6 200/8 916762AU 9337103166609 7 200/8 916762AU 9337103166609 7 200/8	Taper - Slim	cont.			>				_	
112/4 1/2 914160AU 9337103141600 6 125/5 914163AU 933710314254 6 150/6 91425AU 933710314256 6 175/7 91425AU 933710314256 6 175/7 91425AU 933710314256 6 175/7 91425AU 933710314256 6 175/6 14665M 03710314259 6 150/6 14665M 03710314258 6 150/6 14665M 03710314258 6 150/6 914666AU 9337103145484 6 150/6 914666AU 933710314588 6 150/6 15958 9337103159580 12* 200/8 16069 9337103160692 12* 200/8 16069 9337103160692 12* 200/8 16069 9337103160692 12* 200/8 16069 9337103165066 6 250/10 917684AU 9337103165077 12* 200/8 19398AU 037103219633 12* 200/8 19398AU 037103219657 6* 250/10 19427N 037103219657 6* 250/10 19427N 037103219657 6* 250/10 19427N 037103219653 12* 250/10 19428AU 933710319689 6* 250/10 19428AU 93371031969 6* 250/10 19428AU 93371031995 6* 250/	100/4	914107AU	9337103141073	6				037103219572	12★	
125/5 914163AU 9337103141639 6 150/6 914225AU 933710314254 6 200/8 914291AU 9337103142568 6 200/8 914291AU 9337103142580 12+ 150/6 14665M 037103142580 12+ 150/6 14665M 037103142580 12+ 150/6 14665M 037103145484 6 150/6 914666AU 933710316565 6 Three Square Second Cut 150/6 15958 933710316665 6 Three Square Second Cut 150/6 16663 037103165007 12+ 150/6 16663 037103166630 12+ 150/6 16663 037103165007 12+ 150/6 16663 037103165007 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16663 037103165008 12+ 150/6 16664 037103166699 6 150/6 16794 9337103166699 12+ 150/6 16579 9337103165008 12+ 150/6 16579 9337103165977 6 Warding Smooth 100/4 16573 9337103165977 6 Warding Smooth 100/4 16573 9337103165977 6 Warding Smooth 100/4 16573 9337103165734 12+ 150/6 16729 9337103165735 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+ 150/6 16729 9337103165736 12+	112/4 1/2	914140AU	9337103141400	6						
150/6 914225AU 933710314254 6 175/7 91425AU 9337103142568 6 200/8 914291AU 9337103142599 6 Taper - Extra Slim 100/4 14547M 037103142580 12* 150/6 14666M 037103142680 12* 150/6 914666AU 9337103146665 6 Three Square Second Cut 150/6 15958 9337103195800 12* 200/8 19395AU 9337103166630 12* 200/8 19460AU 9337103195800 12* 200/8 19460AU 9337103195800 12* 200/8 19595AU 9337103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166630 12* 150/6 16663 037103166649 6 150/6 16664 037103166688 12* 150/6 16679 9337103166688 12* 150/6 16794 9337103166877 6 Warding Smooth 100/4 16573 9337103166877 6 Warding Smooth 100/4 16573 9337103166877 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103165735 12* 150/6 16729 9337103165735 12* 150/6 16729 9337103165735 12* 150/6 16729 9337103165735 12* 150/6 16729 9337103165735 12*	125/5	914163AU	9337103141639	6						
175/7 914256AU 9337103142598 6 200/8 914291AU 9337103142590 6 Taper - Extra Slim 100/4 14547M 037103142580 12* 150/6 14665M 037103144034 12* 150/6 914666AU 9337103145844 6 150/6 914666AU 9337103146665 6 Three Square Second Cut 150/6 15598 9337103159580 12* 200/8 16689 9337103166665 12* 200/8 16683 037103166677 12* 150/6 16663 037103166673 12* 150/6 916664AU 9337103166649 6 150/6 916664AU 9337103166649 6 Warding Second Cut 100/4 16507 03710316794 12* 100/4 16509 9337103166688 12* 100/4 16509 9337103166698 12* 100/4 16509 9337103166698 12* 100/4 16509 9337103166698 12* 100/4 16509 9337103166698 12* 100/4 16509 9337103166698 12* 100/4 16509 9337103166698 12* 100/4 16509 9337103166698 12* 100/4 16509 9337103166988 12* 100/4 16509 9337103166988 12* 100/4 16509 9337103166988 12* 100/4 16509 9337103166988 12* 100/4 16509 9337103166988 12* 100/4 16509 9337103165977 6 Warding Smooth 100/4 16573 9337103165974 12* 150/6 16729 9337103165754 12* 150/6 16729 9337103165754 12* 150/6 16729 9337103165278 12*	150/6	914225AU	9337103142254	6						
Taper - Extra Slim	175/7	914256AU	9337103142568	6						
Taper - Extra Silm 100/4	200/8	914291AU	9337103142919	6				933/1031/0040	0	
150/6	Taper - Extr	a Slim		_				ATTEMPTOR TO THE PARTY OF THE P		
100/4 914548AU 9337103145484 6 150/6 914666AU 9337103145665 6 Three Square Second Cut 150/6 15958 9337103159580 12* 200/8 16069 9337103160892 12* Warding Bastard 100/4 16507 037103165077 12* 150/6 16663 03710316630 12* 200/8 16761 037103167613 12* 100/4 916508AU 9337103165086 6 150/6 916664AU 9337103166496 6 150/6 916664AU 9337103167622 6 Warding Second Cut 100/4 1650 9337103167622 6 Warding Second Cut 100/4 16540 9337103167623 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103167295 12* 200/8 16827 9337103168278 12* **UNCARDED - * SHELF PACKS CANNOT BE BROKEN, Named to the pack of the p	100/4	14547M	037103142580	12*		200/8	18617N	037103219749	6★	
150/6 914666AU 9337103146665 6	150/6	14665M	037103144034	12*		200/8	918618AU	9337103186180	6	
Three Square Second Cut 150/6	100/4	914548AU	9337103145484	6			100			
150/6 15958 9337103159580 12 * 250/10 19427N 037103219657 6 * 300/12 19460N 037103219664 6 * 300/12 19460N 037103219732 6 * 350/14 19493N 037103219732 6 * 200/8 9169508AU 9337103166630 12 * 250/10 919428AU 9337103194284 6 300/12 919461AU 9337103194611 6 300/12 919461AU 9337103194611 6 4 4 4 4 4 4 4 4 4	150/6	914666AU	9337103146665	6		200/8	19394N	037103219633	12*	
200/8 16069 9337103160692 12* Warding Bastard 100/4 16507 037103165077 12* 150/6 16663 037103166630 12* 200/8 919395AU 9337103193959 6 200/8 919395AU 9337103194284 6 300/12 919428AU 9337103194284 6 300/12 919461AU 9337103194284 6 300/12 919461AU 9337103194611 6 Horse Rasp - Magicut 350/14 18130N 037013219534 6* Horse Rasp - Magicut 350/14 18130N 037013219534 6* Horse Rasp - Without Tang #Winner No handle included Warding Second Cut 350/14 17903N 037103217998 6* Contact Point File - No handle included 100/4 16540 9337103166968 12* 200/8 16794 9337103166973 12* 150/6 916697AU 9337103166734 12* 150/6 16729 9337103165734 12* 150/6 16729 9337103165734 12* 200/8 16827 9337103165278 12* **UNCARDED - * SHELF PACKS CANNOT BE BROKEN.**	Three Squa	re Second Cut		_	- >	250/10	19427N	037103219657	6★	
Warding Bastard 100/4	150/6	15958	9337103159580	12★		300/12	19460N	037103219664	6★	
100/4	200/8	16069	9337103160692	12*		350/14	19493N	037103219732	6 *	
150/6 16663 037103166630 12* 250/10 919428AU 9337103194284 6 300/12 919461AU 9337103194611 6 300/12 919461AU 9337103194611 6 4 4 4 4 4 4 4 4 4	Warding Ba	stard	-		*************************************	200/8	919395AU	9337103193959	6	
300/12 919461AU 9337103194611 6 100/4 916508AU 9337103165086 6 150/6 916664AU 9337103166649 6 200/8 916762AU 9337103167622 6 Warding Second Cut 100/4 16540 9337103165406 12* 100/6 1696 037103166968 12* 200/8 16794 9337103167943 12* 150/6 916697AU 9337103165734 12* 150/6 16729 9337103165734 12* 200/8 16827 9337103167295 12* 200/8 16827 9337103168278 12* **UNCARDED - * SHELF PACKS CANNOT BE BROKEN.*	100/4	16507	037103165077	12*		250/10	919428AU	9337103194284	6	
Horse Rasp - Magicut	150/6	16663	037103166630	12★		300/12	919461AU	9337103194611	6	
100/4 916508AU 9337103165086 6 150/6 916664AU 9337103166649 6 200/8 916762AU 9337103167622 6 Warding Second Cut 100/4 16540 9337103165406 12* 150/6 16794 9337103167943 12* 150/6 916697AU 9337103166977 6 Warding Smooth 100/4 16573 9337103165734 12* 200/8 16827 9337103167295 12* 200/8 16827 9337103168278 12* **UNCARDED - * SHELF PACKS CANNOT BE BROKEN, 12*	200/8	16761	037103167613	12*		Horse Rasp	- Magicut			*************************************
150/6 916664AU 9337103166649 6 Warding Second Cut 100/4 16540 9337103165406 12* 150/6 16794 9337103166968 12* 150/6 916697AU 9337103166977 6 Warding Smooth 100/4 16573 9337103165734 12* 150/6 16729 9337103167295 12* 200/8 16827 9337103168278 12* **UNCARDED - * SHELF PACKS CANNOT BE BROKEN, 12*	100/4	916508AU	9337103165086	6			_	037013219534	6★	
200/8 916762AU 9337103167622 6 Warding Second Cut 100/4 16540 9337103165406 12* 150/6 T16696 037103166968 12* 200/8 16794 9337103167943 12* 150/6 916697AU 9337103166977 6 Warding Smooth 100/4 16573 9337103165734 12* 200/8 16827 9337103168278 12* 200/8 16827 9337103168278 12* **UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	150/6	916664AU	9337103166649	6		Horse Rasp) -			
100/4 16540 9337103165406 12* 150/6 T16696 037103166968 12* 200/8 16794 9337103167943 12* 150/6 916697AU 9337103166977 6 Warding Smooth 100/4 16573 9337103165734 12* 200/8 16827 9337103168278 12* **UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	200/8	916762AU	9337103167622	6		Without Tan	ng #Winner			1,,,,,,,,,,,,,
100/4 16540 9337103165406 12* 150/6 T16696 037103166968 12* 200/8 16794 9337103167943 12* 150/6 916697AU 9337103166977 6 Warding Smooth 100/4 16573 9337103165734 12* 150/6 16729 9337103167295 12* 200/8 16827 9337103168278 12* * UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	Warding Se	cond Cut 👅	-	_	*************************************	350/14	17903N	037103217998	6★	*******
150/6	100/4	16540	9337103165406	12*		Contact Poi	int File -			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
200/8 16/94 9337103167943 12* 150/6 916697AU 9337103166977 6 Warding Smooth 100/4 16573 9337103165734 12* 150/6 16729 9337103167295 12* 200/8 16827 9337103168278 12* * UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	150/6	T16696	037103166968	12*		No handle i	ncluded			
150/6 916697AU 9337103166977 6 Warding Smooth 100/4 16573 9337103165734 12* 150/6 16729 9337103167295 12* 200/8 16827 9337103168278 12* * UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	200/8	16794	9337103167943	12*		133/5 1/4	921905AU	9337103219055	12★	
100/4 16573 9337103165734 12* 150/6 16729 9337103167295 12* 200/8 16827 9337103168278 12* * UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	150/6	916697AU	9337103166977	6		1335 1/4	921985AU	9337103023812	6	
150/6 16729 9337103167295 12* 200/8 16827 9337103168278 12* * UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	Warding Sn	nooth	-	_	1					
200/8 16827 9337103168278 12* * UNCARDED - * SHELF PACKS CANNOT BE BROKEN,	100/4	16573	9337103165734	12*						
	150/6	16729	9337103167295	12*						
HANDLES NOT INCLUDED	200/8	16827	9337103168278	12*			* UNCARDI			



ALL APN ■ AND UPC • CODE NUMBERS SHOWN ARE PRECEDED BY THE MANUFACTURER APN OR UPC I.D. NUMBER ■ 9337103 & • 037103.

Nicholson File Sets



Material Number	Description	Size mm/in	APN/UPC	Shelf Pack
NFS6			■ 219529	6

Set includes

- 6" Slim Taper
- 8" Round Bastard
- 8" Mill Bastard
- 8" Half Round Bastard
- **★** New file sets due early 2009.

Precision File Set



NPFS6	6 Piece Precision File Set	■ 921163	6

- Manufactured from Hardened & Tempered Carbon Steel
- Comfort Grip Handle
- Set contains Flat Parallel, Flat Tapered, Round, Square, Half Round, Triangular

File Handles



NFHS10	Small File Handle	■ 214753	10★
NFHM10	Medium File Handle	214760	10★
NFHL10	Large File Handle	■ 214746	10★

Features

- Ergonomically designed, comfortable to use
- Sturdy, impact resistant material
- Tough tradesman quality
- Value for money
- Handles individually bar-coded for point-of-sale convenience
- Handy packs of 10

★ SHELF PACKS CANNOT BE BROKEN

Chainsaw Sharpening Kit



Material Number	Description mm/in	APN/UPC	Shelf Pack
NW14	Nicholson Wizz 14000RPM	220501	6

12V-DC includes 6.4/ 1/4 Stone

Includes

- Depth Adjustment
- Sharpening Angle Guide

Replacement Grinding Stones

NWG417	5 per pack	4.0/ 5.32	■ 220549	10
NWG418	5 per pack	4.8/ 3/16	■ 220563	10
NWG419	5 per pack	5.5/ 7/32	■ 220587	10

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for eaton manufacturer:

Other Similar products are found below:

BK1-S506-500-R BK-MDL-3-R BK1-S506-6-3-R BK1-S506-2-R MPI4040R4-1R5-R TDC600-10A 89096-015 8946K153 8961K155 M22-D-R-GB0/K11 M22-L-R/R M22S-ST-GB12 630NHG3B 63ET 6422 6580 CTX20-16-52LP-R CWL530FI CXM/CO/GP/R/BB 6HD36 714125 MBO-2 ESR5-NO-41-24VAC-DC 7314K36 7321K2 F02A-1-1/2A F02A-1-1/2AS F02A-1AS F02A-2AS F02A-3/4A F03A250V12A F03B125V4A MCR-4 MDA-2-8/10-R MDA-30A MDA-V-1/16 F60C500V10AS F60C500V15AS 7563K84 7634K36 MDQ-3/16 MDQ-7/10 MDQ-V-1/10 MDQ-V-1/16 MDQ-V-1/16 MDQ-V-1/2 MDQ-V-3/16 MDQ-V-3/8 MDQ-V-6/10