










LARGE INTERFACE PANEL

Protection class IP 40

With front / rear panel or with sloping control panel and rear panel.

Max. size of PCB (L x W in mm)

	top / bottom part
	128 x 90
M	178 x 125
	208 x 150



detailed drawings see our website **www.okw.com**

THE PRODUCT

Generously dimensioned, comfortable control and interface panels distinguish the MOTEC desktop device from conventional systems.

Different sizes and combinations offer a wide selection of attractive cases.

Thanks to an innovative snap-in system, you can minimise your assembly work and at the same time improve the visual attractiveness of your products.

YOUR ADVANTAGE

Modern and fashionable design.

Different heights of cases for individual configurations.

Guide grooves for the vertical insertion of partitions and printed circuit boards.

Sloping control panel with recessed area to protect membrane keyboards available as an accessory.

High-quality material ABS, optionally in UL 94 HB or UL 94 V-0 flame-resistant.





MOTEC									
MOTEC	Outsi W	de dim. i D	in mm H	Version / Equipment case shells base/top			t-No. ABS (UL 94 V-0) off-white RAL 9002		
S	155	105	40	flat / flat	-	B 30 15 117	B 30 15 217		
	155	105	65	flat / high	_	B 30 15 127	B 30 15 227		
	155	105	90	high / high	-	B 30 15 137	B 30 15 237		
M	205	140	50	flat / flat	-	B 30 20 117	B 30 20 217		
	205	140	75	flat / high	-	B 30 20 127	B 30 20 227		
	205	140	75	flat / high	 (Tilt/swivel handle adjustable in increments 30°) 	B 30 20 147	-		
	205	140	100	high / high	-	B 30 20 137	B 30 20 237		
	235	165	60	flat / flat	-	B 30 23 117	B 30 23 217		
	235	165	85	flat / high	- (Til)	B 30 23 127	B 30 23 227		
	235	165 165	85	flat / high	(Tilt/swivel handle adjustable in increments 30°)	B 30 23 147	- D 20 22 227		
	235	105	110	high / high	-	B 30 23 137	B 30 23 237		
				M	IOTEC ACCESSORIES				
Article	For MOTEC			Version / Application		Part-No. ABS (UL 94 HB) ABS (UL 94 V-0)			
① Sloping control panel	S	flat / h	nigh	off-white, RAL 9002,	max. dim. keypad 137.80 x 46.80 mm, insertion into the guides	B 31 15 167	B 31 15 267		
	М	flat / l	nigh	off-white, RAL 9002,	max. dim. keypad 186.70 x 54.40 mm, insertion into the guides	B 31 20 167	B 31 20 267		
	L	flat / l	nigh	off-white, RAL 9002,	max. dim. keypad 214.70 x 62.90 mm, insertion into the guides	B 31 23 167	B 31 23 267		
	L	L high / high		off-white, RAL 9002,	B 31 23 177	B 31 23 277			
② Front / rear panel	S	flat / f			nium, 136 x 32 x 1.5 mm, insertion into the guides, 1 pc	B 31	15 100		
	S	flat / l		matt anodised alumi		B 31 15 110			
		S high / high		matt anodised alumi		B 31 15 120			
		M flat / flat		matt anodised alumi		B 31 20 100			
		M flat/ high			nium, 185 x 67 x 1.5 mm, insertion into the guides, 1 pc		B 31 20 110		
	M	high /			nium, 185 x 92 x 1.5 mm, insertion into the guides, 1 pc		20 120		
	L	flat / f			nium, 214 x 52 x 1.5 mm, insertion into the guides, 1 pc nium, 214 x 77 x 1.5 mm, insertion into the guides, 1 pc		23 100		
	L	L flat / high L high / high		matt anodised alumi		B 31 23 110 B 31 23 120			
③ Set of screws	S, M,		myn	4 x Ø 2.5 x 6 mm, for		A 91 99 008			
			3						

universal accessories on pages 178-187

^{*1} side arms and push button of reinforced polyamide, middle section aluminium profile; the mounting of the handle bar to the side panels with draft will hardly affect the load capacity and performance

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for okw manufacturer:

Other Similar products are found below:

A1020648	A9413351	B3218101	B4208208	B9004028	A9082065	A0224070	M-6PCBK	A4123105	A4123107	A4123108	A4131000
<u>A4131002</u>	A4140002	<u>A4140008</u>	<u>A4140100</u>	A4150008	<u>A4220000</u>	A4240000	A4240008	A4413049	<u>A5116000</u>	D1040465	A1020049
A2650060	B3214101	A9180001	A9066119I	E A1320260	A1324860	A4223000	D9051459	D9072149	D940844	<u>A1020048</u>	A2440068
A9084165	A1321860	A1422469	A4213008	A6023019	A7510000	D2012121	D2512017	D5111057	D5111807	D5116057	D9052288
A2531068	A1020068										