


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION - N/A .  
 © COPYRIGHT N/A BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
DF	S0	P	LTR	DESCRIPTION	DATE	DWN	APVD
		S		REV PER 0H14-0191-05	05-05	AA	DE

PART NO.	A	△4	FINISH	
836917-1	25.75	[654.0]	△7	OBSOLETE
836917-2	23.00	[584.2]	△7	OBSOLETE
836917-3	28.00	[711.2]	△7	OBSOLETE
836917-4	12.75	[323.8]	△7	
836917-5	6.00	[152.4]	△7	OBSOLETE
836917-6	66.00	[1676.4]	△7	
836917-7	20.00	[508.0]	△7	
836917-8	16.00	[406.4]	△7	
836917-9	12.00	[304.8]	△7	OBSOLETE
1-836917-0	36.00	[914.4]	△7	OBSOLETE
1-836917-1	54.00	[1371.6]	△7	OBSOLETE
1-836917-2	22.00	[558.8]	△7	OBSOLETE
1-836917-3	72.00	[1828.8]	△7	OBSOLETE
1-836917-4	18.00	[457.2]	△7	
1-836917-5	48.00	[1219.2]	△7	OBSOLETE
1-836917-6	15.00	[381.0]	△7	
1-836917-7	10.00	[254.0]	△7	OBSOLETE
1-836917-8	30.00	[762.0]	△7	
1-836917-9	4.00	[101.6]	△7	OBSOLETE
2-836917-0	8.00	[203.2]	△7	OBSOLETE
2-836917-1	97.00	[2463.8]	△7	OBSOLETE
2-836917-2	9.00	[228.6]	△7	OBSOLETE
2-836917-3	23.62	[599.9]	△7	OBSOLETE
2-836917-4	39.36	[999.7]	△7	OBSOLETE
2-836917-5	24.00	[609.6]	△7	OBSOLETE
2-836917-6	17.00	[431.8]	△7	
2-836917-7	14.00	[355.6]	△7	OBSOLETE
2-836917-8	16.50	[419.1]	△7	
2-836917-9	27.00	[685.8]	△7	OBSOLETE
3-836917-0	60.00	[1524.0]	△7	OBSOLETE
3-836917-1	13.00	[330.2]	△7	OBSOLETE
3-836917-2	21.50	[546.1]	△7	OBSOLETE
5-836917-6	66.00	[1676.4]	△8	

- △1 .300 MAX DIMENSION HELD OVER THE .910 MAX AREA ONLY.
- 2. MARKED PER MIL-STD-130.
- 3. LEADS WILL MATE WITH AMP LGH-1 & 1L RECEPTACLES.
- △4 TOLERANCE OF LEAD LENGTH:  
UP TO 24 INCHES [609.6] = ±.12 [±3.0]  
24 INCHES [609.6] & UP = ±1%
- 5. OPERATING VOLTAGE: 25 KVDC AT 0 TO 70,000 FEET, -55°C TO 125°C.
- △6 CONNECTOR TO MATE WITH J1-21 TERMINAL.
- △7 PLATED 93/7 TIN-LEAD OR TIN PER ASTM-B-545 OVER NICKEL PER AMS-QQ-N-290.
- △8 PLATED TIN PER ASTM-B-545 OVER NICKEL PER AMS-QQ-N-290.



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	C.C.THOMAS	21-FEB-90	 Tyco Electronics Corporation Harrisburg, Pa 17105-3608
DIMENSIONS:		CHK	S.GLATFELTER	28-FEB-90	
INCHES		APVD	S.GLATFELTER	28-FEB-90	
		PRODUCT SPEC			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC			
0 PLC ± -		WEIGHT	-		
1 PLC ± -		SCALE	1:1		
2 PLC ± -		SHEET	1 OF 1		
3 PLC ± -		REV	S		
4 PLC ± -		NAME: LEAD ASSEMBLY LGH-1, LGH-1L WITH J1-21 CRT END			
ANGLES ± -		SIZE	A2	CAGE CODE	00779
FINISH -		DRAWING NO	C=836917		
MATERIAL SEE CALLOUTS		RESTRICTED TO	-		
		CUSTOMER DRAWING			

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [DC Power Cords](#) category:*

*Click to view products by [TE Connectivity](#) manufacturer:*

Other Similar products are found below :

[H-IN-1](#) [H-IN-12](#) [1300000052](#) [H-OU-32](#) [H-OU-34](#) [H-OU-7](#) [H-OU-8](#) [H-OU-9](#) [H-PA-7](#) [H-RC-2](#) [H-SN-16](#) [H-SN-21](#) [172-4000](#) [172-4101](#)  
[172-7443-E](#) [2J-1865A](#) [H-IN-13](#) [H-IN-14](#) [H-IN-4](#) [H-IN-8](#) [426055400-3](#) [MN47A4BC01M010](#) [H-OU-11](#) [H-OU-12](#) [H-OU-13](#) [H-OU-14](#) [H-](#)  
[OU-19](#) [H-OU-2](#) [H-OU-23](#) [H-OU-24](#) [H-OU-31](#) [H-PA-5](#) [H-PA-8](#) [H-RC-1](#) [H-SN-14](#) [H-SN-22](#) [32102-021500-200-RS](#) [420680840-3](#)  
[426451500-3](#) [H-SN-18](#) [H-OU-21](#) [H-OU-10](#) [1-832692-4](#) [FJ-VSP 3M](#) [1300000086](#) [1300140079](#) [96CB-POWER-B-1.8M2](#) [520-092-R](#)  
[426040200](#) [H-OU-28](#)