

STYLE	FREE DIA	LH	LENGTH	MATL (NOTE)	Ø REF	MATING PIN	PLATING NUM	MATL THK	REF	PART NUMBER
A	[.100]	[.034]	--	12	17.98	.708	1-2	0.20	.008	03114
A	[.90]	[.038]	--	12	16.00	.630	UNPL	0.20	.008	03107
A	[.80]	[.034]	--	12	14.00	.551	3-2	0.20	.008	9-192038-6
A	[.62]	[.034]	--	12	12.70	.500	1-2	0.20	.008	9-192038-4
A	[.62]	[.034]	--	12	12.70	.500	6	0.20	.008	03090
A	[.62]	[.034]	--	12	12.70	.500	UNPL	0.20	.008	9-192038-3
A	[.62]	[.030]	--	12	12.70	.500	1-2	0.15	.006	03117
A	[.62]	[.020]	--	13	12.70	.500	UNPL	0.12	.005	03092
A	[.62]	[.034]	--	12	11.99	.472	3-2	0.20	.008	8-192038-7
A	[.62]	[.034]	--	12	11.99	.472	1-2	0.20	.008	03108
A	[.62]	[.034]	--	12	11.99	.472	UNPL	0.20	.008	03135
A	[.60]	[.034]	--	12	11.10	.437	3-2	0.20	.008	8-192038-4
A	[.60]	[.034]	--	12	11.10	.437	1-2	0.20	.008	03106
A	[.60]	[.034]	--	12	11.10	.437	UNPL	0.20	.008	03081
A	[.58]	[.034]	--	12	11.10	.437	1-2	0.20	.008	8-192038-1
A	[.58]	[.020]	--	13	11.10	.437	UNPL	0.12	.005	03118
A	[.60]	[.034]	--	12	10.79	.425	4-2	0.20	.008	7-192038-8
A	[.55]	[.038]	--	12	10.00	.394	1-2	0.20	.008	03069
A	[.55]	[.038]	--	12	10.00	.394	UNPL	0.20	.008	03072
A	[.50]	--	--	12	10.00	.394	3-2	0.15	.006	7-192038-5
A	[.50]	[.034]	--	12	9.52	.375	3-2	0.20	.008	03093
A	[.50]	[.034]	--	12	9.52	.375	1-2	0.20	.008	7-192038-3
A	[.50]	[.034]	--	12	8.89	.350	UNPL	0.20	.008	7-192038-2
A	--	--	--	12	8.00	.315	3-2	0.12	.005	03043
A	--	--	--	12	8.00	.315	1-2	0.20	.008	03112
A	--	--	--	12	8.00	.315	UNPL	0.20	.008	03112
A	--	--	--	12	8.00	.315	1-2	0.20	.008	03098
A	--	--	--	12	8.00	.315	UNPL	0.20	.008	03070
A	--	--	--	12	8.00	.315	UNPL	0.20	.008	03039
A	[.42]	[.034]	--	12	8.00	.315	3-2	0.20	.008	6-192038-6
A	[.42]	[.034]	--	12	8.00	.315	1-2	0.20	.008	03101
A	[.42]	[.034]	--	12	8.00	.315	UNPL	0.20	.008	6-192038-5
A	--	--	--	12	6.60	.260	3-2	0.15	.006	6-192038-3
A	--	--	--	12	6.60	.260	UNPL	0.15	.006	6-192038-2
A	[.32]	[.036]	--	12	7.11	.280	1-2	0.20	.008	03063
A	[.32]	[.020]	--	13	7.11	.280	UNPL	0.20	.008	03076
A	[.32]	[.036]	--	12	6.60	.260	3-2	0.20	.008	5-192038-7
A	[.35]	[.034]	--	12	6.35	.250	UNPL	0.20	.008	5-192038-6
A	[.35]	[.034]	--	12	6.35	.250	1-2	0.20	.008	03136
A	[.31]	[.034]	--	12	6.35	.250	3-2	0.20	.008	5-192038-4
A	[.31]	[.034]	--	12	6.35	.250	1-2	0.20	.008	03075
A	[.31]	[.034]	--	12	6.35	.250	UNPL	0.20	.008	5-192038-3
A	[.35]	[.034]	--	12	6.35	.250	1-2	0.20	.008	03062
A	[.35]	[.043]	--	12	6.35	.250	1-2	0.15	.006	5-192038-1


THIS DRAWING IS A CONTROLLED DOCUMENT. RA JAYNE 08-13-91
 CHK RA JAYNE 08-13-91
 APVD

NAME: CONTACT BAND, FEMALE
 PRODUCT SPEC: --
 APPLICATION SPEC: --
 WEIGHT: --

SIZE: A2
 CASE CODE: 00779
 DRAWING NO: 192038

SCALE: NTS
 SHEET: 2 OF 2
 REV: K

CUSTOMER DRAWING



FINISH

0 PL	±
1 PL	±
2 PL	± 0.05 [02]
3 PL	± 0.25 [010]
4 PL	±

OTHERWISE SPECIFIED:

SEE TABLE

MM [INCHES]

SEE TABLE

REV	DATE	DESCRIPTION	BY	CHK	APVD
1	08-13-91	SEE SHEET 1			

REVISIONS

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

A

B 192038

C

D

A

B

C

D

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Heavy Duty Power Connectors](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[1424439](#) [1424438](#) [09330062652](#) [2-8675P1](#) [605601-1](#) [6340G1](#) [6341G1](#) [6360G1](#) [6373G1](#) [6374g2](#) [6396G1](#) [647757-1](#) [66394-4](#) [6643411-1](#)
[6646058-2](#) [6646137-1](#) [6646138-1](#) [6646348-1](#) [6646479-1](#) [6646608-1](#) [6646786-1](#) [6646940-1](#) [6651091-1](#) [6651525-1](#) [6651529-1](#) [6651778-1](#)
[6651788-1](#) [696465-1](#) [696475-1](#) [73000005059](#) [73000005349](#) [73000005642](#) [73080255059](#) [73080965046](#) [765-15-0080A](#) [765-16-0080B](#)
[789.700-44](#) [789.700-54](#) [80-1010](#) [80-9](#) [827381-1](#) [829992-1](#) [902-77-02113](#) [PL00U-301-10D10](#) [PM103MOOLOO](#) [PM16S1620S32-50](#)
[PM212MOOLOO](#) [PM309FOOLOO](#) [PM324FOOLCH](#) [PMHPAF11S03](#)