

This document was generated on 11/27/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0026481142

Status: Active

Overview: KK® Interconnect System - Molex

Description: KK 396 Breakaway Header, Right-Angle, 14 Circuits, Tin (Sn) Plating

Documents:

<u>3D Model</u> <u>Product Specification PS-08-50-001 (PDF)</u>
Drawing (PDF) RoHS Certificate of Compliance (PDF)

Agency Certification

CSA LR19980 UL E29179

General

Product Family PCB Headers

Series <u>41662</u>

Application Board-to-Board, Power, Wire-to-Board

6.043/q

Application Tooling Part Link 11-20-0901

Overview KK® Interconnect System - Molex

Product Name KK 396

UPC 800754385695

Physical

Net Weight

Breakaway Yes Circuits (Loaded) 14 Circuits (maximum) 14 Color - Resin Black Durability (mating cycles max) 25 First Mate / Last Break No Flammability 94V-0 Glow-Wire Capable Nο **Guide to Mating Part** No Keying to Mating Part None Lock to Mating Part None Material - Metal **Brass** Material - Plating Mating Tin Material - Resin Polyester


Number of Rows Orientation Right Angle PC Tail Length 4.67mm PCB Locator Nο **PCB** Retention None PCB Thickness - Recommended 1.60mm Packaging Type Bag Pitch - Mating Interface 3.96mm Pitch - Termination Interface 3.96mm Polarized to Mating Part Yes Polarized to PCB No Shrouded Partial Stackable

Temperature Range - Operating See Product Specification

Termination Interface: Style Through Hole

Electrical

Current - Maximum per Contact 7.0A Voltage - Maximum 250V



EU ELV

Not Relevant

EU RoHS China RoHS

Compliant

REACH SVHC
Not Contained Per -

ED/61/2018 (27 June

2018)

Halogen-Free

Status

Not Low-Halogen

For more information, please visit Contact US

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

Search Parts in this Series

41662 Series

Mates With

2139 KK Crimp Housing, 41695 KK Crimp Housing, 6442 KK Crimp Housing, 2145 PCB Connector, 41815 PCB Connector, 3069 KK Crimp Housing

Solder Process Data

Duration at Max. Process Temperature (seconds)

Lead-freeProcess Capability

Max. Cycles at Max. Process Temperature

O01

Process Temperature max. C

235

Material Info

Engineering Number A-41662-B14A197

Reference - Drawing Numbers

Product Specification PS-08-50-001

Sales Drawing SD-41662-001, SD-41662-001-002

This document was generated on 11/27/2018

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

95000-104TRLF 10135584-644402LF DF62W-EP2022PCA 95000-106TRLF DF62W-2022SCA DF62W-EP2022PC 2203348 DF62W-2022SC 1084018 1029039 1084017 802-10-012-10-002000 1112640 1112639 000-34000 0009482033 0009507031 57102-S06-03LF 57202-S52-04LF PCN6-15S-2.5E 0039019024 58102-G61-06LF 582553-1 0009485154 0009508121 0022285053 0050291907 018731A LY20-4P-DT1-P1E-BR 02.125.8002.8 60101931 60598-1 (Cut Strip) M1625-3R/100 61062-3 61082-181009 636-1427 638009-1 641938-9 641991-4 644168-1 647662-1 65039-019ELF 65817-002LF 65817-015LF 65863-015LF 66207-023LF 67016-026LF 67046-001LF 67095-007LF 67230-005LF