

This document was generated on 10/30/2018

### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** 0026606070

Status: Active

Overview: KK® Interconnect System - Molex

KK 396 Solid Vertical Header, Friction Lock, with Snap-in Plastic Peg PCB Lock, 7 **Description:** 

Circuits, Tin (Sn) Plating

**Documents:** 

Product Specification PS-08-50-001 (PDF) 3D Model **Drawing (PDF)** RoHS Certificate of Compliance (PDF)

**Agency Certification** 

E29179

General

**Product Family PCB Headers** 

Series 42891

**Application** Power, Wire-to-Board

Overview KK® Interconnect System - Molex

**Product Name** KK 396

**UPC** 800754920728

**Physical** Breakaway No Circuits (Loaded) 7 Circuits (maximum) 7 Durability (mating cycles max) 25 Flammability 94V-0 Glow-Wire Capable No Lock to Mating Part Yes Material - Metal **Brass** Material - Plating Mating Tin Material - Plating Termination Tin Net Weight 2.636/g Number of Rows Orientation Vertical PC Tail Length 3.56mm

**PCB** Locator Yes **PCB** Retention Yes PCB Thickness - Recommended 1.60mm Packaging Type Bag Pitch - Mating Interface 3.96mm Plating min - Mating 5.080um Plating min - Termination 5.080µm Polarized to Mating Part No Polarized to PCB Yes Shrouded Nο

Temperature Range - Operating See Product Specification

Yes

Termination Interface: Style Through Hole


**Electrical** 

Stackable

Current - Maximum per Contact 7.0A Voltage - Maximum 250V

**Solder Process Data** 

Duration at Max. Process Temperature (seconds) 005 Lead-freeProcess Capability **WAVE** Max. Cycles at Max. Process Temperature 001



## **EU ELV**

**Not Relevant** 

**EU RoHS China RoHS** 

Compliant **REACH SVHC** Not Contained Per -ED/01/2018 (15

January 2018) **Halogen-Free** 

**Status** 

**Not Low-Halogen** 

For more information, please visit Contact US

China ROHS Green Image Not Relevant ELV RoHS Phthalates Not Contained

### Search Parts in this Series

42891 Series

#### **Mates With**

2139 KK Crimp Housing, 41695 KK Crimp Housing, 6442 KK Crimp Housing, 2145 PCB Connector, 41815 PCB Connector, 3069 KK Crimp Housing

Process Temperature max. C 235

**Material Info** 

**Engineering Number** 42891-0007

Reference - Drawing Numbers
Product Specification PS-08-50-001 Sales Drawing SD-42891-001-002

This document was generated on 10/30/2018

# PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Headers & Wire Housings category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

95000-104TRLF 10135584-644402LF DF62W-EP2022PCA 95000-106TRLF DF62W-2022SCA DF62W-EP2022PC 2203348 DF62W-2022SC 1084018 1029039 1084017 802-10-012-10-002000 1112640 1112639 000-34000 0009482033 0009507031 57102-S06-03LF 57202-S52-04LF PCN6-15S-2.5E 0039019024 58102-G61-06LF 582553-1 0009485154 0009508121 0022285053 0050291907 018731A LY20-4P-DT1-P1E-BR 02.125.8002.8 60101931 60598-1 (Cut Strip) M1625-3R/100 61062-3 61082-181009 636-1427 638009-1 641938-9 641991-4 644168-1 647662-1 65039-019ELF 65817-002LF 65817-015LF 65863-015LF 66207-023LF 67016-026LF 67046-001LF 67095-007LF 67230-005LF