

This document was generated on 08/27/2018

#### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0757059604

Status: Active

Overview: GbX I-Trac Backplane Connector System

Description: GbX I-Trac Vertical Header Module, 1.85mm by 3.70mm Pitch, Right Guide, Left

Endwall, 11 Rows, 6 Columns, 132 Circuits, Mating Pin Length 5.70mm

**Documents:** 

3D Model Product Specification PS-75710-999-001 (PDF)

Drawing (PDF)

RoHS Certificate of Compliance (PDF)

**Agency Certification** 

UL E29179

General

Product Family Backplane Connectors

Series 75705

Application Backplane, Midplane, Orthogonal

Component Type PCB Header

Overview GbX I-Trac Backplane Connector System

Product Name GbX I-Trac UPC 822350884143

**Physical** 

Circuits (Loaded)
132
Circuits (maximum)
132
Color - Resin
Black
Durability (mating cycles max)
200
First Mate (Loat Breek

First Mate / Last Break

Flammability

Guide to Mating Part

Keying to Mating Part

None

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight 8.771/g Number of Columns 6

Number of Pairs 6, Open Pin Field

Number of Rows 11
Orientation Vertical
PC Tail Length 2.10mm
PCB Locator No
PCB Retention Yes
PCB Thickness - Recommended 1.60mm
Packaging Type Tray

Pitch - Mating Interface 1.85mm, 3.70mm Pitch - Termination Interface 1.00mm, 2.70mm

Plating min - Mating
Plating min - Termination
Polarized to PCB
Stackable
Surface Mount Compatible (SMC)


No
Yes

Temperature Range - Operating -55° to +80°C

Termination Interface: Style Through Hole - Compliant Pin

**Electrical** 

Current - Maximum per Contact 1.0A



# EU ELV

**Not Relevant** 

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -ED/61/2018 (27 June 2018)

Halogen-Free

Status Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

### Search Parts in this Series

75705 Series

**Mates With** 

75710 GbX I-Trac Right Angle Receptacle Module

**Use With** 

78232 GbX I-Trac Vertical Power

Receptacle. <u>75234</u> Backplane Free Standing

Guide Pin

Data Rate 12.0 Gbps

Real Signals (per 25mm) 148
Shield Type N/A
Shielded No

Voltage - Maximum 120V AC (RMS)/DC

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

**Reference - Drawing Numbers** 

Product Specification PS-75710-999-001 Sales Drawing SD-75705-004

This document was generated on 08/27/2018

### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

# **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 1410191-1 1410337-1 1410368-3 1410964-2 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0736440217 1-1393708-5 72388-0021LF 73774-1000 532939-1 5-531355-3 5532901-3 85838-180LF HM1S43TRR460H6PLF 0760205010 1-966831-4 3-1469268-7 77427-121LF