



REVISIONS		
LTR	DESCRIPTION	DATE
F1	REVISED PER ECO-14-014091	09/03/2014
	APPROVED	S TRAN

NOTES

1. ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2. DIMENSIONS APPEARING IN TABLE ARE AS FOLLOWS:
a - AS SUPPLIED
b - AFTER UNRESTRICTED RECOVERY
3. COATING IS OPTIONAL. AS SUPPLIED DIMENSIONS APPEARING IN TABLE ARE FOR UNCOATED PARTS WHEN COATING IS ADDED, ENTRY DIAMETERS WILL BE REDUCED BY 0.06 MAX.
4. RECOMMENDED MAXIMUM PANEL THICKNESS IS 10mm



ORDERING INFORMATION

207W2XX - X - 01 / XX - 0

BASE PART NUMBER

MATERIAL DASH NUMBER

-3 POLYOLEFIN, SEMI RIGID (RT-301)
-4 POLYOLEFIN, FLEXIBLE (RT-1304)
-25 ELASTOMER, FLUID RESISTANT (RT-1325)
-100 POLYOLEFIN, SEMI FLEXIBLE, ZEROHAL (RT-1323)

MODIFICATION NUMBER

ADHESIVE SLASH NUMBER

SEE COMPATIBILITY CHART BELOW

COLOR DESIGNATOR





TABLE OF DIMENSIONS

PART NUMBER	H		J		K		M		P		R		U		T		JW		Hole DIA ±0.02	Torque Nm	
	Ref	Min	Max	Ref	Max	Ref	Max	Ref	±10%	Ref	±10%	Ref	±20%	b	Ref	±10%	b				
207W213-01	.47	.39	[10.0]	[4.0]	[15.3]	[23.0]	[20.0]	[62.0]	[49.0]	[10.0]	[32.0]	[1.0]	[24.0]	.94	3	1.25	.39	1.25	.04	[24.0]	1.33
207W223-01	.78	.71	[20.0]	[18.0]	[7.0]	[19.5]	[30.0]	[72.0]	[59.0]	[10.0]	[42.0]	[1.8]	[34.0]	1.33	8	2.32	.39	1.65	.07	[34.0]	1.85
207W234-01	1.22	1.10	[28.0]	[12.0]	[4.7]	[1.06]	[1.65]	[3.42]	[2.91]	[10.0]	[58.0]	[2.5]	[47.0]	1.85	11	3.28	.39	2.28	.10	[47.0]	2.38
207W245-01	1.77	1.65	[42.0]	[18.0]	[7.1]	[1.26]	[2.34]	[59.5]	[102.0]	[10.0]	[71.0]	[3.0]	[60.5]	2.38	14	2.79	.39	2.79	.12	[60.5]	3.38
207W258-01	2.67	2.52	[64.0]	[30.0]	[1.8]	[1.53]	[3.30]	[4.80]	[4.29]	[10.0]	[97.0]	[3.0]	[85.0]	3.34	16	4.29	.39	3.82	.12	[85.0]	4.29
207W264-01	1.57	1.49	[40.0]	[38.0]	[1.57]	[1.11]	[2.12]	[3.74]	[3.22]	[10.0]	[66.5]	[2.5]	[55.0]	2.16	11	3.22	.39	2.62	.10	[55.0]	3.34

Raychem Molded Parts
CUSTOMER DRAWING



DATE	5/28/12	DRAWN	MMAZARIEGOS
DATE	5/30/12	APPROVED	D. HURRELL
RPN	SEE TABLE	CAD FILE:	207W213THRU264-01
TITLE	FEEDTHROUGH SEAL	SIZE	B
CODE IDENT. NO.	06090	DWG. NO.	207W213THRU264-01

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE METRIC AND INCHES ARE IN BRACKETS. DECIMAL TOLERANCES XXX ± 0.13 (.005) XX ± 0.25 (.01) X ± 0.50 (.10) ANGLE TOLERANCE X ± 1 DEG. TYCO ELECTRONICS RESERVES THE RIGHT TO AMEND THIS DRAWING AT ANY TIME. USERS SHOULD EVALUATE THE SUITABILITY OF THE PRODUCT FOR THEIR APPLICATION.

© 2014 Tyco Electronics Corporation. All rights reserved.

SCALE: NTS

DO NOT SCALE THIS DRAWING

SHEET 1 OF 1

COMPATIBILITY CHART

MATERIAL DASH NO. ADHESIVE (COATING) SLASH NUMBER

ADHESIVE (COATING) S NUMBER

1

2

3

4

A

A

B

B

C

C

D

D

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Cable Boots](#) category:

Click to view products by [TE Connectivity](#) manufacturer:

Other Similar products are found below :

[618235-000](#) [622A014-3-0](#) [CX4132-000](#) [879103-4](#) [879515-000](#) [889092](#) [982033-2](#) [R280576000](#) [1300830729](#) [MTPSRBCL-C](#) [1811481-1](#)
[200W531-3-0](#) [202A121-386-0](#) [202A142-4-00/42-0](#) [202A163-4-0-CS5067](#) [202B221-13-0](#) [202B231-13-0](#) [202B563-25-07-0](#)
[202C621710CS5361](#) [202D132-4-07/42-0](#) [202D221-4-0-CS5349](#) [202D221-4-26-0](#) [202D263-25-08-0](#) [202D263-4-22/42-0](#) [202D263-4-88-0](#)
[202D921-2542-0](#) [202E336-71-0](#) [202F211-50-22-0-CS8474](#) [202F242-50-05-0](#) [202F242-51-04/164-0](#) [202K121-25-CS-1858-0](#) [202K121-25-](#)
[CS-2062-0](#) [202K132-25-01/225-0CS8387](#) [202K153-3-0186-0](#) [202S132-25-UP-0](#) [203W301-3/42-0](#) [207W613-100/184-0-CS5657](#) [207W623-](#)
[100-01/184-0](#) [207W634-100/184-0-CS5657](#) [207W656-100-01/184-0](#) [207W667-100-01/184-0](#) [207W667-100/184-0](#) [208A011-3-0](#) [208A021-3-](#)
[0](#) [221A011-51164-0-CS7133](#) [222A121-2586](#) [222A152-342-0](#) [222A213-25-0-CS5613](#) [222D221-25-13/86-0](#) [222D232-4-61-0-CS5078](#)