


THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

NOTES:

- \*\* 1. SEE CURRENT CATALOG FOR VARIOUS APPLICATIONS AND TO INDICATE COLOR AND/OR PACKAGE QUANTITY.
- 2. SEE CATALOG FOR A COMPLETE LIST OF PARTS APPLICABLE FOR USE WITH THIS PART.
- 3. TERMINATED WITH (8 POSITION) SHIELDED MODULAR PLUGS ON BOTH ENDS PER T568A.
- 4. CONSTRUCTED WITH 26AWG STRANDED CAT5e F/UTP LSZH/CM PATCH CABLE. CABLE COLOR: INTERNATIONAL GRAY
- 5. MATERIAL:
  - PLUG: POLYCARBONATE
  - SHIELD: COPPER ALLOY NICKEL PLATED
  - BOOT: THERMOPLASTIC RESIN
  - CABLE: DUAL-RATED CM/LSZH
- 6. NOMINAL CABLE JACKET DIAMETER IS 0.205 IN (5.21MM).



T568A WIRING SCHEME

| PLUG POSITION: | CABLE WIRE:  |
|----------------|--------------|
| 1              | WHITE/GREEN  |
| 2              | GREEN        |
| 3              | WHITE/ORANGE |
| 4              | BLUE         |
| 5              | WHITE/BLUE   |
| 6              | ORANGE       |
| 7              | WHITE/BROWN  |
| 8              | BROWN        |

SEE SHEET 2 FOR PATCH CORD LENGTHS AND PART NUMBERS

|   |  |                        |  |
|---|--|------------------------|--|
| PART NUMBER   |  | STPCHAAMB**            |  |
| TITLE   |  |                        |  |
| TX5e SHIELDED PATCH CORDS (CM/LSZH)                             |  |                        |  |
| CUSTOMER DRAWING  |  |                        |  |
| ITEM REVISION NAME  |  | M01895CB/00            |  |
| DATASET FILE NAME   |  | M01895CB_DC07/00G      |  |
| UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) |  | MATERIAL:              |  |
| .X ±  |  | .XXX ±                 |  |
| .XX ±   |  | ANGLES ±               |  |
|   |  | THIRD ANGLE PROJECTION |  |
| DRAWN BY  |  | SCALE                  |  |
| BJN   |  | NONE                   |  |
| DATE  |  | SHT 1 OF 1             |  |
| 6-4-06  |  | A                      |  |
| CHK   |  | SIZE                   |  |
| EJH   |  | A                      |  |


| REV | DATE    | BY  | CHK  | APR  | DESCRIPTION  | ECN      |
|-----|---------|-----|------|------|--|----------|
| 6   | 4-12-16 | BJN | MDJR | SASK | Q. REMOVED BROWN COLOR FROM PRODUCT OFFERING<br>P. UPDATED TITLE BLOCK<br>REVISED & REDRAWN PREVIOUS REVISIONS REMVD FOR CLARITY | 01895-07 |

D10100DA/14

THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

TX5e SHIELDED PATCH CORDS

| PART NUMBER  | LENGTH(MIN) ft(m) |
|--------------|-------------------|
| STPCH0.5MB** | 1.64ft (0.5m)     |
| STPCH1MB**   | 3.28ft (1m)       |
| STPCH1.5MB** | 4.92ft (1.5m)     |
| STPCH2MB**   | 6.56ft (2m)       |
| STPCH2.5MB** | 8.20ft (2.5m)     |
| STPCH3MB**   | 9.84ft (3m)       |
| STPCH4MB**   | 13.12ft (4m)      |
| STPCH5MB**   | 16.40ft (5m)      |
| STPCH6MB**   | 19.68ft (6m)      |
| STPCH7MB**   | 22.97ft (7m)      |
| STPCH8MB**   | 26.25ft (8m)      |
| STPCH9MB**   | 29.53ft (9m)      |
| STPCH10MB**  | 32.80ft (10m)     |
| STPCH15MB**  | 49.21ft (15m)     |
| STPCH20MB**  | 65.62ft (20m)     |
| STPCH25MB**  | 82.02ft (25m)     |
| STPCH30MB**  | 98.42ft (30m)     |
| STPCH35MB**  | 114.83ft (35m)    |
| STPCH40MB**  | 131.23ft (40m)    |



CROSS-SECTIONAL VIEW OF CABLE

| BOOT COLORS | ** = COLOR |
|-------------|------------|
| BLACK       | BL         |
| BLUE        | BU         |
| RED         | RD         |
| YELLOW      | YL         |
| GREEN       | GR         |

|   |  |                        |  |
|---|--|------------------------|--|
| PART NUMBER   |  | STPCHAAMB**            |  |
| TITLE   |  |                        |  |
| TX5e SHIELDED PATCH CORDS (CM/LSZH)                             |  |                        |  |
| CUSTOMER DRAWING  |  |                        |  |
| ITEM REVISION NAME  |  | M01895CB/00            |  |
| DATASET FILE NAME   |  | M01895CB_DC07/00G      |  |
| UNLESS OTHERWISE SPECIFIED, DIMENSIONAL TOLERANCES ARE: IN (mm) |  | MATERIAL:              |  |
| .X ±  |  | .XXX ±                 |  |
| .XX ±   |  | ANGLES ±               |  |
| DRAWN BY  |  | THIRD ANGLE PROJECTION |  |
| BJN   |  | EJH                    |  |
| DATE  |  | SCALE                  |  |
| 6-4-06  |  | NONE                   |  |
| CHK   |  | SHT 2 OF 2             |  |
| EJH   |  | A                      |  |
| DRAWING NUMBER:   |  | SIZE                   |  |
| 01895-07  |  | A                      |  |

| REV | DATE    | BY  | CHK  | APR  | DESCRIPTION                      | ECN      |
|-----|---------|-----|------|------|----------------------------------|----------|
| 6   | 4-12-16 | BJN | MDJR | SASK | SEE SHEET 1 FOR REVISION HISTORY | 01895-07 |

D10100DA/14

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Ethernet Cables / Networking Cables](#) category:*

*Click to view products by [Panduit](#) manufacturer:*

Other Similar products are found below :

[0152660053](#) [603020002](#) [73-7797-25](#) [73-8890-10](#) [73-8890-14](#) [73-8891-14](#) [73-8891-25](#) [73-8892-50](#) [73-8894-10](#) [73-8894-3](#) [73-8895-14](#) [73-8896-7](#) [MCJB2-10P6Q7-120](#) [84909-0204](#) [9QA0-111-12-3.00](#) [1200650742](#) [1200700174](#) [1200860368](#) [1200650013](#) [1201080008](#) [1-21919-1](#) [1300500373](#) [1300101844](#) [1300101845](#) [130050-0004](#) [1300500014](#) [1410147](#) [E16A06002M030](#) [E200102-009-S1](#) [MT14-187L](#) [17-103530](#) [NK5EPC18RDY](#) [NK5EPC18VLY](#) [NK5EPC18YLY](#) [NK5EPC1GRY](#) [NK5EPC30BLY](#) [NK5EPC30VLY](#) [NK5EPC30YLY](#) [NK5EPC4Y](#) [NK5EPC6YLY](#) [NK5EPC8BLY](#) [NK5EPC9YLY](#) [NK6PC30BUY](#) [NK6PC30GRY](#) [NK6PC30RDY](#) [NK6PC30Y](#) [NK6PC30YLY](#) [1969343-6](#) [C501100010](#) [C501106002](#)