

## This document was generated on 03/01/2018 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Status: Overview: Description:	0988161018 Active NSCC - New Standard Casin NSCC single part, Unsealed, Wire, 2 Circuits, Gray	<u>g Contact</u> 1.50mm, Female Housing, 3.33mm Pitch NSCC, Wire to	A HER
Documents: <u>3D Model</u> <u>Drawing (PDF)</u> <u>Application Specification</u>	<u>n AS-98816-001-001 (PDF)</u>	Packaging Specification PK-98816-001-001 (PDF) RoHS Certificate of Compliance (PDF)	Series image - Reference only
General   Product Family   Series   Application   Application Tooling Part   Comments   Overview   Product Name   UPC   Physical   Circuits (maximum)   Circuits Detail   Color - Resin	: Link	Crimp Housings <u>98816</u> Power, Wire-to-Wire 63813-7500 Pitch Center Spacing: Horizontal Pitch 3.33mm, Vertical pitch 6.00mm <u>NSCC - New Standard Casing Contact</u> NSCC 822348816262 10 10x1.5mm female terminals Gray	EU ELV   Compliant   EU RoHS China RoHS   Compliant   REACH SVHC   Not Contained Per -   ED/30/2017 (7 July   2017)   Halogen-Free   Status   Not Relevant   Need more information on product
Gender Glow-Wire Capable Keying to Mating Part Lock to Mating Part Material - Resin Net Weight Number of Rows Packaging Type Panel Mount Pitch - Mating Interface		Receptacle No Yes Yes Polyester 4.970/g 2 Bag No 3.33mm, 6.00mm	environmental compliance?   Email productcompliance@molex.com   Please visit the Contact Us section for any   non-product compliance questions.   China ROHS Not Relevant   ELV Compliant   RoHS Phthalates Not Contained
Polarized to Mating Par Ports Temperature Range - C <b>Electrical</b> Current - Maximum per	perating	Yes 1 -40°C to +100°C 10.0A	Search Parts in this Series   98816   Series   Mates With   98823-1018   (Male Receptacle Housing)
Solder Process Data Lead-freeProcess Capa Material Info Engineering Number	bility	N/A 18508EV10M8	Use With 98897-1109 , 98897-1119 , 98897-1129 Application Tooling   FAQ Teoling appointing and manuals are
<b>Reference - Drawing Numbers</b> Application Specification Packaging Specification Sales Drawing		AS-98816-001-001 PK-98816-001-001 SD-98816-005, SD-98816-006	Tooling specifications and manuals are found by selecting the products below.Crimp Height Specifications are then contained in the Application Tooling Specification document.Global DescriptionProduct #

DescriptionProduct #Extractor Tool for0638137500NSCC FemaleHousing

This document was generated on 03/01/2018 PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Automotive Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below :

003-018-000 600858 60403001 60993906-B 60993913-B 629515004020001 M902-2131 M902-2161 M902-2344 72.330.1035.1 73.353.4028.0 F118010 F119300-B F132210 F132210-B F166900 F180100 F258300 F258300-B F294300-B F339100 F339700 F358300-B F374110 F407400 F412210 F427600 F444110 F487000 F495100-B F500900-B F509500B-B 770444-1 776880-1 827153-1 881735-1 8N1515-32-24P 9-1326727-8 9-1326729-8 925467-1 925474-1 928905-1 936398-2 964562-1 964562-4 964731-2 965051-1 968782-1 GT17SA-8DS-HU GT17VS-10DP-5.2CF