

This document was generated on 10/30/2017

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: 0754921053

Status: Active

Overview: GbX® Backplane Connector System

Description: 2-Pair GbX Backplane Connector System, Power Module, 4 Circuits, 1.27µm Gold

(Au), Lead-Free

**Documents:** 

3D Model Packaging Specification PK-70873-578 (PDF)
Drawing (PDF) RoHS Certificate of Compliance (PDF)

**Agency Certification** 

UL E29179

General

Product Family Backplane Connectors

Series 75492
Application Backplane
Application Tooling Documents TM-622022099
Component Type Power Header

Overview GbX® Backplane Connector System

Product Name GbX

UPC 884982280700

**Physical** 

Circuits (Loaded) 4 Circuits (maximum) 4

Circuits Detail Rows A & B
Color - Resin Gray (Dark)
Durability (mating cycles max) 200

First Mate / Last Break
No
Flammability
Guide to Mating Part
Keying to Mating Part
None

Material - Metal High Performance Alloy (HPA)


Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight1.305/gNumber of ColumnsN/ANumber of Pairs2Number of Rows2OrientationVerticalPC Tail Length2.28mm

2.28mm **PCB Locator** Yes **PCB** Retention Yes PCB Thickness - Recommended 1.60mm Packaging Type Tube Pitch - Mating Interface 1.85mm Pitch - Termination Interface 2.60mm Plating min - Mating 1.270µm Plating min - Termination 0.762µm Polarized to PCB Yes Stackable Yes Surface Mount Compatible (SMC) Yes Temperature Range - Operating 105°C

Termination Interface: Style Through Hole - Compliant Pin



**EU ELV Not Relevant** 

NOT Relevant

EU RoHS China RoHS

Compliant REACH SVHC Not Contained Per -ED/30/2017 (7 July

2017) <u>Halogen-Free</u> <u>Status</u>

Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u>
Please visit the <u>Contact Us</u> section for any non-product compliance questions.

China ROHS Green Image
ELV Not Relevant
RoHS Phthalates Not Contained

**Search Parts in this Series** 

75492 Series

**Mates With** 

75292 GbX Daughtercard

**Electrical** 

Current - Maximum per Contact 6.0A
Data Rate 8.0 Gbps

Shielded

Voltage - Maximum 120V AC (RMS)/DC

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

**Reference - Drawing Numbers** 

Packaging Specification PK-70873-578
Sales Drawing SD-75492-001

This document was generated on 10/30/2017

## PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 1410191-1 1410337-1 1410368-3 1410964-2 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0736440217 1-1393708-5 72388-0021LF 73774-1000 532939-1 5-531355-3 5532901-3 85838-180LF HM1S43TRR460H6PLF 0760205010 1-966831-4 3-1469268-7 77427-121LF