


U.I. Lapp GmbH	<b>PRODUCT INFORMATION</b>	
	<b>SKINDICHT® LA</b>	<b>12.09.2012</b>

Protection against sharp or angular housing walls  
Easy to assemble



**Application range**

Housings  
Control cabinet manufacturing

**Note**

Simply push the grommet into the hole until the groove engages.

**Remark**

Photographs are not to scale and do not represent detailed images of the respective products.

**Technical Data**

Colour delivered:	Black
Material:	CR
Temperature range:	-30°C to +90°C



Product Management	Document: LAPP_PRO1053EN.pdf	1 / 2
--------------------	------------------------------	-------

Part number	Article designation / size	Metal thickness (mm)	Sleeve outer Ø (mm)	Hole in housing Ø (mm)	Sleeve inner Ø (mm)
SKINDICHT® LA					
61713520	LA 3	1,5 - 2	10	7	3
61713530	LA 4	1,5 - 2	11	8	4
61713540	LA 5	1,5 - 2	11	7	5
61713550	LA 6	1,5 - 2	14	9	6
61713560	LA 7	1,5 - 2	16	12	7
61713570	LA 8	1,5 - 2	15	11	8
61713580	LA 9	1,5 - 2	16	11	9
61713590	LA 11	1,5 - 2	19	14	11
61713600	LA 12	1,5 - 2	25	18	12

Product Management

Document: LAPP\_PRO1053EN.pdf

2 / 2

## X-ON Electronics

Largest Supplier of Electrical and Electronic Components

*Click to view similar products for [Grommets & Bushings](#) category:*

*Click to view products by [Lapp Kabel](#) manufacturer:*

Other Similar products are found below :

[M10-036565-101](#) [M10-036565-143](#) [M10-036565-183](#) [M10-036565-244](#) [M10-036565-122](#) [M10-036565-163](#) [M10-036565-232](#) [HSS-M32-TPE-V0](#) [NSYTSAKFL](#) [SP-16 TPE](#) [SP-20 TPE](#) [SK 8-13 TPE](#) [4014B](#) [2407](#) [ALBCBS36025](#) [2141-P](#) [HTL-40-10-TPE](#) [634430090](#) [2417-P](#) [2917-P](#) [3108-P](#) [2871-P](#) [1342664](#) [100187](#) [100188](#) [100216](#) [100223](#) [100236](#) [52001970](#) [52001980](#) [52002010](#) [52002020](#) [52002050](#) [VG-1](#) [FEM 27-35](#) [100175](#) [100176](#) [100178](#) [100182](#) [100196](#) [100238](#) [100244](#) [100744](#) [100084](#) [100174](#) [100177](#) [100179](#) [100180](#) [100181](#) [100186](#)