

This document was generated on 03/01/2018

### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

**Part Number:** 1703353607

Status: **Active** 

Overview: Impact Backplane Connector and Cable Assembly System

Impact 85 Ohm Plus 4 Pair Vertical Header, Left Guide, Open End Walls, 16 Columns, **Description:** 

192 Circuits, Pin Length 4.90mm, Plated Through Hole Dimension 0.39mm, Lead-Free

**Documents:** 

Drawing (PDF) Application Specification AS-76060-990-001 (PDF)

Product Specification PS-170540-999-001 (PDF) RoHS Certificate of Compliance (PDF)

**Agency Certification** 

E29179

General

**Product Family Backplane Connectors** 

170335 Series

Conventional, Mezzanine **Application** 

**Application Tooling Documents** TM-622018799 Component Type **PCB** Header

Overview Impact Backplane Connector and Cable Assembly

> **System Impact**

**UPC** 

887191225746

**Physical** 

**Product Name** 

Circuits (Loaded) 192 Circuits (maximum) 192 Color - Resin Gray Durability (mating cycles max) 200 First Mate / Last Break No Flammability 94V-0 **Guide to Mating Part** Yes Keying to Mating Part None

Material - Metal High Performance Alloy (HPA)

Material - Plating Mating Gold Material - Plating Termination Tin

Material - Resin High Temperature Thermoplastic

Net Weight 8.478/g **Number of Columns** 6 **Number of Pairs** 4 Number of Rows 12 Orientation Vertical PC Tail Length 1.40mm PCB Locator No **PCB** Retention None 1.00mm

PCB Thickness - Recommended Packaging Type Tray

Pitch - Mating Interface 1.35mm, 1.90mm Pitch - Termination Interface 1.35mm, 1.90mm

Plating min - Mating 0.762µm Polarized to PCB No Stackable No Surface Mount Compatible (SMC) Nο

Temperature Range - Operating -55°C to +85°C

Termination Interface: Style Through Hole - Compliant Pin

**Electrical** 



# **EU ELV**

**Not Relevant** 

**EU RoHS China RoHS** 

Compliant **REACH SVHC** Not Contained Per -ED/30/2017 (7 July 2017)

**Halogen-Free Status** 

Low-Halogen

Need more information on product environmental compliance?

Email <u>productcompliance@molex.com</u> Please visit the Contact Us section for any non-product compliance questions.

China ROHS Green Image ELV Not Relevant RoHS Phthalates Not Contained

#### Search Parts in this Series

170335 Series

#### **Mates With**

170340 Impact 85 Ohm Plus Right Angle Receptacle, 170390 Impact 85 Ohm Plus Vertical Mezzanine Receptacle

Current - Maximum per Contact 0.75A
Data Rate 25.0 Gbps

 $\begin{array}{ll} \text{Impedance} & 85\Omega \\ \text{Shield Type} & \text{N/A} \\ \text{Shielded} & \text{No} \end{array}$ 

Voltage - Maximum 30V AC (RMS)/DC

**Solder Process Data** 

Lead-freeProcess Capability N/A

**Material Info** 

**Reference - Drawing Numbers** 

Application Specification AS-76060-990-001
Product Specification PS-170540-999-001
Sales Drawing SD-170335-0002-001
Symbol/Footprint Data SYM-170335-3607

This document was generated on 03/01/2018

### PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

## **X-ON Electronics**

Largest Supplier of Electrical and Electronic Components

Click to view similar products for High Speed/Modular Connectors category:

Click to view products by Molex manufacturer:

Other Similar products are found below:

2332816-1 89006-1137LF 650827-1 65762-001LF 73474-201LF 74040-1346 74075-0267 1410191-1 1410337-1 1410368-3 1410964-2 1410367-3 1410971-4 1467833-1 2000877-1 2000878-1 2041314-1 2065387-1 2187307-1 2187462-1 2226278-6 KA81-07 91290-101LF 163P 1934290-1 2000875-1 2065917-1 2102736-2 FSR-40 2169868-2 2226279-2 22354-8 437-5040-000 5-1393565-0 532449-3 532803-2 34745-0001 0736440217 1-1393708-5 72388-0021LF 73774-1000 532939-1 5-531355-3 5532901-3 85838-180LF HM1S43TRR460H6PLF 0760205010 1-966831-4 3-1469268-7 77427-121LF