


3M Industrial Adhesives and Tapes Division
Building and Construction Signature Products



Industrial Adhesives and Tapes

for the Building &
Construction Market



Table of Contents

Tapes

Duct Tapes 1-2
Masking Tapes..... 2-3
Specialty Tapes 3-4
Box Sealing Tapes & Accessories 5
3M™ VHB™ Tapes..... 5
Filiment Tape 5
Safety Tape..... 5

Adhesives

Aerosols 6-7
Cylinders & Accessories 8
Sealants 9

Tapes



Duct Tapes

3M™ Contractor Grade Multi-Use Duct Tape 2979

A waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for a variety of duct tape applications. Individually wrapped.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0067-3697-2	0-00-51115-63738-4	7.0 mil	1.88 in x 60 yd	24 rolls	24 rolls

3M™ Contractor Grade Pro Strength Duct Tape 3979

A waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications. Individually wrapped.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0067-4041-2	0-00-51115-64070-4	8.0 mil	1.88 in x 60 yd	24 rolls	24 rolls

3M™ Value Duct Tape 1900

Conformable cloth duct tape made with polyethylene film over cloth scrim and synthetic rubber adhesive. Individually wrapped.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0064-1242-6	0-00-51115-23421-7	5.8 mil	1.88 in x 50 yd	24 rolls	24 rolls

3M™ Multi-Purpose Duct Tape 3900

A general purpose, conformable cloth duct tape made with polyethylene film over cloth scrim and rubber adhesive. A good choice for general maintenance, wrapping, sealing, protecting and color coding. Individually wrapped.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0063-1524-9	0-00-21200-49833-6	7.7 mil	48 mm x 54.8 m	24 rolls	24 rolls

3M™ Heavy Duty Duct Tape 3939

Composed of a waterproof polyethylene film over cloth scrim backing with a rubber adhesive used for demanding duct tape applications. Individually wrapped.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0062-5013-1	0-00-51131-06975-6	9.0 mil	48 mm x 54.8 m	24 rolls	24 rolls

Duct Tapes

VentureTape® Flexible Duct Closure Tape 1599B

UV resistant polypropylene film tape which performs well in either subzero cold or warm temperatures. Meets or exceeds all requirements of UL181B-FX related to closure systems for flexible air ducts and air connectors. 25/50 rated for Flame Spread and Smoke Development. Available in silver, black and clear.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0089-1089-8	0-07-50351-15996-3	3 mil	48 mm x 110 m	24 rolls	24 rolls
70-0089-1087-2	0-07-50351-50017-8	3 mil	72 mm x 110 m	16 rolls	16 rolls

VentureTape® Waterproof Cloth Duct Tape 1500

A high strength, premium quality polyethylene coated cotton cloth tape coated with an aggressive, high tack, natural rubber adhesive. Adheres well to sheet metal duct and conforms well to corners and irregular surfaces. Will not curl when unwound. Applications: Vapor sealing sheet metal ductwork and general purpose heavy duty service. Available in silver, black and white.



3M ID	UPC	Color	Size	MOQ	Case Qty
70-0089-0004-8	0-07-50351-50004-8	Silver	2 in x 60 yd	24 rolls	24 rolls

VentureTape® Mastik Duct Sealing Tape 1580P

A printed, 2 mil annealed aluminum foil coated with a heavy mastik adhesive. 1580P meets UL181B-FX requirements, and excels in demanding temperature and humidity environments. Provides superior performance and durability. Hand tearable and conformable.



3M ID	UPC	Color	Size	MOQ	Case Qty
70-0089-0079-0	0-07-50351-50023-9	Silver	2 in x 100 ft	24 rolls	24 rolls
70-0089-0080-8	0-07-50351-50011-6	Silver	3 in x 100 ft	16 rolls	16 rolls

Masking Tapes

3M™ Scotch-Blue™ Painter's Tape 2090

Removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight. It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.



3M ID	UPC	Size	MOQ	Case Qty
70-0712-0201-7	0-00-51115-03681-1	1 in x 60 yd	24 rolls	24 rolls
70-0712-0218-1	0-00-51115-03683-5	2 in x 60 yd	24 rolls	24 Rolls
70-0065-7676-6	0-00-51115-09168-1	2 in x 60 yd Contractor Pack	4 packs	4 packs

3M™ General Purpose Masking Tape 203

A general purpose masking tape that can be used for holding, bundling, sealing and a vast number of other jobs where a pressure-sensitive tape is needed.



3M ID	UPC	Size	MOQ	Case Qty
70-0064-0304-5	0-00-48011-58038-8	48 mm x 55 m	24 rolls	24 rolls

ScotchBlue™ Industrial Masking Tape 2750

A high performance crepe paper masking tape designed to be used in a medium temperature paint bake operations. The tape is designed to have strong holding to most surfaces resulting in sharp paint line with both solvent and latex based paints.



3M ID	UPC	Size	MOQ	Case Qty
70-0066-5627-9	0-00-51111-07541-8	48 mm x 55 m	24 rolls	24 rolls

3M™ Outdoor Masking Poly Tape 5903

Comprised of heavy duty polyethylene film and synthetic rubber adhesive. It is UV weather resistant and removes cleanly for up to one month with little or no adhesive residue on most opaque surfaces without deteriorating or fading.



3M ID	UPC	Size	MOQ	Case Qty
70-0064-4788-5	0-00-51115-31842-9	48 mm x 54.8 m	24 rolls	24 rolls

Masking Tapes

3M™ Value Masking Tape 101+

A cost effective masking tape for indoor light-duty applications.



3M ID	UPC	Size	MOQ	Case Qty
XG-7000-1178-4	0-00-511115-68710-5	48 mm x 55 m	24 rolls	24 rolls

3M™ General Use Masking Tape 201+

Used for light and medium-duty applications.



3M ID	UPC	Size	MOQ	Case Qty
70-0067-4551-0	0-00-511115-64742-0	48 mm x 55 m	24 rolls	24 rolls
70-0067-4557-7*	0-00-511115-64748-2	48 mm x 55 m	24 rolls	24 rolls

*Individually wrapped

3M™ Performance Yellow Masking Tape 301+

The dependable choice for industrial performance. Ideal for industrial paint masking, binding, holding, marking, color coding and sealing.



3M ID	UPC	Size	MOQ	Case Qty
70-0067-4562-7	0-00-511115-64753-6	48 mm x 55 m	24 rolls	24 rolls
70-0067-4567-6*	0-00-511115-64758-1	48 mm x 55 m	24 rolls	24 rolls

*Individually wrapped

Specialty Tapes

3M™ All Weather Flashing Tape 8067

Self-adhesive barrier to seal window and door openings against moisture intrusion. Tape has a unique, aggressive acrylic adhesive and thin backing, slit liner, tan.



3M ID	UPC	Size	MOQ	Case Qty
70-0064-3597-1	0-00-511115-31620-3	4 in x 75 ft	12 rolls	12 rolls
70-0064-3598-9	0-00-511115-31621-0	6 in x 75 ft	8 rolls	8 rolls

3M™ Construction Seaming Tape 8087

A printed 3 mil thick polypropylene sheathing tape coated with an aggressive acrylic pressure sensitive adhesive designed for use as a closure system and vapor seal on all interior and exterior sheathing materials.



3M ID	UPC	Size	MOQ	Case Qty
70-0067-0407-9	0-00-511111-91774-9	2 in x 55 yd (48 mm x 50 m)	16 rolls	16 rolls
70-0067-0409-5	0-00-511111-91776-3	3 in x 55 yd (72 mm x 50 m)	16 rolls	16 rolls

Specialty Tapes

3M™ Aluminum Foil Tape 425

Dead-soft aluminum foil tape with a pressure sensitive acrylic adhesive, self-wound, silver.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0063-8531-7	0-00-51138-95072-9	4.6 mil	2 in x 60 yd	24 rolls	24 rolls
70-0063-8532-5	0-00-51138-95073-6	4.6 mil	3 in x 60 yd	12 rolls	12 rolls

VentureTape® FSK Facing Tape 1525CW

Tri-directionally reinforced with a 2x3 fiberglass scrim, UL 723 listed foil/scrim/kraft lamination. This tape conforms well to both fibrous ductboard and blankets. Coated with a special cold weather, acrylic, pressure sensitive adhesive system, 1525CW combines superior quick stick at normal temperatures with superior low temperature performance. Recommended for use down to -40°F (-40°C) as well as normal and very high temperatures. This is the ultimate in cold weather tapes.



3M ID	UPC	Size	MOQ	Case Qty
70-0089-0615-1	0-07-50351-15253-7	72 mm x 46 m	16 rolls	16 rolls

VentureTape® HVAC Aluminum Foil Tape 3520CW

A 2 mil, high strength aluminum foil with an aggressive, high temperature acrylic adhesive system. Provides an excellent vapor seal on fibrous and sheet metal ducts. Malleable foil conforms well around corners and to irregular surfaces. Special cold weather acrylic pressure sensitive adhesive system combines superior quick stick at normal temperatures with superior low temperature performance - the ultimate in cold weather tapes, excellent at normal and elevated temperatures.



3M ID	UPC	Size	MOQ	Case Qty
70-0089-1578-0	0-00-51115-78311-1	72 mm x 46 m	16 rolls	16 rolls

VentureTape® Aluminum Foil Tape 1520CW

A 1.75 mil, high strength aluminum foil coated with an aggressive, high temperature acrylic adhesive system. Provides an excellent vapor seal on both fibrous and sheet metal ducts. Conforms well around corners and to irregular surfaces. Special cold weather acrylic pressure sensitive adhesive system combines superior quick stick at normal temperatures with superior low temperature performance excellent at elevated temperatures; UL 723 Listed.



3M ID	UPC	Size	MOQ	Case Qty
70-0089-0500-5	0-00-51128-95530-7	3 in x 50 yd	16 rolls	16 rolls

VentureTape® Aluminum Foil Ductboard Tape 1581A

2 mil heavy duty, high strength aluminum foil coated with a specially formulated pressure sensitive acrylic adhesive system. Superior adhesion and conformance for use with fiberglass ductboard systems. Performance and materials guaranteed to meet or exceed UL181A-P quality standards; also meets the requirements of UL181B-FX, flexduct standard. Listed 89FL. Applications: Primarily used for sealing fiberglass ductboard and flexduct. May also be used on metal connections, flexible duct, flexible duct connections to ductboard, and metal duct.



3M ID	UPC	Size	MOQ	Case Qty
70-0089-0990-8	0-07-50351-15817-1	2.5 in x 60 yd	20 rolls	20 rolls
70-0089-0992-4	0-07-50351-15813-3	72 mm x 55 m	16 rolls	16 rolls

VentureTape® Printed Line Set Tape 1507

A UV resistant polypropylene film with a solvent acrylic "CW" adhesive system. This adhesive performs well in either sub-zero cold or tropical temperatures. Designed to perform in direct sunlight, this product is UV resistant and UL Listed. Applications: Primarily used for taping line sets. Works well on foam pipe insulation used in line sets. 1507 is waterproof, weatherproof and designed for outdoor use.



3M ID	UPC	Color	Size	MOQ	Case Qty
70-0089-0397-6	0-07-50351-15071-7	Black	48 mm x 55 m	24 rolls	48 rolls

Box Sealing Tapes

Tartan™ Box Sealing Tape 369

Clear polypropylene box sealing tape with a rubber adhesive.



3M ID	UPC	Size	MOQ	Case Qty
70-0061-0443-7	0-00-21200-61553-5	48 mm x 100 m	36 rolls	36 rolls

Scotch® Box Sealing Tape 371 Clear

Resists abrasion, moisture, chemicals, and scuffing. Offers a high edge tear and split resistance.



3M ID	UPC	Size	MOQ	Case Qty
70-0062-9257-0	0-00-51115-68802-7	48 mm x 50 m	6 rolls	6 rolls

Tartan™ Pistol Grip Box Sealing Tape Dispenser HB903 Black

An economical, easy to use box sealing tape dispenser. 2 inch (48 mm) maximum tape width capacity.



3M ID	UPC	Size	MOQ	Case Qty
78-8114-0967-7	0-00-51131-06994-8	48 mm x 50 m	24 dispensers	24 dispensers

Filament Tape

Tartan™ Filament Tape 8934

Clear polypropylene backing reinforced with glass yarn filaments with a synthetic rubber resin adhesive.



3M ID	UPC	Size	MOQ	Case Qty
70-0061-2002-9	0-00-21200-86519-0	18 mm x 55 m	48 rolls	48 rolls

3M™ VHB™ Tapes

3M™ VHB™ Tape 5952

Conformable, double-sided, pressure-sensitive, closed-cell acrylic foam tape with a PE film liner. 25 mil thick.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0062-9306-5	0-00-21200-56229-7	45.0 mil	1 in x 36 yd	9 rolls	9 rolls

3M™ VHB™ Tape 4611

Firm double-sided, pressure-sensitive, closed-cell acrylic foam tape with a PE film liner. 45 mil thick, gray.



3M ID	UPC	Grade	Size	MOQ	Case Qty
70-0062-9257-0	0-00-21200-56146-7	45.0 mil	1 in x 36 yd	9 rolls	9 rolls

Safety Tape

3M™ Hazard Warning Tape 766 Black/Yellow

Used for marking of equipment pinch points or gears for warning purposes, temporary floor marking around equipment or spills.



3M ID	UPC	Size	MOQ	Case Qty
70-0062-7936-1	0-00-21200-43181-4	2 in x 36 yd	24 rolls	24 rolls
70-0062-7937-9	0-00-21200-43182-1	3 in x 36 yd	24 rolls	24 rolls

Adhesives

Aerosols

3M™ Pressure Sensitive Spray Adhesive 72

Permanently tacky industrial grade spray adhesive. Aggressive adhesive, long open time and repositionable. Adheres to plastic, foam padding, carpet backing, polyethylene and polypropylene.



3M ID	UPC	Size	MOQ	Case Qty
62-4933-4950-0	0-00-21200-30025-7	24 fl oz	12 cans	12 cans

3M™ Polystyrene Foam Insulation 78 Spray Adhesive

High strength, high temperature resistant, industrial grade spray adhesive. Bonds polystyrene with no surface degradation.



3M ID	UPC	Size	MOQ	Case Qty
62-4951-4950-2	0-00-21200-41593-7	24 fl oz	12 cans	12 cans

3M™ Foam Fast 74 Classic Spray Adhesive Orange Original Formula

Fast grabbing foam bonding adhesive in a convenient aerosol can. Used for bonding flexible urethane or latex foam together and to other materials, such as wood, metal and plastics.



3M ID	UPC	Size	MOQ	Case Qty
62-4991-4950-8	0-00-21200-96316-2	24 fl oz	12 cans	12 cans

3M™ Hi-Strength 90 Spray Adhesive

High strength, fast tacking spray adhesive. Bonds to concrete, wood, MDF, laminaes, poly propylene, or polyethylene. Available in an upside down spray technology.



3M ID	UPC	Size	MOQ	Case Qty
62-4942-4970-9	0-00-51111-07278-3	24 fl oz Inverted	12 cans	12 cans
62-4942-4950-1	0-00-21200-30023-3	24 fl oz	12 cans	12 cans

3M™ Super 77™ Multipurpose Spray Adhesive

High tack, high coverage and fast drying adhesive. Bonds quickly in 15 seconds. For permanently attaching foils, carpeting, lightweight foams, paper, cardboard, felt and cloth.



3M ID	UPC	Size	MOQ	Case Qty
62-4977-4930-9	0-00-21200-21210-9	24 fl oz	12 cans	12 cans

3M™ Heavy Duty 20 Spray Adhesive

High strength, fast grabbing, industrial grade, lace spray aerosol adhesive. Bonds laminates, metals, plastics, rubber and more.



3M ID	UPC	Size	MOQ	Case Qty
62-4915-4920-0	0-00-51111-07861-7	20 fl oz	12 cans	12 cans

3M™ Multi-purpose 27 Spray Adhesive

A versatile, economical, industrial grade, mist spray aerosol adhesive. Ideal for bonding paper, cardboard, fabrics, soft foams and other lightweight materials.



3M ID	UPC	Size	MOQ	Case Qty
62-4906-4920-9	0-00-51111-07832-7	20 fl oz	12 cans	12 cans

3M™ Novec™ Contact Cleaner

Effectively removes light oils, greases, silicones, dust and particulates from sensitive electrical and electronic equipment. Meets MIL-PRF 29608A Class C specifications for electrical component cleaning compounds.



3M ID	UPC	Size	MOQ	Case Qty
98-0212-3293-3	0-00-51135-71699-1	11 fl oz	6 cans	6 cans

3M™ Citrus Base Cleaner Transparent

Citrus based aerosol cleaner, not for sale or use in CA. Removes grease, oil, ink and most adhesives.



3M ID	UPC	Size	MOQ	Case Qty
62-4615-4930-5	0-00-21200-76394-6	24 fl oz	12 cans	12 cans

3M™ 5-Way Penetrant

A multi-purpose product that is effective for displacing moisture and dries out electrical apparatus.



3M ID	UPC	Size	MOQ	Case Qty
62-4978-4930-7	0-00-21200-21305-2	24 fl oz	12 cans	12 cans

3M™ Adhesive Remover

Convenient, easy to use, aerosol adhesive remover utilizes a fast acting citrus formulation. Removes unwanted adhesive residue, dirt, oil, stickers, and more.



3M ID	UPC	Size	MOQ	Case Qty
62-4667-4930-6	0-00-21200-49048-4	24 fl oz	6 cans	6 cans

Cylinders & Accessories

3M™ Scotch-Weld™ General Purpose 60 CA Cylinder Spray Adhesive

Low VOC general purpose industrial grade spray adhesive. Packaged in pre-pressurized canister for an easy to use, maintenance free delivery system.



3M ID	UPC	Size	MOQ	Case Qty
62-4952-8030-7	0-00-48011-61687-2	Large Cylinder (Net Wt. 27.2 lbs)	1	1

3M™ Scotch-Weld™ HoldFast 70 Cylinder Spray Adhesive

Extremely versatile, fast tacking industrial grade spray adhesive with a unique wide-web spray pattern. Ideal for bonding a variety of substrates, including polystyrene.



3M ID	UPC	Size	MOQ	Case Qty
62-4983-8030-2	0-00-48011-61690-2	Large Cylinder (Net Wt. 27.3 lbs)	1	1

3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA Cylinder Spray Adhesive

Low VOC, high performance, postformable grade spray adhesive with a unique low telegraphing pebble spray pattern.



3M ID	UPC	Size	MOQ	Case Qty
62-4960-8030-0	0-00-48011-61703-9	Large Cylinder (Net Wt. 26.2 lbs)	1	1

3M™ Scotch-Weld™ Non-Flammable Foam Fast 74NF Cylinder Spray Adhesive

Non-flammable, extremely fast tacking industrial grade spray adhesive for bonding foam and fabric. Packaged in pre-pressurized canister for an easy to use, maintenance free delivery system.



3M ID	UPC	Size	MOQ	Case Qty
62-4998-8030-0	0-00-21200-97160-0	Large Cylinder (Net Wt. 37 lbs)	1	1

3M™ Scotch-Weld™ Polystyrene Foam Insulation 78ET Cylinder Spray Adhesive

A tacky industrial grade spray adhesive with a long open time. Bonds polystyrene with no surface degradation.



3M ID	UPC	Size	MOQ	Case Qty
62-4984-8030-0	0-00-48011-61693-3	Large Cylinder (Net Wt. 29.3 lbs)	1	1

3M™ Scotch-Weld™ Cylinder Adhesive Applicator

Standard output for use with any 3M™ Cylinder Spray adhesive products. Includes Cylinder Adhesive 9501 Spray Tip.



3M ID	UPC	MOQ	Case Qty
62-9880-9930-5	0-00-48011-61706-0	1 applicator	1 applicator

3M™ Scotch-Weld™ Cylinder Adhesive QSS Spray Tip

A unique, high output wide width spray pattern tip designed specifically for use with 3M™ HoldFast 70 and 3M™ Scotch-Weld™ Polystyrene Foam Insulation 78 HT Cylinder Spray Adhesives.



3M ID	UPC	MOQ	Case Qty
62-9880-8148-5	0-00-48011-61993-4	1 spray tip	1 spray tip

3M™ Cylinder Adhesive Extended Applicator

Designed to spray the same as the Standard Output applicator, but with an 18 inch reach extension.

3M ID	UPC	MOQ	Case Qty
62-9880-9940-4	0-00-51115-25779-7	1 applicator	1 applicator

3M™ Scotch-Weld™ Cylinder Adhesive Hoses

For use with any 3M™ Cylinder Spray adhesive products.



3M ID	UPC	Size	MOQ	Case Qty
62-9880-0006-3	0-00-51115-25036-1	6 foot	1 hose	1 hose
62-9880-0012-1	0-00-48011-61988-0	12 foot	1 hose	1 hose
62-9880-0025-3	0-00-48011-61989-7	25 foot	1 hose	1 hose
62-9880-0050-1	0-00-51115-25782-7	50 foot	1 hose	1 hose

3M™ Polyurethane Construction Sealant 525

A single component polyurethane elastomeric sealant which cures under the effect of atmospheric humidity to form a flexible and resilient joint with very good adhesion on most materials. Elongation of over 600%, Shore A of 25, skin time of 2 hrs.



3M ID	UPC	Color	Size	MOQ	Case Qty
62-5282-5230-7	0-00-48011-62823-3	Gray	10.5 fl oz	12 cartridges	12 cartridges

3M™ Polyurethane Sealant 540

One component, moisture curing product which forms permanently elastic bonds.



3M ID	UPC	Color	Size	MOQ	Case Qty
62-5485-5231-4	0-00-21200-41594-4	Gray	10.5 fl oz	12 cartridges	12 cartridges
62-5484-5231-7	0-00-21200-49054-5	White	10.5 fl oz	12 cartridges	12 cartridges
62-5263-5231-5	0-00-51111-97839-9	Bronze	10.5 fl oz	12 cartridges	12 cartridges
62-5486-5231-2	0-00-21200-41595-1	Black	10.5 fl oz	12 cartridges	12 cartridges
62-5261-5231-9	0-00-51111-97837-5	Tan	10.5 fl oz	12 cartridges	12 cartridges

3M™ Polyurethane Sealant 550 Fast Cure

Fast curing polyurethane designed to seal and bond many substrates in a wide variety of applications.



3M ID	UPC	Color	Size	MOQ	Case Qty
62-5267-3931-3	0-00-48011-62801-1	Gray	600 mL	12 sausage packs	12 sausage packs
62-5265-5231-0	0-00-48011-62791-5	White	10.5 fl oz	12 cartridges	12 cartridges
62-5267-5231-6	0-00-48011-62799-1	Gray	10.5 fl oz	12 cartridges	12 cartridges
62-5266-5231-8	0-00-48011-62795-3	Black	10.5 fl oz	12 cartridges	12 cartridges

3M™ Scotch-Seal™ Metal Sealant 2084 Aluminum

A one-part aluminum colored, general purpose, medium viscosity sealant.



3M ID	UPC	Size	MOQ	Case Qty
62-2084-2631-2	0-00-21200-20227-8	5 oz tube	36 tubes	36 tubes

VentureSeal™ 301 Silicone

Easy to apply and fast curing, VentureSeal 301 cures with atmospheric moisture to form a durable seal. After application, the silicone provides excellent long term UV and weather resistance for a durable and reliable bond. Designed for demanding applications, VentureSeal 301 provides a permanently elastic bond to materials which have dissimilar coefficients of expansion.



3M ID	UPC	Color	Size	MOQ	Case Qty
70-0089-3508-5	0-00-51128-96868-0	Aluminum	10.1 fl oz	12 cartridges	12 cartridges
70-0089-3510-1	0-00-51128-96870-3	Clear	10.1 fl oz	12 cartridges	12 cartridges
70-0089-3512-7	0-00-51128-96872-7	White	10.1 fl oz	12 cartridges	12 cartridges

3M™ Concrete Repair 600 Self-Leveling

Gray, self-leveling two-component polyurethane that is provided in a standard 8.4 oz caulk tube. Can be used with standard caulk applicator.



3M ID	UPC	Size	MOQ	Case Qty
62-2649-1233-8	0-00-21200-96596-8	8.4 oz 2 mix nozzles	6 cartridges	6 cartridges

Product Use: Many factors beyond 3M's control and uniquely within user's knowledge and control can affect the use and performance of a 3M product in a particular application. Given the variety of factors that can affect the use and performance of a 3M product, user is solely responsible for evaluating the 3M product and determining whether it is fit for a particular purpose and suitable for user's method of application. **Warranty, Limited Remedy, and Disclaimer:** Unless an additional warranty is specifically stated on the applicable 3M product packaging or product literature, 3M warrants that each 3M product meets the applicable 3M product specification at the time 3M ships the product. 3M MAKES NO OTHER WARRANTIES OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. If the 3M product does not conform to this warranty, then the sole and exclusive remedy is, at 3M's option, replacement of the 3M product or refund of the purchase price. **Limitation of Liability:** Except where prohibited by law, 3M will not be liable for any loss or damage arising from the 3M product, whether direct, indirect, special, incidental or consequential, regardless of the legal theory asserted, including warranty, contract, negligence or strict liability.



**3M Building & Construction
Market Center**

Building 225-3S-06
St. Paul, MN 55144-1000
1-866-513-4026
www.3M.com/construction

Please Recycle. Printed in U.S.A.

© 3M 2013. All rights reserved.

3M, Novec, ScotchBlue, Scotch-Seal, Scotch-Weld, Super 77, Tartan, VentureTape, VentureSeal, and VHB are trademarks of 3M Company.

Scotch is a registered trademark of 3M Company.

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for [Adhesive Tapes](#) category:

Click to view products by [3M](#) manufacturer:

Other Similar products are found below :

[56-YELLOW-34"X72YD](#) [00-021200-13972-7](#) [021200-64630](#) [60 TAPE \(1"\)](#) [62-GRAY-12"X36YD](#) [62-GRAY-1"X36YD](#) [69-1"X36YD](#) [764-1"x36yd-Red](#) [764-1"x36yd-White](#) [9500PC-3/4](#) [967454-1](#) [1181 19MM X 16,5 METERS](#) [130C-1X15FT](#) [E39-RS1-CA](#) [1900-48mm](#) [22-1/2X36YD](#) [88-SUPER-34X44FT](#) [890103N001](#) [2670](#) [96](#) [EVK-TA-TM047NBH01](#) [20-1"X60YDS](#) [2020-18mmx55m](#) [H150](#) [363](#) [3900-Blue](#) [3939-24mmx55m](#) [44-TAN-14"X90YD](#) [4504-34x18](#) [471-Trans-1"x36yd-Bulk](#) [5414 34X36](#) [35-Gray-1/2](#) [4008-12"X36YD](#) [4104-34"x18yd](#) [4116](#) [444-1"x36yd](#) [4466 1"](#) [4466W-1/2"x36yd](#) [4492B-12"x72yd](#) [4492B-1"x72yd](#) [4496W-12"x36yd](#) [4508-1"x36yd](#) [4516-3/8x36](#) [4726](#) [1/2"X36YD](#) [054007-43154](#) [054007-43152](#) [06149](#) [11-32-2857](#) [5419 1/2"](#) [56 TAPE \(1/2"\)](#)