3M

40 Printed and Unprinted Antistatic Utility Tape

Data Sheet

3M[™] 40 Printed and Unprinted Antistatic Utility Tapes represent a breakthrough in PSA tape technology. This new tape, which generates less than 50 volts on unwind and removal from stainless steel, helps prevent ESD damage to sensitive electronic components in manufacturing environments. Triboelectric charge may


vary with your application and environment.

Patented Technology

3M antistatic utility tape is a transparent polyester film tape with acrylic adhesive. Made with a proprietary technology, the tape generates extremely low levels of triboelectric charge when it is unwound from the roll and also when removed from most surfaces on which it is placed. This makes the tape an excellent choice for use near electronic components and assemblies. The tape is supplied on 36 yard and 72 yard rolls on 1" and 3" cores.

Superior Performance

3M antistatic utility tape can be used at static-safeguard workstations as part of your total static control program. It generates very low levels of static charge even in dry conditions of 10% RH. The tape is supplied on a paper core; antistatic plastic cores are available to minimize



40 Printed for Protection

The tape is printed on the adhesive side with the 3M logo and the ESD Protective Symbol. This reminds workers that 40 tape is the only utility tape you allow in static-safeguarded areas.

Applications

- Office/Clean Room/Work Station
 Holding notes of work orders
 Holding obstruction down
 Third hand, general purpose
- Manufacturing
 Close static shielding bags
 Conformal coating/maskins
 Holding and sealing supplies
- Packaging Box, bag and container sealing/holding DIP Tubes
- Removing Contaminants
- Label Stock

Call 1-800-328-1368 for more information or the name of your nearest 3M ELPD Division authorized distributor.

Typical Properties

| Typical Properties | | |
|---|---------------|---------------------|
| Property/Unit of Measure | Test Method T | ypical Value |
| ELECTRICAL PROPERTIES | | |
| Static charge generation: | | |
| Removal from roll, | | |
| 10% RH, volts | 3M | 20 |
| Removal from roll, | 014 | _ |
| 50% RH, volts | 3M | 5 |
| Removal from stainless steel, 10% RH, volts | 3M | 50 |
| Removal from stainless | SIVI | 50 |
| steel, 50% RH, volts | 3M | 5 |
| , | | · · |
| Surface resistance: | | |
| Adhesive @ 50% RH, Ω | ESD Assoc. | 5 x 10 ⁶ |
| | STD 11.11 | 6 |
| Adhesive @ 10% RH, Ω | ESD Assoc. | 5 x 10 ⁶ |
| | STD 11.11 | |
| TAPE PROPERTIES | | |
| Adhesion to steel, oz/inch | ASTM D 1000 | |
| Unwind force from roll, oz/inc | | |
| Thickness, mils | ASTM D 100 | |
| Break strength, lb./inch | ASTM D 100 | |
| Slit width, inch | ASTM D 100 | $0 \pm 1/64$ |
| Non - outgassing | | |
| TML | ASTM E 595 | <1.0% |
| CVCM | ASTM E 595 | <0.1% |

3M is a trademark of 3M

Important Notice

All statements, technical information, and recommendations related to Seller's products are based on information believed to be reliable, but the accuracy or completeness thereof is not guaranteed. Before utilizing the product, the user should determine the suitability of the product for its intended use. The user assumes all risks and liability whatsoever in connection with such use.

Any statements or recommendations of the Seller which are not contained in the Seller's current publications shall have no force or effect unless contained in an agreement signed by an authorized office of Seller. The statements contained herein are made in lieu of all warranties, express or implied,

including but not limited to the implied warranties of merchantability and fitness for a particular purpose which warranties are hereby expressly disclaimed.

SELLER SHALL NOT BE LIABLE TO THE USER OR ANY OTHER PERSON UNDER ANY LEGAL THEORY, INCLUDING BUT NOT LIMITED TO NEGLIGENCE OR STRICT LIABILITY, FOR ANY INJURY OR FOR ANY DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES SUSTAINED OR INCURRED BY REASON OF THE USE OF ANY OF THE SELLER'S PRODUCTS THAT WERE DEFECTIVE.



Electrical Products Division 6801 River Place Blvd. Austin, TX 78726-9000 800 676 8381 http://www.3M.com/elpd

© 3M 1998 78-8124-4849-2(A)

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for 3m manufacturer:

Other Similar products are found below:

SC401U 98-0003-3071-6 80-0012-6467-2 00-054007-70220-7 00-054007-34717-0 5952-3/4"x15yds 021200-40230 6840-2X50-GRAY
6A11-A0121-007.0-0 701-W 7993MP-2CIRCLE-100 FDV14-187C 8124/14 812510-100 8125/17 813216 8204-3LFM 8425-8
MNG14BCX FP301-1/8-6"-Black FV14-6C 920102-01-25-R 927739-40 929835-01-28-RK 929974-01-40-R 951240-2520-AR-PR
960X/980X 98-0003-3075-7 HF365/16SF HF36564-100 HF625/26-30 1/2-5-4492W 1/2-5-5430 1/2-5-850S 1/2-5-3431 12X12-6-4056B
12X12-6-433 12X12-6-4930 13-500-NB 14526-EZ5B-300-02C 1-4-4658F 14520-EZAB-300-0EC DSTK9013-3420 DSTK9015-3402
14T26-SZLB-200-0LC 14T50-SZWB-100-0NC 1-5-3437 1-5-4943F 1-5-363 1-5-4959