3M


Scotchlok[™] Shield Connectors 4460 and 4460-S

3.0 Tools Required


3/8" Terminal Wrench

4.0 Cable Preparation

- *Note:* For both single and double sheath cables, cut shield flush with sheath.
- 4.1 Single Sheath Cable




4.2 Double Sheath Cable



June 2005 78-8135-4339-0-A

1.0 General

The 3M[™] Scotchlok[™] 4460 and 4460-S shield connectors are designed to make a stable, low resistance electrical connection between the shield of a communications cable and a conductor such as a strap bar, wire or braid. The 4460-S shield connector includes a plastic shoe to aid connector insertion and to protect conductors.




Note: Visually inspect all components. If any component is missing or appears damaged, do not install and call 3M customer service at 1-800-426-8688 for a replacement product.


5.0 Installation

5.1 **For 4460 connector** insert base between shield and core wrap, or inner sheath for double sheath cable, until stops meet outer sheath. Tap sheath above shield connector base to set teeth.

> **For 4460-S connector** insert plastic shoe between shield and core wrap, or inner sheath for double sheath, until stops meet outer sheath. The plastic shoe can be easily inserted by gripping back end with pliers. Then insert base of connector between shield and plastic shoe. Tap sheath above shield connector base to set teeth.




Note: If shoe and/or base cannot be easily inserted, especially with cable less than 1" (25 mm) in diameter, cut a 1" (25 mm) slit in the sheath opposite connector, then complete procedure.



5.2 Attach bond braid perpendicular to long axis of connector. Install top and securely fasten with nuts supplied. Torque nuts to 30-35 in-lbs (3.4-4.0 kgm).

Note: Do not tap on top shield connector member.



Note: If additional jumper or ground wire is to be used, place wire(s) between securing nuts.

3M and Scotchlok are trademarks of 3M Company.

Important Notice

All statements, technical information, and recommendations related to 3M's products are based on information believed to be reliable, but the accuracy or completeness is not guaranteed. Before using this product, you must evaluate it and determine if it is suitable for your intended application. You assume all risks and liability associated with such use. Any statements related to the product which are not contained in 3M's current publications, or any contrary statements contained on your purchase order shall have no force or effect unless expressly agreed upon, in writing, by an authorized officer of 3M.

Warranty; Limited Remedy; Limited Liability.

This product will be free from defects in material and manufacture for a period of one (1) year from the time of purchase. 3M MAKES NO OTHER WARRANTIES INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. If this product is defective within the warranty period stated above, your exclusive remedy shall be, at 3M's option, to replace or repair the 3M product or refund the purchase price of the 3M product. Except where prohibited by law, 3M will not be liable for any indirect, special, incidental or consequential loss or damage arising from this 3M product, regardless of the legal theory asserted.



Communication Markets Division 3M Telecommunications

6801 River Place Blvd. Austin, TX 78726-9000 800.426.8688 Fax 800.626.0329 www.3MTelecommunications.com

Ecycled paper 40% Pre-consumer waste paper 10% Post-consumer waste paper

Litho in USA © 3M 2005 78-8135-4339-0-A

X-ON Electronics

Largest Supplier of Electrical and Electronic Components

Click to view similar products for Terminals category:

Click to view products by 3M manufacturer:

Other Similar products are found below :

00-054007-01074-6 00-054007-70206-1 00-054007-70210-8 00-054007-70217-7 00-054007-70226-9 00-054007-70228-3 00-054007-70248-1 00-054007-70256-6 00-054007-70301-3 00-054007-70316-7 00-054007-49560-4 00-054007-70209-2 00-054007-70225-2 00-054007-70227-6 00-054007-70231-3 00-054007-70241-2 00-054007-70242-9 00-054007-70244-3 00-054007-70246-7 00-054007-70263-4 00-054007-70288-7 00-054007-70290-0 00-054007-70300-6 00-054007-70304-4 01-2065-1-0216 01-2900-1-04412 00581P0075 600TS-10 60205-1 604200-1 605601-1 60598-1-CUT-TAPE 61314-6-C 61810-3 61-S 61-SN 626-0194 62-NBM-A 62-SN 62-SP 63-S 640179-1 M55155/059103 M55155/079C01 M55155/099H02 M55155/109H01 M55155/109H02 M55155/12XH05 M55155/16XH02 M55155/29-5S